review (Lovallo et al). 2008;52:S78 (Research Forum abstracts)

**Adolescent**
Anogenital injury in adolescent sexual assault: analysis of 1,024 cases using colposcopy and nuclear staining (Stears et al). 2008;52:S64 (Research Forum abstracts)
Comparative analysis of statutory versus forcible rape: findings from the National Incident-Based Reporting System (Madsen et al). 2008; 52:S63–S64 (Research Forum abstracts)
The epidemiology of sexual revictimization in adolescent and adult women (Atkinson et al). 2008;52:S172 (Research Forum abstracts)

**Adoption**
Left without being seen (Sadosty). 2008;52:753 (Change of Shift)

**Adrenal cortex hormones**
Corticosteroids for acute bacterial meningitis (van de Beek); Commentary: clinical implications for emergency medicine (Upadhye). 2008;52:291–3 (Systematic review abstract)

**Adrenergic beta-antagonists**
Beta-blockers are associated with reduced risk of myocardial infarction after cocaine use (Fung et al). 2008;52:88–9 (Correspondence)
Beta-blockers following cocaine use: a reappraisal (Mariani); Reply (Dattilo et al). 2008;52:89–90 (Correspondence)

**Adrenomedullin**
Proadrenomedullin in emergency department patients with community-acquired pneumonia (Huang et al). 2008;52:S41 (Research Forum abstracts)

**Advertising**
Air ambulance medical transport advertising and marketing (American College of Emergency Physicians). 2008;52:581 (Policy statements)

**Afghanistan**
Emergency physicians highlight "Army-wide emergency medical care deficiency" in training of flight medics (Cearnal). 2008;52:522–4 (News and Perspective)

**African Americans.** *See also* Ethnic groups
Emergency department stroke care is similar by race and type of hospital within a regional population (Pierre et al). 2008;52:S161 (Research Forum abstracts)
Evaluation of racial bias in emergency medicine residents and recent graduates (Nelson et al). 2008;52:S122 (Research Forum abstracts)

**Aftercare**
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)
Sexual assault victims: who gets lost to follow-up? (De Leon et al). 2008;52:S62 (Research Forum abstracts)

**Aged**
Age differences in the clinical presentation of emergency department patients with venous thromboembolism (Richman et al). 2008;52: S45–S46 (Research Forum abstracts)
Appropriately screened geriatric chest pain patients may be appropriate for an emergency department observation unit (Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
ATV accidents and the elderly: national trends and implications for emergency medicine (Walling et al). 2008;52:S156 (Research Forum abstracts)
Barriers to depression screening and referral in emergency department elders (Hogan). 2008; 52:S52 (Research Forum abstracts)
Clinical characteristics and mortality rate of geriatric dapsone intoxication (Kim). 2008;52: S156 (Research Forum abstracts)
Delirium risk factors in the older emergency department patient (Han et al). 2008;52:S51–S52 (Research Forum abstracts)
Depression screening and referral in emergency department elders (Hogan). 2008;52:S51 (Research Forum abstracts)
Early predictors of mortality and length of stay in emergency department nursing home-acquired pneumonia (Robinson et al). 2008; 52:S138 (Research Forum abstracts)
The effect of timing and choice of antibiotic on mortality and length of stay in nursing home-acquired pneumonia (Medado et al). 2008;52: S137 (Research Forum abstracts)
Emergency physician geriatric education: an update of the 1992 Geriatric Task Force survey. Has anything changed? (Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Evaluation of the Revised Trauma and Injury Severity Scores in elderly trauma patients (Watts et al). 2008;52:S52 (Research Forum abstracts)
Factors predictive of 28-day in-patient mortality among adult emergency department patients admitted for suspected infection (Berger et al). 2008;52:S54 (Research Forum abstracts)
Identification of appropriate Glasgow Coma Score trauma criteria in elderly patients (Caterino and Cudnik). 2008;52:S52 (Research Forum abstracts)
Low-dose intravenous prochlorperazine as single-agent therapy for uncomplicated nausea and vomiting in elderly patients (Abram et al). 2008;52:S51 (Research Forum abstracts)
Management and outcome of patients over 75 with pneumonia: report of 149 consecutive cases in an emergency department short stay unit (Ferre et al). 2008;52:S139 (Research Forum abstracts)
National patterns in emergency department antibiotic prescribing for elderly patients with urinary tract infections, 1996–2005 (Weed et al). 2008;52:S155 (Research Forum abstracts)
Nursing home-acquired pneumonia: demographics, outcomes and antibiotic usage (Kass-Shamoun et al). 2008;52:S155–S156 (Research Forum abstracts)
Risk factors and characteristics of falls among emergency department elderly patients (Vilke et al). 2008;52:S160 (Research Forum abstracts)

**Age distribution**
Pediatric population size is associated with geographic patterns of acute respiratory infections among adults (Brownstein and Mandl). 2008;52:63–8

**Age factors**
Impact of age, sex, and history of anticoagulation on early mortality following hemorrhagic stroke (Hoff et al). 2008;52:S161–S162 (Research Forum abstracts)

**Agkistrodon**
Long-term limb function outcomes following copperhead snakebite (Lavonas et al). 2008;52: S141–S142 (Research Forum abstracts)
The utility of Crotalidae Polyvalent Immune Fab (CroFab™) maintenance dosing in treatment of copperhead envenomation (Bowers et al). 2008;52:S141–S142 (Research Forum abstracts)

**Air ambulances**
Air ambulance medical transport advertising and marketing (American College of Emergency Physicians). 2008;52:581 (Policy statements)
A comparative study of endotracheal intubation by Airtraq, Glidescope® Ranger and direct laryngoscopy in a closed space environment (Hampton et al). 2008;52:S113–S114 (Research Forum abstracts)
Emergency physicians highlight "Army-wide emergency medical care deficiency" in training of flight medics (Cearnal). 2008;52:522–4 (News and Perspective)
Feasibility of using M-mode ultrasound for the detection of pneumothorax during helicopter transport (Lyon et al). 2008;52:S147 (Research Forum abstracts)

**Akathisia, drug-induced**
Metoclopramide in the emergency department: a randomized factorial design study to determine the influence of dose and diphenhydramine on akathisia (Bender et al). 2008;52:S78 (Research Forum abstracts)

**Albumins**
Clinical utility and cost effectiveness of ischemia modified albumin in the emergency department (Seamonds et al). 2008;52:S96 (Research Forum abstracts)
Factors predictive of 28-day in-patient mortality among adult emergency department patients admitted for suspected infection (Berger et al). 2008;52:S54 (Research Forum abstracts)
Time to assay performance greatly affects ischemia modified albumin levels (Seamonds et al). 2008;52:S118 (Research Forum abstracts)

**Alcohol drinking**
Is there a rapid and effective tool to differentiate between hazardous drinkers and alcohol-dependent patients in the emergency department? (Kuklentz et al). 2008;52:S79 (Research Forum abstracts)
The prevalence and characteristics of patients reporting alcohol use at an urban level 1 trauma center (Miner et al). 2008;52:S122–S123 (Research Forum abstracts)

**Alcoholic intoxication**
Clinical assessment of intoxication in blunt trauma patients by emergency physicians (Mahler et al). 2008;52:S109–S110 (Research Forum abstracts)

**Alcoholism**
DIAL: Decreasing Injuries from ALcohol (Mello et al). 2008;52:S158–S159 (Research Forum abstracts)
Is there a rapid and effective tool to differentiate between hazardous drinkers and alcohol-dependent patients in the emergency department? (Kuklentz et al). 2008;52:S79 (Research Forum abstracts)

**All-terrain vehicles.** *See* Off-road motor vehicles

**Altitude sickness**
Changes in oxygen saturation and optic nerve sheath diameter help predict acute mountain sickness in individuals at high altitude (O'Connor et al). [2008;51:477-478] Correction 2008;52:34

**Amanitins, poisoning**
In response to Tong TC, et al. Comparative treatment of alpha-amanitin poisoning with *N*-acetylcysteine, benzylpenicillin, cimetidine,

thioctic acid, and silybin in a murine model (Salhanick et al); Reply (Tong). 2008;52:184–5 (Correspondence)

**Ambulance diversion**
Alternate ambulance transportation and destination (American College of Emergency Physicians). 2008;52:594 (Policy statements)
Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by ambulance diversion based on an out-of-hospital electrocardiogram (Poitras et al). 2008; 52:S95 (Research Forum abstracts)
The financial impact of ambulance diversion on inpatient hospital revenues (Handel and McConnell). 2008;52:S87–S88 (Research Forum abstracts)
The impact of suspension of diversion on an emergency medical service system (Weichenthal et al). 2008;52:S70 (Research Forum abstracts)

**Ambulances.** *See also* Air ambulances; Transportation of patients
Ambulance staging for potentially dangerous scenes: another hidden component of response time (Gratton et al). 2008;52:S97 (Research Forum abstracts)
Comparison of emergency department patient admission rates by mode of arrival: were emergency department transports indicated or was the public "crying wolf"? (Matthews et al). 2008;52:S153–S154 (Research Forum abstracts)

**Ambulatory care facilities**
Retail-based clinics (American College of Emergency Physicians). 2008;52:190 (Policy statements)

**American College of Emergency Physicians**
The "fad" turns 40: ACEP celebrates 4 decades of service (Flynn). 2008;52:373–8 (News and Perspective)
On turning 40 (Callaham). 2008;52:313 (Editorial)
Work hard. Have fun. Overachieve (Jouriles). 2008;52:314–16 (Editorial)
The specialty of emergency medicine: needed now more than ever before (Antman). 2008; 52:317–19 (Editorial)
Looking back ahead (Martinez). 2008;52:320–1 (Editorial)

**Aminoglycocides**
Empiric antibiotic therapy for sepsis patients: monotherapy with β-lactam or β-lactam plus an aminoglycoside? (Paul); Commentary: clinical implications (Sinert and Bright); [Journal Club discussion] (Reynolds). 2008;52: 557–62 (Systematic review abstract)

**Analgesia**
Absence of racial disparities in emergency department analgesia administration (Farley et al). 2008;52:S101–S102 (Research Forum abstracts)
Analgesia in patients with acute abdominal pain: to withhold or not to withhold? (Manterola); Commentary: clinical implications (Sinert). 2008;52:563–6 (Systematic review abstract)
Arrival and discharge pain intensity in the emergency department (Fosnocht and Swanson). 2008;52:S163–S164 (Research Forum abstracts)
A comparison of observed versus documented physician assessment and treatment of pain: the physician record does not reflect the reality (Chisholm et al). 2008;52:383–9
Comparison of outcomes before and after implementation of an observation unit clinical pathway for uncomplicated sickle cell vaso-occlusive crisis (Sinclair et al). 2008;52:S75 (Research Forum abstracts)
Disparities in pain management: a comparison of time to analgesic for emergency department patients with sickle cell disease and renal colic (Lazio et al). 2008;52:S163 (Research Forum abstracts)
A randomized controlled trial comparing injected buffered lidocaine, lidocaine cream, and no analgesia for peripheral intravenous cannula insertion (McNaughton et al). 2008; 52:S75 (Research Forum abstracts)
Triage pain scores and the desire for and use of analgesics (Singer et al). 2008;52:689–95
The use of pediatric sedation and analgesia (American College of Emergency Physicians). 2008;52:595–6 (Policy statements)
Why do some patients with sickle cell disease have multiple emergency department visits and what do they expect? (Tanabe et al). 2008;52: S74 (Research Forum abstracts)

**Analgesics**
Meperidine for acute sickle cell crisis: what is the rationale? (Phillips et al). 2008;52:766 (Correspondence)
Misuse of non-prescription analgesics by emergency department patients (Gogela et al). 2008;52:S74–S75 (Research Forum abstracts)
The relative efficacy of meperidine for the treatment of migraine: a meta-analysis of randomized controlled trials (Friedman et al). 2008;52:705–13
Time to resolution of pain from minor soft tissue injury with diclofenac epolamine topical patch (Kuehi et al). 2008;52:S74 (Research Forum abstracts)
Use of COX-2 inhibitors in U.S. emergency departments from 1999–2005 (Schuur). 2008; 52:S78–S79 (Research Forum abstracts)

**Anemia, sickle cell**
Comparison of outcomes before and after implementation of an observation unit clinical pathway for uncomplicated sickle cell vaso-occlusive crisis (Sinclair et al). 2008;52:S75 (Research Forum abstracts)
Disparities in pain management: a comparison of time to analgesic for emergency department patients with sickle cell disease and renal colic (Lazio et al). 2008;52:S163 (Research Forum abstracts)
Meperidine for acute sickle cell crisis: what is the rationale? (Phillips et al). 2008;52:766 (Correspondence)
Why do some patients with sickle cell disease have multiple emergency department visits and what do they expect? (Tanabe et al). 2008;52: S74 (Research Forum abstracts)

**Anesthesia.** *See also* Procedural sedation; Sedation
Femoral nerve block for pain management of hip fractures in the emergency department: preliminary results of a randomized, controlled trial (Henderson et al). 2008;52:S164 (Research Forum abstracts)
The use of pediatric sedation and analgesia (American College of Emergency Physicians). 2008;52:595–6 (Policy statements)

**Anesthetics, intravenous.** *See* Etomidate; Ketamine; Midazolam; Propofol

**Anesthetics, topical**
A randomized controlled trial comparing injected buffered lidocaine, lidocaine cream, and no analgesia for peripheral intravenous cannula insertion (McNaughton et al). 2008; 52:S75 (Research Forum abstracts)
Warm lidocaine/tetracaine patch versus placebo before pediatric intravenous cannulation: a randomized controlled trial (Singer et al). 2008;52:41–7

**Aneurysm, dissecting**
D-dimer as the sole screening test for acute aortic dissection: a review of the literature (Sutherland et al). 2008;52:339–43 (Best available evidence)

**Angina, unstable**
Bedside echocardiography role in discharge of patients with low risk unstable angina (Farsi and Mofidi). 2008;52:S116 (Research Forum abstracts)

**Angioplasty, transluminal, percutaneous coronary.** *See also* Myocardial infarction, therapy
Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by ambulance diversion based on an out-of-hospital electrocardiogram (Poitras et al). 2008; 52:S95 (Research Forum abstracts)
Emergency physician-initiated primary percutaneous coronary intervention via a single group page is associated with reduced interval times in ST-elevation myocardial infarction patients (Kontos et al). 2008;52:S117–S118 (Research Forum abstracts)
Regionalization of care for ST-segment elevation myocardial infarction: is it too soon? (Pottenger et al). 2008;52:677–85 (Concepts)
Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials (De Luca et al). 2008;52: 665–76 (Review article)

**Angiotensin II**
Diabetes enhances activation of hyperpolarization-activated cyclic nucleotide-gated channels in aortic baroreceptor neurons: involvement of angiotensin II (Li et al). 2008; 52:S64–S65 (Research Forum abstracts)

**Anion gap.** *See* Acid-base imbalance

***Annals of Emergency Medicine***
Journal performance report for 2007 (Callaham). 2008;52:193–4

**Anti-arrhythmia agents**
The conversion of recent-onset atrial fibrillation to sinus rhythm with vernakalant hydrochloride injection: the influence of patients' medical history and baseline characteristics (Rowe et al). 2008;52:S48 (Research Forum abstracts)

**Anti-bacterial agents.** *See also* Pneumonia, drug therapy
Are prophylactic oral antibiotics indicated for the treatment of intraoral wounds? (Mark and Granquist). 2008;52:368–72 (Best available evidence)
Correlation of emergency department occupancy rate with time to antibiotics for patients with pneumonia (Sikka et al). 2008; 52:S110 (Research Forum abstracts)
Cost-effectiveness of emergency department penicillin skin testing to guide antibiotic treatment of odontogenic infections (Raja et al). 2008;52:S54–S55 (Research Forum abstracts)
Does implementation of a satellite pharmacy in

the emergency department affect time to treatment or completeness of antibiotic treatment in sepsis patients (McGrath et al). 2008;52:S73 (Research Forum abstracts)
The effect of systemic antibiotic prophylaxis and wound irrigation on penetrating combat wounds in a "return-to-duty" population (Gerhardt et al). 2008;52:S108 (Research Forum abstracts)
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52: 286–90 (CDC update)
Empiric antibiotic therapy for sepsis patients: monotherapy with β-lactam or β-lactam plus an aminoglycoside? (Paul); Commentary: clinical implications (Sinert and Bright); [Journal Club discussion] (Reynolds). 2008;52: 557–62 (Systematic review abstract)
National patterns in emergency department antibiotic prescribing for elderly patients with urinary tract infections, 1996–2005 (Weed et al). 2008;52:S155 (Research Forum abstracts)

**Antibiotic therapy.** *See* Anti-bacterial agents
**Antiemesis.** *See* Vomiting, therapy
**Antiemetics.** *See* Metoclopramide; Prochlorperazine

**Anti-inflammatory agents**
An endogenous anti-inflammatory molecule, spermine, protects mice against lethal experimental sepsis (Zhu et al). 2008;52:S42 (Research Forum abstracts)
Time to resolution of pain from minor soft tissue injury with diclofenac epolamine topical patch (Kuehi et al). 2008;52:S74 (Research Forum abstracts)

**Antipsychotic agents**
Acute quetiapine overdose in adults: a 5-year retrospective case series (Ngo et al). 2008;52: 541–7
Study in the emergency department of atypical tranquilizer efficiency (Folkert et al). 2008;52: S80 (Research Forum abstracts)

**Antivenins**
The utility of Crotalidae Polyvalent Immune Fab (CroFab™) maintenance dosing in treatment of copperhead envenomation (Bowers et al). 2008;52:S141–S142 (Research Forum abstracts)

**Aortic dissection.** *See* Aneurysm, dissecting

**Appendicitis, diagnosis**
Does this adult patient have appendicitis? (Wagner); Commentary: clinical implication (Yeh). 2008;52:301–3 (Rational clinical examination abstract)
Location of the appendix in the gravid patient (House et al). 2008;52:S92–S93 (Research Forum abstracts)

**Arrhythmias, cardiac.** *See also* Atrial fibrillation
The benefit of interrogating defibrillators by emergency department personnel (Neuenschwander et al). 2008;52:S132 (Research Forum abstracts)
Echocardiographic determination of cardiac rhythm during trans-thoracic wireless conducted electrical weapon exposure (Ho et al). 2008;52:S62 (Research Forum abstracts)
Incidence of cardiac arrhythmias among patients who present to the emergency department with syncope (Serrano et al). 2008;52:S132–S133 (Research Forum abstracts)
Predicting survival from out-of-hospital cardiac arrest: a systematic review and meta-analysis of presenting rhythm (Sasson et al). 2008;52: S154 (Research Forum abstracts)
Prolonged QTc as a predictor of death one year following transient ischemic attack (Enduri et al). 2008;52:S134 (Research Forum abstracts)

**Art**
First aid training through art: a pilot project in rural India (Semonovskaya and Lavery). 2008; 52:S50–S51 (Research Forum abstracts)

**Arthritis, infectious**
Septic arthritis in emergency department patients with joint pain: searching for the optimal diagnostic tool (Margaretten); Commentary (Rios). 2008;52:567–9 (Rational clinical examination abstract)

**Asian Americans**
Chinese American pediatric parents' emergency department utilization and needs assessment (Garcia et al). 2008;52:S165–S166 (Research Forum abstracts)
The epidemiology of stroke and transient ischemic attacks: a 10-year evaluation (McClung et al). 2008;52:S162 (Research Forum abstracts)
Race and self-pay insurance status are associated with mortality and management of non-traumatic subarachnoid hemorrhage (McClung and Hui). 2008;52:S99 (Research Forum abstracts)
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008; 52:S142–S143 (Research Forum abstracts)

**Asthma**
Impact of a nurse-initiated asthma care protocol on mean door to first Salbutamol® (albuterol) nebulization time in pediatric emergency department patients (Qazi et al). 2008;52:S44–S45 (Research Forum abstracts)
Multicenter study of cigarette smoking among patients presenting to the emergency department with acute asthma (Patel et al). 2008;52:S44 (Research Forum abstracts)
A program for asthma education in the emergency department (Kletti et al). 2008;52: S45 (Research Forum abstracts)
Risk factors for failure to follow up in a smoking cessation program among adults presenting to the emergency department with acute exacerbation of asthma or chronic obstructive pulmonary disease (Pagan et al). 2008;52:S45 (Research Forum abstracts)
The utility of serial peak flow measurements in the acute asthmatic being treated in the emergency department (Henderson and Knight). 2008;52:S45 (Research Forum abstracts)

**Athlete**
Normative spleen size in tall healthy athletes: implications for safe return to contact sports following infectious mononucleosis (McCorkle et al). 2008;52:S146–S147 (Research Forum abstracts)

**Athletic injuries.** *See also* Recreation
Emergency department removal of football helmets from athletes with suspected cervical spine fractures: a comparative study of guideline-recommended techniques using a cadaveric model (Anderson et al). 2008;52: S125 (Research Forum abstracts)
The epidemiology of patellar dislocations (Porter et al). 2008;52:S124 (Research Forum abstracts)
Thoracoabdominal trauma in the National Football League: a twenty-eight year review (Garza et al). 2008;52:S108 (Research Forum abstracts)

**Atrial fibrillation**
The conversion of recent-onset atrial fibrillation to sinus rhythm with vernakalant hydrochloride injection: the influence of patients' medical history and baseline characteristics (Rowe et al). 2008;52:S48 (Research Forum abstracts)
Fortuitous therapeutic effect of Taser shock for a patient in atrial fibrillation (Richards et al). 2008;52:686–8 (Case report)
Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam (Marinsek et al). 2008;52: S46–S47 (Research Forum abstracts)
A prospective, randomized trial of an emergency department observation unit for acute onset atrial fibrillation (Decker et al). 2008;52:322–8

**Attitude of health personnel**
"Am I doing the right thing?" Provider perspectives on improving palliative care in the emergency department (Smith et al). 2008;52: S52–S53 (Research Forum abstracts)

**Automobile driving.** *See* Motor vehicle crashes; Seat belts

**Axillary vein**
Ultrasound-guided axillary vein approach to the subclavian vein for central venous access (Bentley et al). 2008;52:475–6 (Correspondence)

## B

**Bacterial infections.** *See also* Abscess; Sepsis; *specific infections, eg,* Pneumonia; *specific sites, eg,* Skin diseases, bacterial
Apparent life-threatening event: is there an increased risk for bacterial infections? (Waseem and Dubbaka). 2008;52:S165 (Research Forum abstracts)

**Bacterial infections, drug therapy.** *See* Anti-bacterial agents

**Balloon occlusion**
Balloon compression as treatment for refractory vaginal hemorrhage (Schlicher). 2008;52:148–50 (Case report)

**Bandages**
Pressure-immobilization bandages for rattlesnake envenomations prevent lethal hyperkalemia from necrosis in a porcine model (Meggs et al). 2008;52:S140–S141 (Research Forum abstracts)

**Baroreflex**
Diabetes enhances activation of hyperpolarization-activated cyclic nucleotide-gated channels in aortic baroreceptor neurons: involvement of angiotensin II (Li et al). 2008; 52:S64–S65 (Research Forum abstracts)

**Barotrauma**
A complication of positive pressure nasal foreign body removal in a pediatric patient (Hills et al). 2008;52:623–5 (Case report)

**Beta-blockers, adrenergic.** *See* Adrenergic beta-antagonists

**Beta-lactams**
Empiric antibiotic therapy for sepsis patients: monotherapy with β-lactam or β-lactam plus

an aminoglycoside? (Paul); Commentary: clinical implications (Sinert and Bright); [Journal Club discussion] (Reynolds). 2008;52: 557–62 (Systematic review abstract)

**Bicarbonates, blood**
Correlation between calculated venous blood gas bicarbonate and measured serum bicarbonate in children with dehydration from gastroenteritis (Hoffman et al). 2008;52:S166 (Research Forum abstracts)
The correlation of serum lactate and ketone levels to the anion gap and serum bicarbonate in acutely dehydrated children (Gupta et al). 2008;52:S77 (Research Forum abstracts)

**Bicycling, injuries**
Mountain biking: an evolving mechanism of injury (Flaherty et al). 2008;52:S145 (Research Forum abstracts)

**Billing**
Emergency department electronic billing algorithm increases charges per patient encounter (Prutzman et al). 2008;52:S88 (Research Forum abstracts)
A survey of emergency department radiology coverage and contemporaneous billing practices (Dunne et al). 2008;52:S119–S120 (Research Forum abstracts)

**Biomedical research**
Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? (Sinha et al). 2008;52: S57 (Research Forum abstracts)
Computerized recruiting for clinical research in the emergency department (Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Conducting research on issues regarding human subjects research regulatory compliance: a responsibility of all clinical researchers (Maio); Reply (Pentz et al). 2008;52:574–5 (Correspondence)
Effect of sex on funding in emergency medicine literature (Jahnes et al). 2008;52:S82–S83 (Research Forum abstracts)
Ghostwriters, data manipulation and dollar diplomacy: how drug companies pull the strings in clinical research (Berger). 2008;52: 137–9 (News and Perspective)
Inconsistent conflict of interest policies across peer-reviewed biomedical journals (Blum et al). 2008;52:S82 (Research Forum abstracts)
Lost in translation or just lost? (Sergeant et al); Reply (Wears). 2008;52:575–7 (Correspondence)

**Blood component transfusion**
Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion (Sloan et al). 2008;52:S107–S108 (Research Forum abstracts)
Early identification of combat casualties who are at high risk for death from severe trauma (Mehta et al). 2008;52:S144 (Research Forum abstracts)
Shock index does not differ following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, such that its clinical use as a measure of compensated shock is valid (Sloan et al). 2008;52:S109 (Research Forum abstracts)

**Blood donors**
*Toxoplasma gondii* antibodies and associated oxidative stress among asymptomatic blood donors (Abousamra). 2008;52:S138 (Research Forum abstracts)

**Blood gas analysis**
Comparison of blood gas versus conventional laboratory results for hematocrit, potassium, and creatinine (Fromm et al). 2008;52:S66 (Research Forum abstracts)
Correlation between calculated venous blood gas bicarbonate and measured serum bicarbonate in children with dehydration from gastroenteritis (Hoffman et al). 2008;52:S166 (Research Forum abstracts)

**Blood pressure.** *See also* Hypertension
Cardiovascular effects of intravenous rattlesnake envenomations (Fish et al). 2008;52:S140 (Research Forum abstracts)
Lack of consistent blood pressure effects or correlation with patient outcome following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock (Sloan et al). 2008;52:S143 (Research Forum abstracts)

**Blunt injuries.** *See* Wounds, nonpenetrating

**Boarding**
Boarding of admitted intensive care patients in the emergency department (American College of Emergency Physicians). 2008;52:188–9 (Policy statements)
Effect of admitted patient boarder occupancy percentage on emergency department length of stay and patients leaving without treatment (Nazziola). 2008;52:S129–S130 (Research Forum abstracts)
The effect of implementation of an observation unit on emergency department wait time to initial physician evaluation, emergency department length of stay, emergency department boarding times, and percentage of patients who left without being seen (Hedayati et al). 2008;52:S112 (Research Forum abstracts)
Electronic dashboard and a multidisciplinary hospital-wide team decrease patient throughput intervals and reduce number of admitted patients held in the emergency department (Spektor et al). 2008;52:S87 (Research Forum abstracts)
Emergency department bed utilization practices affect efficiency measures (Farley et al). 2008; 52:S112 (Research Forum abstracts)
An experience with the transfer of admitted patients from an emergency department to an off-site hospitalist service (Thomas et al). 2008; 52:S131 (Research Forum abstracts)
Transfer of emergency department boarders to inpatient hallways: a four-year experience (Viccellio et al). 2008;52:S43 (Research Forum abstracts)

**Body fluids, ultrasonography**
The dynamics of B-lines: a useful tool in the evaluation of pulmonary fluid status as fluid shifts occur in the body (Capp et al). 2008;52: S61 (Research Forum abstracts)

**Body mass index**
Using body mass index to predict the adequacy of cervical spine radiography in trauma patients (Barlas and Mirakhor). 2008;52:S123–S124 (Research Forum abstracts)

**Book and media reviews**
Book and media reviews 2008;52:191–2 [Correction 452], 311–12, 479–80, 597–8, 769–70

**Brain concussion**
Automated electroencephalogram device identifies abnormalities in the emergency department (Naunheim et al). 2008;52:S92 (Research Forum abstracts)

**Brain edema**
Brain edema as a predictor of clinical outcome in traumatic brain injury (Aston et al). 2008; 52:S108–S109 (Research Forum abstracts)
Is fluid therapy associated with cerebral edema in children with diabetic ketoacidosis? (Hom and Sinert). 2008;52:69–75

**Brain injuries.** *See also* Craniocerebral trauma
Mannitol for traumatic brain injury: searching for the evidence (Wakai); Commentary: clinical implication (Morley). 2008;52:298–300 (Systematic review abstract)

**Brain injuries, diagnosis**
Automated electroencephalogram device identifies abnormalities in the emergency department (Naunheim et al). 2008;52:S92 (Research Forum abstracts)
Brain edema as a predictor of clinical outcome in traumatic brain injury (Aston et al). 2008; 52:S108–S109 (Research Forum abstracts)
Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting (ACEP/CDC Panel to Revise the 2002 Clinical Policy: Neuroimaging and Decisionmaking in Adult Mild Traumatic Brain Injury in the Acute Setting). 2008;52:714–48 (Clinical policy)
C-reactive protein as a serum biomarker in the evaluation of patients with minor head injury and normal mental status in the emergency department (Phillips et al). 2008;52:S124 (Research Forum abstracts)
Determination of clinical criteria to rule out intracranial abnormalities in patients without evidence of trauma (Riutta et al). 2008;52: S135–S136 (Research Forum abstracts)

**Brain injuries, prevention & control**
Cardiocerebral resuscitation improves neurologically intact survival of patients with out-of-hospital cardiac arrest (Kellum et al). 2008;52:244–52
Progress in improving neurologically intact survival from cardiac arrest (Sanders). 2008;52: 253–5 (Editorial)

**Brain ischemia.** *See also* Ischemic attack, transient; Stroke
Effects of hypothermia on short-term memory and hippocampal cell proliferation following transient hypoxia-ischemia injury in rats (Cho et al). 2008;52:S65 (Research Forum abstracts)

**Bronchiolitis**
Prospective multicenter study of bronchiolitis: predictors of relapse following treatment in the emergency department (Waseem et al). 2008; 52:S42 (Research Forum abstracts)

**B-type natriuretic peptide.** *See* Natriuretic peptide, brain

**Bundle branch block**
Electrocardiographic criteria for detecting acute myocardial infarction in patients with left bundle branch block: a meta-analysis (Tabas et al). 2008;52:329–36

**Burnout, professional**
Career satisfaction in emergency medicine and burnout: all is not well (Gendreau). 2008;52: 577 (Correspondence)

**Burns**
Hypothermia in burn victims (Singer et al). 2008;52:S124–S125 (Research Forum abstracts)

Magnetic resonance-induced thermal burn (Landman and Goldfarb). 2008;52:308–9 (Correspondence)

**Butyrylcholinesterase**
Advanced bioscavengers for the emergency treatment of nerve agent/pesticide poisoning (Geyer et al). 2008;52:S142 (Research Forum abstracts)

## C

**Calcitonin**
Risk prediction with procalcitonin and clinical rules in community-acquired pneumonia (Huang et al); [Journal Club discussion] (Menchine); [Journal Club answers] (Menchine and Schrigar). 2008;52:48–55, 59–60, 754–63

**Calcium metabolism disorders**
Heterogeneous calcium cycling during ventricular tachycardia promotes electrical instability and ventricular fibrillation (Wilson et al). 2008;52:S89 (Research Forum abstracts)

**California**
Variability in pediatric utilization of trauma facilities in California: 1999 to 2005 (Wang et al). 2008;52:607–19

**Camping**
Variation in carbon monoxide levels produced from backpacking stoves in tents related to fuel type and tent style (Bales et al). 2008;52:S141 (Research Forum abstracts)

**Canada**
The Maple Leaf Model: what Canada can tell American emergency physicians about practice with universal coverage (Cearnal). 2008;52:19–21 (News and Perspective)

**Cancer.** *See* Neoplasms

**Cannulation.** *See* Catheterization

**Carbamates, poisoning**
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22

**Carbon dioxide**
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008;52:S76 (Research Forum abstracts)
End expiratory carbon dioxide concentrations to predict blood lactate concentration and lactate clearance in emergency department patients with sepsis (Jones et al). 2008;52:S140 (Research Forum abstracts)
The relationship between near infrared spectroscopy and end tidal carbon dioxide in patients presenting with shock (Miner et al). 2008;52:S57–S58 (Research Forum abstracts)

**Carbon monoxide poisoning.** *See also* Cyanides, poisoning
Are carboxyhemoglobin levels required in asymptomatic patients whose carbon monoxide detector alarms? (Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
Influence of cyanide and carbon monoxide poisoning severity on vital signs and plasma lactate concentrations: implications for the unique characteristics of the cyanide toxidrome (Borron et al). 2008;52:S93 (Research Forum abstracts)
Only a minority of intentional carbon monoxide poisoned patients receive hyperbaric oxygen therapy (Kairam et al). 2008;52:S142 (Research Forum abstracts)
Variation in carbon monoxide levels produced from backpacking stoves in tents related to fuel type and tent style (Bales et al). 2008;52:S141 (Research Forum abstracts)

**Carboxyhemoglobin**
Are carboxyhemoglobin levels required in asymptomatic patients whose carbon monoxide detector alarms? (Fiesseler et al). 2008;52:S94 (Research Forum abstracts)

**Cardiac output**
Bedside emergency physician determination of cardiac output in severe sepsis (Chang et al). 2008;52:S129 (Research Forum abstracts)
A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers (Kim and Kim). 2008;52:S48 (Research Forum abstracts)

**Cardiocerebral resuscitation**
Cardiocerebral resuscitation improves neurologically intact survival of patients with out-of-hospital cardiac arrest (Kellum et al). 2008;52:244–52
Progress in improving neurologically intact survival from cardiac arrest (Sanders). 2008;52:253–5 (Editorial)

**Cardiology service, hospital**
Emergency physician-initiated primary percutaneous coronary intervention via a single group page is associated with reduced interval times in ST-elevation myocardial infarction patients (Kontos et al). 2008;52:S117–S118 (Research Forum abstracts)
The impact of out-of-hospital activation of the cardiac catheterization team on door-to-balloon time for patients presenting with ST-segment-elevation myocardial infarction (Camp et al). 2008;52:S97 (Research Forum abstracts)
Out-of-hospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction (Grosgurin et al). 2008;52:S90 (Research Forum abstracts)

**Cardiopulmonary resuscitation.** *See also* Advanced cardiac life support; Resuscitation
Animation-instructed CPR program as reminder tool in achieving effective CPR performance (Choaet al). 2008;52:S105 (Research Forum abstracts)
Cardiocerebral resuscitation improves neurologically intact survival of patients with out-of-hospital cardiac arrest (Kellum et al). 2008;52:244–52
Discordance between pulse detection and emergent echocardiography findings in adult cardiopulmonary arrest patients (Blaivas). 2008;52:S128 (Research Forum abstracts)
The effectiveness of using percutaneous cardiopulmonary support in cardiopulmonary arrest and postresuscitation care (Shin et al). 2008;52:S57 (Research Forum abstracts)
Impact of new CPR/Advanced Cardiac Life Support guidelines on outcome from out-of-hospital cardiac arrest (Eckstein). 2008;52:S69 (Research Forum abstracts)
Preliminary analysis of in-hospital cardiopulmonary resuscitation simulation (SimCode) training program (Kobayashi et al). 2008;52:S83–S84 (Research Forum abstracts)
Progress in improving neurologically intact survival from cardiac arrest (Sanders). 2008;52:253–5 (Editorial)
The role of high-fidelity computerized human patient simulation in cardiopulmonary resuscitation training of medical providers (Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
"Stayin' Alive": a pilot study to test the effectiveness of a novel mental metronome in maintaining appropriate compression rates in simulated cardiac arrest scenarios (Matlock et al). 2008;52:S67–S68 (Research Forum abstracts)

**Cardiotonic agents**
Elucidating the inotropic molecular mechanisms of pyruvate (Torres et al). 2008;52:S65 (Research Forum abstracts)

**Cardiovascular abnormalities**
Cardiovascular effects of intravenous rattlesnake envenomations (Fish et al). 2008;52:S140 (Research Forum abstracts)

**Cardioversion.** *See* Defibrillators; Electric countershock

**Career choice**
Emergency medicine career choice: a profile of factors and influences from the 2005–2006 AAMC Graduation Questionnaire (Boyd et al). 2008;52:S67 (Research Forum abstracts)

**Catheterization.** *See also* Heart catheterization
Balloon compression as treatment for refractory vaginal hemorrhage (Schlicher). 2008;52:148–50 (Case report)
Humeral head intraosseus insertion: the preferred emergency venous access (Paxton et al). 2008;52:S58 (Research Forum abstracts)
Warm lidocaine/tetracaine patch versus placebo before pediatric intravenous cannulation: a randomized controlled trial (Singer et al). 2008;52:41–7

**Catheterization, central venous**
Abdominal compression effectively increases the size of the common femoral vein, as measured by ultrasonography (Rippey et al). 2008;52:446–52 (Brief research report)
Creating an inexpensive and durable ultrasound phantom for simulation of central venous catheterization (Althoff et al). 2008;52:S147–S148 (Research Forum abstracts)
Effect of leg and body positioning on femoral vein accessibility (Cornici et al). 2008;52:S83 (Research Forum abstracts)
Emergency medicine residents' attitudes regarding ultrasound-guided central venous catheterization (Adhikari). 2008;52:S128 (Research Forum abstracts)
Emergency physicians more accurately identify the potentially critical, posterior vessel wall needle-tip location by using a long-axis orientation of the ultrasound transducer (Baty et al). 2008;52:S127 (Research Forum abstracts)
Improving patient safety using ultrasound guidance during internal jugular central venous catheter placement by novice practioners (Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)
Increases in central venous catheterization among community emergency department visits from 2004–2008 (Glickman et al). 2008;52:S120–S121 (Research Forum abstracts)
Junior emergency medicine residents demonstrate improved accuracy for the identification of a central venous needle-tip

with a long-axis ultrasound transducer orientation (Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Long-axis orientation of the ultrasound transducer is more accurate for the identification and determination of vascular access needle-tip location (Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
Resident accuracy in locating the common femoral vein in normal weight versus obese patients (Bennett et al). 2008;52:S148 (Research Forum abstracts)
Ultrasound-guided axillary vein approach to the subclavian vein for central venous access (Bentley et al). 2008;52:475–6 (Correspondence)
Use of continuous ScVO2 catheters increases ScVO2 monitoring and may improve outcome of early goal-directed therapy (Mullen et al). 2008;52:S104 (Research Forum abstracts)

**Catheterization, central venous, adverse effects**
[Guidewire ensnarement] (Weizberg et al). 2008;52:764 (Images in Emergency Medicine), 771 (Images in Emergency Medicine)
[Improper placement of the central venous catheter] (Capodanno et al). 2008;52:765 (Images in Emergency Medicine), 771 (Images in Emergency Medicine)

**Catheterization, intraosseous.** *See* Infusions, intraosseous

**Catheterization, peripheral**
Effects of vein width and depth in ultrasound-guided IV insertion (Witting et al). 2008;52:S127 (Research Forum abstracts)
A randomized controlled trial comparing injected buffered lidocaine, lidocaine cream, and no analgesia for peripheral intravenous cannula insertion (McNaughton et al). 2008;52:S75 (Research Forum abstracts)
Ultrasound-guided peripheral intravenous access in the emergency department using modified seldinger technique: a novel technique (Mahler et al). 2008;52:S147 (Research Forum abstracts)
Ultrasound-guided peripheral IV access: patient pain, anxiety and preference (Panebianco et al). 2008;52:S61 (Research Forum abstracts)

**Cellular phone**
Animation-instructed CPR program as reminder tool in achieving effective CPR performance (Choaet al). 2008;52:S105 (Research Forum abstracts)
A novel approach to transmission of the out-of-hospital EKG in patients with ST-segment elevation myocardial infarction (Carmody). 2008;52:183–4 (Correspondence)
Transfer of real-time ultrasound video of FAST examinations from victims at a disaster scene via a commercially available video cell phone (Blaivas et al). 2008;52:S126–S127 (Research Forum abstracts)

**Centers for Disease Control and Prevention**
Practical considerations in HIV testing in the emergency department, characteristics of diagnostic tests, and the role of sensitivity analysis in observational studies [Journal Club answers for Haukoos et al., 2008;51:303-311] (Barrett and Schriger). 2008;52:170–81

**Cerebral angiography**
Clinical predictors of significant findings on head computed tomographic angiography (Jamshidi et al). 2008;52:S158 (Research Forum abstracts)

**Cerebral edema.** *See* Brain edema

**Cerebral hemorrhage**
Prospective validation of a novel method for assessment of secondary brain insults in the emergency department in acute hemorrhagic stroke (Barton et al). 2008;52:S99 (Research Forum abstracts)

**Cerebral infarction**
The value of a biomarker panel test for acute stroke in emergency department (Yeo et al). 2008;52:S99 (Research Forum abstracts)

**Cerebral thrombosis.** *See* Intracranial thrombosis

**Cervical vertebrae, injuries**
Emergency department removal of football helmets from athletes with suspected cervical spine fractures: a comparative study of guideline-recommended techniques using a cadaveric model (Anderson et al). 2008;52:S125 (Research Forum abstracts)
Using body mass index to predict the adequacy of cervical spine radiography in trauma patients (Barlas and Mirakhor). 2008;52:S123–S124 (Research Forum abstracts)
What is the impact of obesity on the relative risk of cervical spine injury in blunt trauma patients? (Jones et al). 2008;52:S144 (Research Forum abstracts)

**Change of Shift**
Change of Shift 2008;52:80–1, 168–9, 304–5, 457, 570–1, 753

**Charcoal, therapeutic use**
Effect of activated charcoal on citalopram-induced QT prolongation (Greene et al); Reply (Isbister et al). 2008;52:86–8 (Correspondence)

**Chemical warfare agents**
Advanced bioscavengers for the emergency treatment of nerve agent/pesticide poisoning (Geyer et al). 2008;52:S142 (Research Forum abstracts)

**Chest pain, diagnosis.** *See also* Acute coronary syndrome, diagnosis
Appropriately screened geriatric chest pain patients may be appropriate for an emergency department observation unit (Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Comparison of two validated risk stratification scores in predicting outcomes of chest pain evaluation unit patients (Ali et al). 2008;52:S91 (Research Forum abstracts)
Coronary computed tomography for rapid discharge of low risk patients with cocaine-associated chest pain (Chang et al). 2008;52:S140 (Research Forum abstracts)
Door-to-electrocardiogram times in non-differentiated chest pain in an academic emergency department in Chile (Aguilera et al). 2008;52:S116–S117 (Research Forum abstracts)
Effectiveness of a 6-hour versus a 9-hour rule out protocol for the evaluation of low to moderate risk chest pain patients in an observation unit (Calhoun et al). 2008;52:S118 (Research Forum abstracts)
Inclusion of intermediate risk acute coronary syndrome patients in a Midwest chest pain evaluation unit: it plays in Peoria! (Weith et al). 2008;52:S133 (Research Forum abstracts)
Rates of positive stress testing among chest pain patients in an emergency department observation unit (Bledsoe et al). 2008;52:S135 (Research Forum abstracts)
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)
Significant coronary artery disease in emergency chest pain patients with recent negative cardiac stress testing (Walker et al). 2008;52:S90 (Research Forum abstracts)

**Child.** *See also* Adolescent; Infant
Altered mentation in children in a pediatric emergency department: what are the causes? (Muniz and Gates). 2008;52:S77 (Research Forum abstracts)
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008;52:S76 (Research Forum abstracts)
Chinese American pediatric parents' emergency department utilization and needs assessment (Garcia et al). 2008;52:S165–S166 (Research Forum abstracts)
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22
Comparison of pain scale on manual reduction technique in patients with elbow subluxation (Lee). 2008;52:S108 (Research Forum abstracts)
Comparison of two methods of pediatric resuscitation and critical care management (Fineberg and Arendts). 2008;52:35–40
A complication of positive pressure nasal foreign body removal in a pediatric patient (Hills et al). 2008;52:623–5 (Case report)
Correlation between calculated venous blood gas bicarbonate and measured serum bicarbonate in children with dehydration from gastroenteritis (Hoffman et al). 2008;52:S166 (Research Forum abstracts)
The correlation of serum lactate and ketone levels to the anion gap and serum bicarbonate in acutely dehydrated children (Gupta et al). 2008;52:S77 (Research Forum abstracts)
Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial (Langston et al). 2008;52:30–4
The epidemiology of pediatric trauma in the capital city of Maputo, Mozambique (Petersburgo et al). 2008;52:S125–S126 (Research Forum abstracts)
Higher severity of illness in pediatric patients presenting at night and by ambulance (Easter et al). 2008;52:S165 (Research Forum abstracts)
Identifying the etiology of pediatric ATV injuries using a detailed survey of patients and parents (Humphries and Wright). 2008;52:S160 (Research Forum abstracts)
Is fluid therapy associated with cerebral edema in children with diabetic ketoacidosis? (Hom and Sinert). 2008;52:69–75
Is it cost effective to distribute educational videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)
"Left without being seen": a national profile of children who leave the emergency department before evaluation (Bourgeois et al). 2008;52:599–605
Left without being seen (Sadosty). 2008;52:753

(Change of Shift)
Methicillin-resistant *Staphylococcus aureus* rates in a suburban community hospital pediatric emergency department (Kairam et al). 2008; 52:S73 (Research Forum abstracts)
A novel incision and drainage technique in the treatment of skin abscesses in a pediatric emergency department (Ladde et al). 2008;52: S76–S77 (Research Forum abstracts)
Pediatric population size is associated with geographic patterns of acute respiratory infections among adults (Brownstein and Mandl). 2008;52:63–8
Presentation and outcome of adnexal torsion in pediatric patients: a 15-year retrospective review (Lovallo et al). 2008;52:S78 (Research Forum abstracts)
Prospective multicenter study of bronchiolitis: predictors of relapse following treatment in the emergency department (Waseem et al). 2008; 52:S42 (Research Forum abstracts)
Risk factors associated with obesity in an urban pediatric emergency department (Thundiyil et al). 2008;52:S103–S104 (Research Forum abstracts)
The role of oral ondansetron in children with vomiting as a result of acute gastritis/gastroenteritis who have failed oral rehydration therapy: a randomized controlled trial (Roslund et al). 2008;52:22–9, Correction 406
Safety and effectiveness of intravenous prochlorperazine for intractable vomiting in children with gastroenteritis (Goldberg et al). 2008;52:S76 (Research Forum abstracts)
Scene Glasgow Coma Scale scores can help predict mortality in pediatric blunt trauma (Irvin et al). 2008;52:S166 (Research Forum abstracts)
Seatbelt use in 2007—race and ethnicity results among occupants traveling with children (National Highway Traffic Safety Administration). 2008;52:165 (NHTSA Notes)
Slipped capital femoral epiphysis (Zheng). 2008; 52:e1 (Images in Emergency Medicine), e2 (Images in Emergency Medicine)
Standardization of product concentration in emergency dosing: a response to Fineberg and Arendt (Luten and Broselow); Reply (Fineberg et al). 2008;52:477–8 (Correspondence)
Subcutaneous hydration in children using recombinant human hyaluronidase: safety and ease of use (Allen et al). 2008;52:S75–S76 (Research Forum abstracts)
The use of pediatric sedation and analgesia (American College of Emergency Physicians). 2008;52:595–6 (Policy statements)
The utility of bedside ultrasonography in identifying fractures in the emergency department (Barata et al). 2008;52:S60 (Research Forum abstracts)
Variability in pediatric utilization of trauma facilities in California: 1999 to 2005 (Wang et al). 2008;52:607–19
Warm lidocaine/tetracaine patch versus placebo before pediatric intravenous cannulation: a randomized controlled trial (Singer et al). 2008;52:41–7

**Child, abandoned**
Left without being seen (Sadosty). 2008;52:753 (Change of Shift)

**Child abuse**
Case-fatality rate disparity for inflicted injuries of children (Castillo et al). 2008;52:S159 (Research Forum abstracts)
Missed opportunities: emergency department visits before the diagnosis of child abuse (Choo et al). 2008;52:S77 (Research Forum abstracts)

**Chile**
Door-to-electrocardiogram times in non-differentiated chest pain in an academic emergency department in Chile (Aguilera et al). 2008;52:S116–S117 (Research Forum abstracts)

**China**
The education of and utilization of diagnostic and therapeutic procedures by emergency physicians in Beijing, China (Gupta and Walline). 2008;52:S68 (Research Forum abstracts)

**Chlamydia infections**
Emergency department chlamydia screening through partnership with the public health department (Irvin et al). 2008;52:S104 (Research Forum abstracts)

**Cholecystitis**
Can emergency physicians utilize the stone in gallbladder neck (SIN) phenomenon to accurately diagnose cholecystitis? (Nelson et al). 2008;52:S61 (Research Forum abstracts)

**Cholinesterase inhibitors**
Advanced bioscavengers for the emergency treatment of nerve agent/pesticide poisoning (Geyer et al). 2008;52:S142 (Research Forum abstracts)

**Chorionic gonadotropin, beta subunit, human**
The additional value of quantitative beta-hCG in evaluating patients at risk of ectopic pregnancy with bedside ultrasound in the emergency department (Stein et al). 2008;52: S169–S170 (Research Forum abstracts)

**Chronic disease**
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)

**Ciguatera poisoning**
Ciguatera poisoning successfully treated with delayed mannitol (Schwarz et al). 2008;52: 476–7 (Correspondence)

**Cimetidine**
In response to Tong TC, et al. Comparative treatment of alpha-amanitin poisoning with *N*-acetylcysteine, benzylpenicillin, cimetidine, thioctic acid, and silybin in a murine model (Salhanick et al); Reply (Tong). 2008;52:184–5 (Correspondence)

**Citalopram, poisoning**
Effect of activated charcoal on citalopram-induced QT prolongation (Greene et al); Reply (Isbister et al). 2008;52:86–8 (Correspondence)

**Classification.** *See* Coding

**Clenbuterol**
A descriptive study of an outbreak of clenbuterol-containing heroin (Hoffman et al). 2008;52:548–53

**Clinical clerkship**
The emergency department involvement in a one-year longitudinal integrated clerkship for third-year medical students (Stein et al). 2008; 52:S152 (Research Forum abstracts)
Improved student satisfaction and test performance with a simulation-based emergency medicine curriculum (Ten Eyck et al). 2008;52:S49 (Research Forum abstracts)

**Clinical competence**
Assessment of emergency medicine resident competency in interpretation of right upper quadrant and focused abdominal sonography for trauma ultrasound scans (Bahl et al). 2008; 52:S146 (Research Forum abstracts)
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
The effect of clinical experience on the error rate of emergency physicians (Berk et al). 2008;52: 497–501
Emergency clinician–performed compression ultrasonography for deep venous thrombosis of the lower extremity (Kline et al). 2008;52:437–45
Success rates in out-of-hospital intubation (Temin et al). 2008;52:S153 (Research Forum abstracts)

**Clinical policy**
Clinical policy: critical issues in the evaluation and management of adult patients presenting to the emergency department with acute headache (ACEP Clinical Policies Subcommittee). 2008;52:407–36
Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting (ACEP/CDC Panel to Revise the 2002 Clinical Policy: Neuroimaging and Decisionmaking in Adult Mild Traumatic Brain Injury in the Acute Setting). 2008;52:714–48

**Clinical research.** *See* Biomedical research

**Clinics, retail-based**
Retail-based clinics (American College of Emergency Physicians). 2008;52:190 (Policy statements)

**Closure, health facility**. *See* Health facility closure

**Cocaine-related disorders**
Beta-blockers are associated with reduced risk of myocardial infarction after cocaine use (Fung et al). 2008;52:88–9 (Correspondence)
Beta-blockers following cocaine use: a reappraisal (Mariani); Reply (Dattilo et al). 2008;52:89–90 (Correspondence)
Coronary computed tomography for rapid discharge of low risk patients with cocaine-associated chest pain (Chang et al). 2008;52: S140 (Research Forum abstracts)
Retrospective review of an implemented body stuffer protocol (Moreira et al). 2008;52:S141 (Research Forum abstracts)

**Codes of ethics**
Code of ethics for emergency physicians (American College of Emergency Physicians). 2008;52:581–90 (Policy statements)

**Coding**
Emergency department electronic billing algorithm increases charges per patient encounter (Prutzman et al). 2008;52:S88 (Research Forum abstracts)
Improvement in performance of N-Gram classifiers with frequent updates (Cochrane et al). 2008;52:S102 (Research Forum abstracts)
The utility of patient chief complaint and ICD 9 classifiers for the influenza sub-syndrome (Cochrane et al). 2008;52:S103 (Research Forum abstracts)

**Cold**
Insulated sleeve effect on cold weather performance of intravenous fluid warmers

(Mayhue et al). 2008;52:S153 (Research Forum abstracts)
**Colic**
Bedside renal ultrasound in the evaluation of emergency department patients with suspected renal colic (Moak and Lindsell). 2008;52:S62 (Research Forum abstracts)
Disparities in pain management: a comparison of time to analgesic for emergency department patients with sickle cell disease and renal colic (Lazio et al). 2008;52:S163 (Research Forum abstracts)
**Colposcopy**
The forensic rape examination: is colposcopy really necessary? (Rogers et al). 2008;52:S63 (Research Forum abstracts)
**Communicable disease control.** *See* Syndromic surveillance
**Communication**
Defining critical data elements to improve emergency department consultation communication (Schuur et al). 2008;52:S130 (Research Forum abstracts)
Does a mobile voice-over Internet protocol communications system improve emergency department efficiency? (Sample and Hilliard). 2008;52:S166–S167 (Research Forum abstracts)
The effect of wait times and emergency department length of stay on patient perception of medical team communication (Donlan et al). 2008;52:S111–S112 (Research Forum abstracts)
**Communication barriers**
Emergency department length of stay in non-English speaking patients and use of interpreter services (Vega et al). 2008;52:S123 (Research Forum abstracts)
Language interpretation service preferences among non-English speaking patients (Ladner et al). 2008;52:S119 (Research Forum abstracts)
**Communication systems.** *See* Emergency medical service communication systems; Hospital communication systems
**Community medicine**
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction (Scott et al). 2008;52:S123 (Research Forum abstracts)
**Compartment syndromes**
Bilateral compartment syndrome as a result of inferior vena cava filter thrombosis (Shokoohi et al). 2008;52:104–7 (Case report)
**Computerized physician order entry system.** *See* Medical order entry systems
**Computer simulation**
Computerized triage simulation as a tool to compare the reliability and the performance of triage scales (Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Forecasting emergency department crowding: a discrete event simulation (Hoot et al). 2008; 52:116–25
The role of high-fidelity computerized human patient simulation in cardiopulmonary resuscitation training of medical providers (Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
**Conducted electrical weapons**
Echocardiographic determination of cardiac rhythm during trans-thoracic wireless conducted electrical weapon exposure (Ho et al). 2008;52:S62 (Research Forum abstracts)
The effect of a cross-chest electronic control device exposure on breathing (Dawes et al). 2008;52:S65 (Research Forum abstracts)
Fortuitous therapeutic effect of Taser shock for a patient in atrial fibrillation (Richards et al). 2008;52:686–8 (Case report)
Physiological effects of the Taser (Koscove); Reply (Vilke et al). 2008;52:85–6 (Correspondence)
Taser safety remains unclear (Strote and Hutson). 2008;52:84–5 (Correspondence)
**Conflict of interest**
Conflict of interest (American College of Emergency Physicians). 2008;52:590–2 (Policy statements)
Inconsistent conflict of interest policies across peer-reviewed biomedical journals (Blum et al). 2008;52:S82 (Research Forum abstracts)
**Congestive heart failure.** *See* Heart failure
**Conjunctivitis, bacterial**
[Gonococcal conjunctivitis] (Donham and Gibler). 2008;52:11 (Images in Emergency Medicine), 16 (Images in Emergency Medicine)
**Consciousness disorders**
Altered mentation in children in a pediatric emergency department: what are the causes? (Muniz and Gates). 2008;52:S77 (Research Forum abstracts)
**Conscious sedation.** *See* Procedural sedation
**Consultation.** *See* Referral and consultation
**Continuous positive airway pressure**
Out-of-hospital continuous positive airway pressure ventilation versus usual care in acute respiratory failure: a randomized controlled trial (Thompson et al); [Journal Club discussion] (Brywczynski). 2008;52:232–41, 242–3, Correction 2008;52:524
**Contrast media, poisoning**
Contrast-induced nephropathy in emergency department patients receiving abdominal contrast-enhanced computed tomography (Kim et al). 2008;52:S136 (Research Forum abstracts)
The incidence of contrast nephropathy in the emergency department is higher than previous estimates (Mitchell et al). 2008;52:S157 (Research Forum abstracts)
**COPD.** *See* Pulmonary disease, chronic obstructive
**Coronary angiography**
Comparison of the hospital cost and emergency department length of stay of 64-multislice computed tomography coronary angiography versus stress echocardiography for evaluation of patients with low probability of acute coronary syndrome (Griffen et al). 2008;52:S88–S89 (Research Forum abstracts)
Coronary computed tomography for rapid discharge of low risk patients with cocaine-associated chest pain (Chang et al). 2008;52: S140 (Research Forum abstracts)
**Coronary artery disease**
Comparison of the performance of stress echocardiogram and stress MIBI-SPECT in diagnosing significant coronary artery disease (Szymanski et al). 2008;52:S91 (Research Forum abstracts)
Significant coronary artery disease in emergency chest pain patients with recent negative cardiac stress testing (Walker et al). 2008;52:S90 (Research Forum abstracts)
**Coronary occlusion, diagnosis**
Diagnostic accuracy of ST-segment elevation in lead I, aVL and anterior chest leads for proximal left anterior descending cornary artery occlusion in myocardial infarction (Park). 2008;52:S91–S92 (Research Forum abstracts)
Electrocardiographic determination of culprit artery occlusion in acute inferior myocardial infarction (DeVerna et al). 2008;52:S117 (Research Forum abstracts)
**Corrections**
Book and media reviews [2008;52:191–2]. 2008;52:452
Changes in oxygen saturation and optic nerve sheath diameter help predict acute mountain sickness in individuals at high altitude (O'Connor et al). [2008;51:47–8] 2008;52:34
Emergency medicine in the VA: the battleship is turning (Olszyk and Kessler). [2008;51:632–5]. 2008;52:81
Out-of-hospital continuous positive airway pressure ventilation versus usual care in acute respiratory failure: a randomized controlled trial (Thompson et al); [Journal Club discussion] (Brywczynski). [2008;52:232–1, 242–3] 2008;52:524
[Painful facial rash] (Hahn et al). [2008;51:211] 2008;52:273
The role of oral ondansetron in children with vomiting as a result of acute gastritis/gastroenteritis who have failed oral rehydration therapy: a randomized controlled trial (Roslund et al). [2008;52:22–9]. 2008;52: 406
Who reads the electrocardiograms in emergency departments in France (Sende et al). [2008;51: 478/529] 2008;52:79
**Correspondence**
Correspondence 2008;52:85–90, 183–5, 308–10, 475–8, 574–7, 766–8
**Corticosteroids.** *See* Adrenal cortex hormones
**Costs and cost analysis**
Comparison of the hospital cost and emergency department length of stay of 64-multislice computed tomography coronary angiography versus stress echocardiography for evaluation of patients with low probability of acute coronary syndrome (Griffen et al). 2008;52:S88–S89 (Research Forum abstracts)
Cost-effectiveness of emergency department penicillin skin testing to guide antibiotic treatment of odontogenic infections (Raja et al). 2008;52:S54–S55 (Research Forum abstracts)
The cost of emergency department treatment of community-acquired methicillin-resistant *Staphylococcus aureus* skin infections (Knoll et al). 2008;52:S69–S70 (Research Forum abstracts)
Costs of post-resuscitative care for out-of-hospital cardiac arrest patients (Swor et al). 2008;52:S106 (Research Forum abstracts)
Delays and high costs associated with emergency physician variation in diagnostic approaches to venous thromboembolism (Kim et al). 2008; 52:S94 (Research Forum abstracts)
Financial impact of emergency department ultrasound: current and potential revenue (Soremekun et al). 2008;52:S81 (Research Forum abstracts)
Is it cost effective to distribute educational

videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)
A time and cost comparison of two observation protocols: "triple rule-out" MDCT vs. nuclear stress testing for emergency department patients with possible acute coronary syndrome (Takakuwa et al). 2008;52:S80 (Research Forum abstracts)

**Cost-sharing**
Influence of patient costs and requests on emergency physician decisionmaking (Ballard et al). 2008;52:643–50

**Counseling**
Brief physician intervention did not alter cessation rates in smokers presenting to the emergency department (Brown and Barry). 2008;52:S102 (Research Forum abstracts)
Commentary: don't just stand there . . . stir things up! (National Highway Traffic Safety Administration). 2008;52:750–2 (NHTSA Notes)
Motivated-to-quit smokers are interested in smoking cessation interventions (Llovera et al). 2008;52:S121 (Research Forum abstracts)

**Craniocerebral trauma.** *See also* Brain injuries

**Craniocerebral trauma, diagnosis**
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008; 52:S142–S143 (Research Forum abstracts)
Automated electroencephalogram device identifies abnormalities in the emergency department (Naunheim et al). 2008;52:S92 (Research Forum abstracts)
C-reactive protein as a serum biomarker in the evaluation of patients with minor head injury and normal mental status in the emergency department (Phillips et al). 2008;52:S124 (Research Forum abstracts)
Outcome of head injury patients with Glasgow Coma Score of 15 in the emergency department (Sukarom and Lim). 2008;52:S126 (Research Forum abstracts)

**C-reactive protein**
C-reactive protein as a serum biomarker in the evaluation of patients with minor head injury and normal mental status in the emergency department (Phillips et al). 2008;52:S124 (Research Forum abstracts)

**Creatinine**
Comparison of blood gas versus conventional laboratory results for hematocrit, potassium, and creatinine (Fromm et al). 2008;52:S66 (Research Forum abstracts)
Factors predictive of 28-day in-patient mortality among adult emergency department patients admitted for suspected infection (Berger et al). 2008;52:S54 (Research Forum abstracts)

**Cricothyrotomy**
The intubating laryngeal mask airway is an important backup device for emergency airways (Reardon et al). 2008;52:S115 (Research Forum abstracts)

**Crime victims**. *See* Child abuse; Domestic violence; Rape

**Critical care.** *See also* Intensive care
Comparison of two methods of pediatric resuscitation and critical care management (Fineberg and Arendts). 2008;52:35–40
Development and validation of a sedation scale for out-of-hospital intensive care (Ghanbari et al). 2008;52:S81 (Research Forum abstracts)

**Crotalidae Polyvalent Immune Fab**
The utility of Crotalidae Polyvalent Immune Fab (CroFab™) maintenance dosing in treatment of copperhead envenomation (Bowers et al). 2008;52:S141–S142 (Research Forum abstracts)

**Crotalid venoms**
Cardiovascular effects of intravenous rattlesnake envenomations (Fish et al). 2008;52:S140 (Research Forum abstracts)
Long-term limb function outcomes following copperhead snakebite (Lavonas et al). 2008;52: S141–S142 (Research Forum abstracts)
Pressure-immobilization bandages for rattlesnake envenomations prevent lethal hyperkalemia from necrosis in a porcine model (Meggs et al). 2008;52:S140–S141 (Research Forum abstracts)
The utility of Crotalidae Polyvalent Immune Fab (CroFab™) maintenance dosing in treatment of copperhead envenomation (Bowers et al). 2008;52:S141–S142 (Research Forum abstracts)

**Crowding.** *See also* Ambulance diversion; Boarding; Efficiency; Emergency service, hospital, utilization; Length of stay; Patient care management; Patient transfer; Time management
An alternate site of care program in an urban emergency department (Ferguson et al). 2008; 52:S131–S132 (Research Forum abstracts)
Assessment of emergency department crowding in a large referral north Italian hospital (Gai et al). 2008;52:S120 (Research Forum abstracts)
Correlation of emergency department occupancy rate with time to antibiotics for patients with pneumonia (Sikka et al). 2008; 52:S110 (Research Forum abstracts)
Effect of crowding on time to percutaneous coronary intervention for acute myocardial infarction (Kulstad et al). 2008;52:2008;52: S86 (Research Forum abstracts)
Electronic dashboard and a multidisciplinary hospital-wide team decrease patient throughput intervals and reduce number of admitted patients held in the emergency department (Spektor et al). 2008;52:2008;52:S87 (Research Forum abstracts)
Emergency department crowding: factors associated with length of stay and disposition in an observation unit (Norton and Fu). 2008; 52:S137 (Research Forum abstracts)
Emergency department crowding in the Commonwealth of Pennsylvania (Pines et al). 2008;52:S130 (Research Forum abstracts)
Emergency Severity Index as a predictor of emergency department efficiency rates in a level 1 trauma center employing infrared automatic tracking technology (Villarin and Goss). 2008; 52:S56 (Research Forum abstracts)
Evaluating emergency department crowding using automatic infrared tracking (Villarin and Goss). 2008;52:S56 (Research Forum abstracts)
An experience with the transfer of admitted patients from an emergency department to an off-site hospitalist service (Thomas et al). 2008; 52:S131 (Research Forum abstracts)
Forecasting emergency department crowding: a discrete event simulation (Hoot et al). 2008; 52:116–25
How long before patients lose their patience? (Bastani et al). 2008;52:S86–S87 (Research Forum abstracts)
Impact of mandated nurse–patient ratios on emergency department crowding (Chan et al). 2008;52:S44 (Research Forum abstracts)
The impact of suspension of diversion on an emergency medical service system (Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Implementation of a novel "see and treat" system reduces emergency department crowding (Codreanu et al). 2008;52:S130–S131 (Research Forum abstracts)
Occupancy rate and EDWIN score both correlate significantly with number of patients leaving the emergency department without being seen (Kulstad et al). 2008;52:S85 (Research Forum abstracts)
Roma tomatoes and ED crowding (Wrenn). 2008;52:570–1 (Change of Shift)
Systematic review of emergency department crowding: causes, effects, and solutions (Hoot and Aronsky). 2008;52:126–36 (Review article)

**Cultural competency**
Cultural awareness and emergency care (American College of Emergency Physicians). 2008;52:189 (Policy statements)
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction (Scott et al). 2008;52:S123 (Research Forum abstracts)

**Curriculum**
Disaster 101: can fourth-year medical students rapidly learn a novel disaster medicine and emergency preparedness curriculum? (Scott et al). 2008;52:S150 (Research Forum abstracts)
Emergency medicine residents' perceptions of ultrasound education (Adhikari). 2008;52: S150–S151 (Research Forum abstracts)
Improved student satisfaction and test performance with a simulation-based emergency medicine curriculum (Ten Eyck et al). 2008;52:S49 (Research Forum abstracts)

**Cyanides, poisoning.** *See also* Carbon monoxide poisoning
Effect of hydroxocobalamin on measurement of plasma lactate concentration: an in vitro study (Laforge et al). 2008;52:S136 (Research Forum abstracts)
Hemodynamics following intraosseous administration of hydroxocobalamin in the goat (Borron et al). 2008;52:S96 (Research Forum abstracts)
Influence of cyanide and carbon monoxide poisoning severity on vital signs and plasma lactate concentrations: implications for the unique characteristics of the cyanide toxidrome (Borron et al). 2008;52:S93 (Research Forum abstracts)
Intraosseous line placement by hazardous materials responders and receivers for hydroxocobalamin administration (Borron et al). 2008;52:S97 (Research Forum abstracts)

**Cyclooxygenase 2 inhibitors**
Use of COX-2 inhibitors in U.S. emergency departments from 1999–2005 (Schuur). 2008; 52:S78–S79 (Research Forum abstracts)

## D

**Dapsone, poisoning**
Clinical characteristics and mortality rate of geriatric dapsone intoxication (Kim). 2008;52: S156 (Research Forum abstracts)
**DCLHb**
Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion (Sloan et al). 2008;52:S107–S108 (Research Forum abstracts)
Lack of consistent blood pressure effects or correlation with patient outcome following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock (Sloan et al). 2008;52:S143 (Research Forum abstracts)
Shock index does not differ following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, such that its clinical use as a measure of compensated shock is valid (Sloan et al). 2008;52:S109 (Research Forum abstracts)
**D-dimer**
Analytical and clinical evaluation of four D-dimer methods (Padurean et al). 2008;52:S152–S153 (Research Forum abstracts)
D-dimer as the sole screening test for acute aortic dissection: a review of the literature (Sutherland et al). 2008;52:339–43 (Best available evidence)
Delays and high costs associated with emergency physician variation in diagnostic approaches to venous thromboembolism (Kim et al). 2008; 52:S94 (Research Forum abstracts)
High imprecision of a point-of-care D-dimer test limits its utility for reliable exclusion of venous thromboembolism (Houdijk et al). 2008;52:S65–S66 (Research Forum abstracts)
Predicting outcomes and severity of illness in emergency department patients with suspected infection: a novel use of the D-dimer (Goebel et al). 2008;52:S92 (Research Forum abstracts)
**Death**
Himalayan house call (Gorlin). 2008;52:457 (Change of Shift)
**Decisionmaking**
Influence of patient costs and requests on emergency physician decisionmaking (Ballard et al). 2008;52:643–50
**Defibrillators**
Adverse design of defibrillators: turning off the machine when trying to shock (Høyer et al). 2008;52:512–14 (Case report)
Delayed debrillation caused by unexpected ECG artifact (Stewart). 2008;52:515–18 (Case report)
Hazards with medical devices: the role of design (Fairbanks and Wears). 2008;52:519–21 (Editorial)
**Defibrillators, implantable**
The benefit of interrogating defibrillators by emergency department personnel (Neuenschwander et al). 2008;52:S132 (Research Forum abstracts)
**Deglutition disorders**
Emergency physician dysphagia assessment in acute stroke patients (Turner-Lawrence et al). 2008;52:S98 (Research Forum abstracts)
**Dehydration.** *See also* Gastroenteritis; Vomiting
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008; 52:S76 (Research Forum abstracts)
Correlation between calculated venous blood gas bicarbonate and measured serum bicarbonate in children with dehydration from gastroenteritis (Hoffman et al). 2008;52:S166 (Research Forum abstracts)
The correlation of serum lactate and ketone levels to the anion gap and serum bicarbonate in acutely dehydrated children (Gupta et al). 2008;52:S77 (Research Forum abstracts)
Subcutaneous hydration in children using recombinant human hyaluronidase: safety and ease of use (Allen et al). 2008;52:S75–S76 (Research Forum abstracts)
**Delirium**
Delirium risk factors in the older emergency department patient (Han et al). 2008;52:S51–S52 (Research Forum abstracts)
**Delivery of health care**
Impact of Hurricane Katrina on health care delivery in New Orleans (Sibley et al). 2008; 52:S149–S150 (Research Forum abstracts)
**Dementia**
Does this patient have dementia? (Holsinger); Commentary: clinical implications (Carpenter). 2008;52:554–6 (Rational clinical examination abstract)
**Depression**
Barriers to depression screening and referral in emergency department elders (Hogan). 2008; 52:S52 (Research Forum abstracts)
Depression screening and referral in emergency department elders (Hogan). 2008;52:S51 (Research Forum abstracts)
Psychosocial variables influence the decision to call 9-1-1 in emergency department patients with abdominal pain (Davis et al). 2008;52: S71 (Research Forum abstracts)
**Dermatomycoses**
[Sporotrichosis] (Saleh et al). 2008;52:616 (Images in Emergency Medicine), 626 (Images in Emergency Medicine)
**Developing countries.** *See also* India
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22
The epidemiology of pediatric trauma in the capital city of Maputo, Mozambique (Petersburgo et al). 2008;52:S125–S126 (Research Forum abstracts)
Implementation and evaluation of an injury surveillance system in an urban emergency department in Honduras (Hahn et al). 2008; 52:S126 (Research Forum abstracts)
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction (Scott et al). 2008;52:S123 (Research Forum abstracts)
A retrospective review of sepsis management in an international resource-limited setting (Theodosis et al). 2008;52:S139 (Research Forum abstracts)
**Diabetes complications**
Describing the test characteristics of the urine dip in identifying renal insufficiency in diabetic patients (Arora and Long). 2008;52:S93 (Research Forum abstracts)
**Diabetes mellitus**
Diabetes enhances activation of hyperpolarization-activated cyclic nucleotide-gated channels in aortic baroreceptor neurons: involvement of angiotensin II (Li et al). 2008; 52:S64–S65 (Research Forum abstracts)
Hyperglycemia as a predictor of death in patients with transient ischemic attack and no prior history of diabetes mellitus (Bellolio et al). 2008;52:S100 (Research Forum abstracts)
**Diabetic ketoacidosis**
Comparing beta-hydroxybutyrate testing to urine dip for identifying diabetic ketoacidosis at triage (Arora et al). 2008;52:S93–S94 (Research Forum abstracts)
Is fluid therapy associated with cerebral edema in children with diabetic ketoacidosis? (Hom and Sinert). 2008;52:69–75
Pilot study: implementation and evaluation of an adult diabetic ketoacidosis treatment protocol (Cheng et al). 2008;52:S136–S137 (Research Forum abstracts)
**Diagnostic imaging.** *See also specific modality, eg,* Magnetic resonance imaging
**Diagnostic imaging, utilization**
Randomized trial of pretest probability to reduce unnecessary resource use and imaging of low-risk chest pain patients (Kline et al). 2008;52: S47–S48 (Research Forum abstracts)
**Diclofenac**
Time to resolution of pain from minor soft tissue injury with diclofenac epolamine topical patch (Kuehi et al). 2008;52:S74 (Research Forum abstracts)
**Diffusion magnetic resonance imaging**
Ability of the ABCD2 score to predict early stroke and DWI positive MRI in admitted transient ischemic attack patients without a history of prior stroke (Asimos et al). 2008;52: S98 (Research Forum abstracts)
Acute ischemic stroke with initial negative diffusion-weighted imaging findings (Yoon and Kim). 2008;52:S157–S158 (Research Forum abstracts)
**Diphenhydramine**
Metoclopramide in the emergency department: a randomized factorial design study to determine the influence of dose and diphenhydramine on akathisia (Bender et al). 2008;52:S78 (Research Forum abstracts)
**Disaster medicine**
Disaster 101: can fourth-year medical students rapidly learn a novel disaster medicine and emergency preparedness curriculum? (Scott et al). 2008;52:S150 (Research Forum abstracts)
**Disaster planning**
Assessing hospital disaster preparedness: a comparison of an on-site survey, directly observed drill performance, and video analysis of teamwork 2008;52:195–207
Assessment of the reliability of the Johns Hopkins/Agency for Healthcare Research and Quality hospital disaster drill evaluation tool (Kaji and Lewis). 2008;52:204–10
Disaster 101: can fourth-year medical students rapidly learn a novel disaster medicine and emergency preparedness curriculum? (Scott et al). 2008;52:S150 (Research Forum abstracts)
Disaster planning and response (American College of Emergency Physicians). 2008;52: 581 (Policy statements)
The effectiveness of disaster training for health

care workers: a systematic review (Williams et al). 2008;52:211–22 (Review article)
Emergency department preparedness for pandemic influenza in the U.S.: a survey of medical directors and department chairs (Morton et al). 2008;52:S150 (Research Forum abstracts)
Post 9/11 federal disaster funds: where did the $7 billion trickle down? (Greene). 2008;52: 263–5 (News and Perspective)
Relationship between standards of procedures for pandemic flu and level of hospital performance in simulated drills (Adini, et al). 2008;52:223–9
Smoke and shadows: measuring hospital disaster preparedness (Burstein). 2008;52:230–1 (Editorial)
Transfer of real-time ultrasound video of FAST examinations from victims at a disaster scene via a commercially available video cell phone (Blaivas et al). 2008;52:S126–S127 (Research Forum abstracts)

**Disasters.** *See* Hurricane Katrina

**Disease outbreaks**
Emergency department preparedness for pandemic influenza in the U.S.: a survey of medical directors and department chairs (Morton et al). 2008;52:S150 (Research Forum abstracts)
Relationship between standards of procedures for pandemic flu and level of hospital performance in simulated drills (Adini, et al). 2008;52:223–9

**District of Columbia**
Sociodemographics and mortality of HIV in Washington, D.C. (Osborn et al). 2008;52: S123 (Research Forum abstracts)

**Dizziness**
Dizziness presentations in U.S. emergency departments, 1995–2004: doing more, getting less? (Meurer et al). 2008;52:S100–S101 (Research Forum abstracts)
A simple prediction method of central vertigo among patients with dizziness in the emergency department (Park). 2008;52:S137 (Research Forum abstracts)

**Documentation.** *See also* Medical history taking; Medical records; Medical records systems, computerized
Accuracy of staff-initiated emergency department tracking system timestamps in identifying actual event times (Gordon et al). 2008;52:504–11
A comparison of observed versus documented physician assessment and treatment of pain: the physician record does not reflect the reality (Chisholm et al). 2008;52:383–9

**Drainage**
A comparison of ultrasound-guided and non ultrasound-guided peritonsillar abscess drainage by emergency physicians (Vates et al). 2008;52:S128 (Research Forum abstracts)
A novel incision and drainage technique in the treatment of skin abscesses in a pediatric emergency department (Ladde et al). 2008;52: S76–S77 (Research Forum abstracts)

**Drug administration routes, intraosseous.** *See* Infusions, intraosseous

**Drug dosage calculations**
Standardization of product concentration in emergency dosing: a response to Fineberg and Arendt (Luten and Broselow); Reply (Fineberg et al). 2008;52:477–8 (Correspondence)

**Drug industry**
Ghostwriters, data manipulation and dollar diplomacy: how drug companies pull the strings in clinical research (Berger). 2008;52: 137–9 (News and Perspective)

**Drug packaging**
[Press-through package mis-swallowing] (Lee and Wang). 2008;52:98 (Images in Emergency Medicine), 115 (Images in Emergency Medicine)

**Drug resistance, bacterial.** *See also Staphylococcus aureus,* methicillin-resistant
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52: 286–90 (CDC Update)

**Drugs, non-prescription**
Misuse of non-prescription analgesics by emergency department patients (Gogela et al). 2008;52:S74–S75 (Research Forum abstracts)

**"Drug seekers"**
A formal "drug seeker" policy/database does not decrease the dispensing of narcotics to drug seekers (Patterson et al). 2008;52:S111 (Research Forum abstracts)

**Dysphagia.** *See* Deglutition disorders

## E

**Echocardiography**
Bedside echocardiography role in discharge of patients with low risk unstable angina (Farsi and Mofidi). 2008;52:S116 (Research Forum abstracts)
Bedside emergency physician determination of cardiac output in severe sepsis (Chang et al). 2008;52:S129 (Research Forum abstracts)
Comparison of the hospital cost and emergency department length of stay of 64-multislice computed tomography coronary angiography versus stress echocardiography for evaluation of patients with low probability of acute coronary syndrome (Griffen et al). 2008;52:S88–S89 (Research Forum abstracts)
Comparison of the performance of stress echocardiogram and stress MIBI-SPECT in diagnosing significant coronary artery disease (Szymanski et al). 2008;52:S91 (Research Forum abstracts)
A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers (Kim and Kim). 2008;52:S48 (Research Forum abstracts)
Discordance between pulse detection and emergent echocardiography findings in adult cardiopulmonary arrest patients (Blaivas). 2008;52:S128 (Research Forum abstracts)
Echocardiographic determination of cardiac rhythm during trans-thoracic wireless conducted electrical weapon exposure (Ho et al). 2008;52:S62 (Research Forum abstracts)

**Economics, hospital.** *See also* Emergency service, hospital, economics
Costs of post-resuscitative care for out-of-hospital cardiac arrest patients (Swor et al). 2008;52:S106 (Research Forum abstracts)
The financial impact of ambulance diversion on inpatient hospital revenues (Handel and McConnell). 2008;52:S87–S88 (Research Forum abstracts)
Nonprofit hospitals come under public fire for huge war chests, tony improvement projects (Greene). 2008;52:140–2 (News and Perspective)
Post 9/11 federal disaster funds: where did the $7 billion trickle down? (Greene). 2008;52: 263–5 (News and Perspective)
Trauma centers: what are the risk factors for closure? (Hsia and Shen). 2008;52:S43 (Research Forum abstracts)

**Ectopia lentis**
[Ectopia lentis] (Hahn et al). 2008;52:474 (Images in Emergency Medicine), 481 (Images in Emergency Medicine)

**Eczema**
[Dyshidrotic eczema] (Mittal). 2008;52:12 (Images in Emergency Medicine), 21 (Images in Emergency Medicine)
[Eczema herpeticum] (Guss). 2008;52:83 (Images in Emergency Medicine), 92 (Images in Emergency Medicine)

**Education, continuing.** *See also* Education, medical, continuing
The effectiveness of disaster training for health care workers: a systematic review (Williams et al). 2008;52:211–22 (Review article)

**Education, medical.** *See also* Curriculum; Internship and residency; Students, medical; Teaching; Teaching, methods
Disaster 101: can fourth-year medical students rapidly learn a novel disaster medicine and emergency preparedness curriculum? (Scott et al). 2008;52:S150 (Research Forum abstracts)
Does clinical productivity affect medical education? (Santen et al). 2008;52:S49–S50 (Research Forum abstracts)
The education of and utilization of diagnostic and therapeutic procedures by emergency physicians in Beijing, China (Gupta and Walline). 2008;52:S68 (Research Forum abstracts)
The emergency department involvement in a one-year longitudinal integrated clerkship for third-year medical students (Stein et al). 2008; 52:S152 (Research Forum abstracts)
Emergency medicine career choice: a profile of factors and influences from the 2005–2006 AAMC Graduation Questionnaire (Boyd et al). 2008;52:S67 (Research Forum abstracts)
Emergency medicine residents' perceptions of ultrasound education (Adhikari). 2008;52: S150–S151 (Research Forum abstracts)
Emergency physicians highlight "Army-wide emergency medical care deficiency" in training of flight medics (Cearnal). 2008;52:522–4 (News and Perspective)
Improved student satisfaction and test performance with a simulation-based emergency medicine curriculum (Ten Eyck et al). 2008;52:S49 (Research Forum abstracts)
No relationship between clinical efficiency and teaching evaluations for emergency medicine faculty (Begaz et al). 2008;52:S68–S69 (Research Forum abstracts)
Undergraduate medical education as affected by Hurricane Katrina (Duffy et al). 2008;52:S149 (Research Forum abstracts)

**Education, medical, continuing**
Can physician education improve patient use of a free rapid HIV testing program? (Newman et al). 2008;52:S121 (Research Forum abstracts)
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound

images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
Emergency physician geriatric education: an update of the 1992 Geriatric Task Force survey. Has anything changed? (Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Implementation of a team training program for trauma care: The BETTER (Bringing Enhanced Team Training to the Emergency Room) initiative (Gagliano et al). 2008;52: S107 (Research Forum abstracts)
Improving emergency department screening for intimate partner violence: effectiveness of a brief physician training program (Thoelecke et al). 2008;52:S171 (Research Forum abstracts)
The role of high-fidelity computerized human patient simulation in cardiopulmonary resuscitation training of medical providers (Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
"Stayin' Alive": a pilot study to test the effectiveness of a novel mental metronome in maintaining appropriate compression rates in simulated cardiac arrest scenarios (Matlock et al). 2008;52:S67–S68 (Research Forum abstracts)

**Education, nonprofessional.** *See also* Patient education
Animation-instructed CPR program as reminder tool in achieving effective CPR performance (Choaet al). 2008;52:S105 (Research Forum abstracts)
First aid training through art: a pilot project in rural India (Semonovskaya and Lavery). 2008; 52:S50–S51 (Research Forum abstracts)

**Educational techniques.** *See* Teaching, methods

**Efficiency.** *See also* Time management
Comparison of ten-hour and twelve-hour shifts demonstrates no difference in resident productivity (McClay). 2008;52:S151 (Research Forum abstracts)
Does clinical productivity affect medical education? (Santen et al). 2008;52:S49–S50 (Research Forum abstracts)
Emergency physician productivity: a comparison of 8-hour versus 12-hour shifts (Yang et al). 2008;52:S110 (Research Forum abstracts)
Emergency Severity Index as a predictor of emergency department efficiency rates in a level 1 trauma center employing infrared automatic tracking technology (Villarin and Goss). 2008; 52:S56 (Research Forum abstracts)
The impact of suspension of diversion on an emergency medical service system (Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Interruptions occurring during clinical practice in the emergency department (Jeanmonod et al). 2008;52:S110–S111 (Research Forum abstracts)
No relationship between clinical efficiency and teaching evaluations for emergency medicine faculty (Begaz et al). 2008;52:S68–S69 (Research Forum abstracts)
Transitioning from paper to electronic documentation in an urban emergency department: effect on provider efficiency (Malhotra et al). 2008;52:S55 (Research Forum abstracts)

**Egypt**
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22
*Toxoplasma gondii* antibodies and associated oxidative stress among asymptomatic blood donors (Abousamra). 2008;52:S138 (Research Forum abstracts)

**Elbow, injuries**
Comparison of pain scale on manual reduction technique in patients with elbow subluxation (Lee). 2008;52:S108 (Research Forum abstracts)

**Electric countershock.** *See also* Defibrillators
Fortuitous therapeutic effect of Taser shock for a patient in atrial fibrillation (Richards et al). 2008;52:686–8 (Case report)
Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam (Marinsek et al). 2008;52: S46–S47 (Research Forum abstracts)

**Electric exposures.** *See* Conducted electrical weapons

**Electrocardiography**
The accuracy of an out-of-hospital 12-lead ECG for the detection of ST-elevation myocardial infarction immediately after resuscitation (Müller et al). 2008;52:658–64
Adverse design of defibrillators: turning off the machine when trying to shock (Høyer et al). 2008;52:512–14 (Case report)
Delayed debrillation caused by unexpected ECG artifact (Stewart). 2008;52:515–18 (Case report)
Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by ambulance diversion based on an out-of-hospital electrocardiogram (Poitras et al). 2008; 52:S95 (Research Forum abstracts)
The derived electrocardiogram and a cardiac electrical marker for acute myocardial infarction (Schreck and Rajagopalan). 2008;52: S115–S116 (Research Forum abstracts)
Diagnostic accuracy of ST-segment elevation in lead I, aVL and anterior chest leads for proximal left anterior descending cornary artery occlusion in myocardial infarction (Park). 2008;52:S91–S92 (Research Forum abstracts)
Electrocardiographic criteria for detecting acute myocardial infarction in patients with left bundle branch block: a meta-analysis (Tabas et al). 2008;52:329–36
Electrocardiographic determination of culprit artery occlusion in acute inferior myocardial infarction (DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Normal ST-segment elevation and electrocardiographic patterns in right-sided chest leads (V3R, V4R) in young adult Koreans (Kim and Kim). 2008;52:S116 (Research Forum abstracts)
A novel approach to transmission of the out-of-hospital EKG in patients with ST-segment elevation myocardial infarction (Carmody). 2008;52:183–4 (Correspondence)
Out-of-hospital ECGs may shorten emergency department length of stay, but do not improve the process of care in non-ST-elevation myocardial infarction patients (Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Who reads the electrocardiograms in emergency departments in France (Sende et al). [2008;51: 478/529] Correction 2008;52:79

**Electroencephalography**
Automated electroencephalogram device identifies abnormalities in the emergency department (Naunheim et al). 2008;52:S92 (Research Forum abstracts)
Use of a novel portable computerized EEG device in emergency department stroke patients (Michaelson et al). 2008;52:S162 (Research Forum abstracts)

**Emergency medical service communication systems**
Does a mobile voice-over Internet protocol communications system improve emergency department efficiency? (Sample and Hilliard). 2008;52:S166–S167 (Research Forum abstracts)
A novel approach to transmission of the out-of-hospital EKG in patients with ST-segment elevation myocardial infarction (Carmody). 2008;52:183–4 (Correspondence)
Psychosocial variables influence the decision to call 9-1-1 in emergency department patients with abdominal pain (Davis et al). 2008;52: S71 (Research Forum abstracts)
Transfer of real-time ultrasound video of FAST examinations from victims at a disaster scene via a commercially available video cell phone (Blaivas et al). 2008;52:S126–S127 (Research Forum abstracts)

**Emergency medical services.** *See also* Emergency medical technicians; Transportation of patients
Commentary: emergency medical services: just the beginning of an effective system (McKay). 2008;52:454–6 (NHTSA Notes)
Comparative analysis of EMS components of state strategic highway safety plans (Cordi and Levick). 2008;52:S154–S155 (Research Forum abstracts)
Configurations of EMS systems: a pilot study (National Highway Traffic Safety Administration). 2008;52:453–4 (NHTSA Notes)
Creation of a national model protocol on termination of resuscitation for refractory out-of-hospital cardiac arrest: identifying public policy concerns for controversial EMS issues (Sasson et al). 2008;52:S69 (Research Forum abstracts)
Discontinuing resuscitation in the out-of-hospital setting (American College of Emergency Physicians). 2008;52:592 (Policy statements)
Out-of-hospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction (Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Physician scene response in an emergency medicine residency program (Martin-Gill and Mosesso). 2008;52:S151 (Research Forum abstracts)
Scene time does not impact mortality in trauma patients (Cudnik et al). 2008;52:S95–S96 (Research Forum abstracts)
Tort claims and adverse events in emergency medical services (Wang et al). 2008;52:256–62

**Emergency medical services, ethics**
Air ambulance medical transport advertising and marketing (American College of Emergency Physicians). 2008;52:581 (Policy statements)
Alternate ambulance transportation and destination (American College of Emergency

Physicians). 2008;52:594 (Policy statements)
Discontinuing resuscitation in the out-of-hospital setting (American College of Emergency Physicians). 2008;52:592 (Policy statements)

**Emergency medical services, methods**
Cardiocerebral resuscitation improves neurologically intact survival of patients with out-of-hospital cardiac arrest (Kellum et al). 2008;52:244–52
A comparative study of endotracheal intubation by Airtraq, Glidescope® Ranger and direct laryngoscopy in a closed space environment (Hampton et al). 2008;52:S113–S114 (Research Forum abstracts)
Development and validation of a sedation scale for out-of-hospital intensive care (Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
The effectiveness of emergency medical service and emergency physician use of the F.A.S.T. exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis (Farber et al). 2008;52:S100 (Research Forum abstracts)
Impact of new CPR/Advanced Cardiac Life Support guidelines on outcome from out-of-hospital cardiac arrest (Eckstein). 2008;52:S69 (Research Forum abstracts)
The impact of out-of-hospital activation of the cardiac catheterization team on door-to-balloon time for patients presenting with ST-segment elevation myocardial infarction (Camp et al). 2008;52:S97 (Research Forum abstracts)
Inadequate needle thoracostomy rate of the chest in the out-of-hospital setting for presumed pneumothorax, as documented on ultrasound (Blaivas). 2008;52:S145–S146 (Research Forum abstracts)
Out-of-hospital continuous positive airway pressure ventilation versus usual care in acute respiratory failure: a randomized controlled trial (Thompson et al); [Journal Club discussion] (Brywczynski). 2008;52:232–41, 242–3, Correction 2008;52:524
Out-of-hospital ECGs may shorten emergency department length of stay, but do not improve the process of care in non-ST-elevation myocardial infarction patients (Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Progress in improving neurologically intact survival from cardiac arrest (Sanders). 2008;52:253–5 (Editorial)
Successful implementation of an etomidate-facilitated endotracheal intubation protocol in an urban ground transport ambulance system (Lobel et al). 2008;52:S96 (Research Forum abstracts)
Success rates in out-of-hospital intubation (Temin et al). 2008;52:S153 (Research Forum abstracts)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)

**Emergency medical technicians**
Emergency physicians highlight "Army-wide emergency medical care deficiency" in training of flight medics (Cearnal). 2008;52:522–4 (News and Perspective)
Success rates in out-of-hospital intubation (Temin et al). 2008;52:S153 (Research Forum abstracts)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)

**Emergency medicine**
Advanced modeling strategies in emergency medicine research: is the pendulum swinging? (Haukoos). 2008;52:365–7 (Editorial)
An American form of practice: societal contexts for the rise of emergency medicine (Millard). 2008;52:379–82 (News and Perspective)
Career satisfaction in emergency medicine and burnout: all is not well (Gendreau). 2008;52:577 (Correspondence)
Definition of emergency medicine (American College of Emergency Physicians). 2008;52:189–90 (Policy statements)
The education of and utilization of diagnostic and therapeutic procedures by emergency physicians in Beijing, China (Gupta and Walline). 2008;52:S68 (Research Forum abstracts)
Emergency medicine career choice: a profile of factors and influences from the 2005–2006 AAMC Graduation Questionnaire (Boyd et al). 2008;52:S67 (Research Forum abstracts)
The "fad" turns 40: ACEP celebrates 4 decades of service (Flynn). 2008;52:373–8 (News and Perspective)
Looking back ahead (Martinez). 2008;52:320–1 (Editorial)
McCain and Obama on emergency care: the candidates' approach to emergency care 2008;52:265–7 (News and Perspective)
The 2005 Model of the Clinical Practice of Emergency Medicine: the 2007 update (2007 EM Model Review Task Force et al). 2008;52:e1–e17
The specialty of emergency medicine: needed now more than ever before (Antman). 2008;52:317–19 (Editorial)

**Emergency physicians.** *See* Physicians

**Emergency service, hospital**
Accuracy of staff-initiated emergency department tracking system timestamps in identifying actual event times (Gordon et al). 2008;52:504–11
Health information technology (American College of Emergency Physicians). 2008;52:595 (Policy statements)
Methicillin-resistant *Staphylococcus aureus* colonization among health care personnel in the emergency department: what does it tell us? (Jernigan). 2008;52:534–6 (Editorial)
Patient expectation in a freestanding emergency department (Meyer-Reed et al). 2008;52:S112–S113 (Research Forum abstracts)
Personal safety and prevalence of violence and weapons in the emergency department (Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Prevalence of *Staphylococcus aureus* nasal colonization in emergency department personnel (Suffoletto et al). 2008;52:529–33 (Brief research report)
A prevalence study of methicillin-resistant *Staphylococcus aureus* colonization in emergency department health care workers (Bisaga et al). 2008;52:525–8 (Brief research report)
Ten-year trend in midlevel provider utilization in US emergency departments (1996–2005) (Wiechmann and Menchine). 2008;52:S82 (Research Forum abstracts)
Towards the resuscitation bay of the future: identifying design opportunities through human factors observation (Siegel et al). 2008;52:S85 (Research Forum abstracts)
Violence in the emergency department: no quick fixes for pervasive threat (Greene). 2008;52:17–19 (News and Perspective)
Violence in the emergency department: a national survey of emergency medicine resident and attending physicians (Behnam et al). 2008;52:S172 (Research Forum abstracts)

**Emergency service, hospital, economics**. *See also* Costs and cost analysis
Changes in the cost and management of emergency department on-call coverage: evidence from a longitudinal statewide survey (McConnell et al). 2008;52:635–42
Emergency department electronic billing algorithm increases charges per patient encounter (Prutzman et al). 2008;52:S88 (Research Forum abstracts)
A survey of emergency department radiology coverage and contemporaneous billing practices (Dunne et al). 2008;52:S119–S120 (Research Forum abstracts)

**Emergency service, hospital, organization & administration.** *See* Efficiency; Observation unit; Patient care management; Personnel staffing and scheduling

**Emergency service, hospital, utilization.** *See also* Ambulance diversion; Boarding; Crowding; Length of stay
Analysis of the Community Resources for Emergency Department Overuse (CREDO) initiative for emergency department frequent users (Ford et al). 2008;52:S80–S81 (Research Forum abstracts)
Are the uninsured responsible for the increase in emergency department visits in the United States? (Weber et al). 2008;52:108–15
Chinese American pediatric parents' emergency department utilization and needs assessment (Garcia et al). 2008;52:S165–S166 (Research Forum abstracts)
The effect of implementation of an observation unit on emergency department wait time to initial physician evaluation, emergency department length of stay, emergency department boarding times, and percentage of patients who left without being seen (Hedayati et al). 2008;52:S112 (Research Forum abstracts)
Emergency department bed utilization practices affect efficiency measures (Farley et al). 2008;52:S112 (Research Forum abstracts)
Forecasting emergency department crowding: a discrete event simulation (Hoot et al). 2008;52:116–25
A formal "drug seeker" policy/database does not decrease the dispensing of narcotics to drug seekers (Patterson et al). 2008;52:S111 (Research Forum abstracts)
Impact of Medicaid cutbacks on emergency department use: the Oregon experience (Lowe et al). 2008;52:626–34
Medicaid disenrollment increases emergency department utilization among the uninsured (Heavrin et al). 2008;52:S42–S43 (Research Forum abstracts)
Patients with repeat visits to the emergency department: an indictment of health care in the United States? (O'Connor and Sohr). 2008;52:S120 (Research Forum abstracts)

Predicting patterns of patients in VA emergency department populations (Kessler et al). 2008; 52:S121 (Research Forum abstracts)
Roma tomatoes and ED crowding (Wrenn). 2008;52:570–1 (Change of Shift)
Systematic review of emergency department crowding: causes, effects, and solutions (Hoot and Aronsky). 2008;52:126–36 (Review article)
Transfer of emergency department boarders to inpatient hallways: a four-year experience (Viccellio et al). 2008;52:S43 (Research Forum abstracts)

**Emergency Severity Index**
Emergency Severity Index as a predictor of emergency department efficiency rates in a level 1 trauma center employing infrared automatic tracking technology (Villarin and Goss). 2008; 52:S56 (Research Forum abstracts)
Evaluating emergency department crowding using automatic infrared tracking (Villarin and Goss). 2008;52:S56 (Research Forum abstracts)

**Emigrants and immigrants**
Emergency department length of stay in non-English speaking patients and use of interpreter services (Vega et al). 2008;52:S123 (Research Forum abstracts)
Language interpretation service preferences among non-English speaking patients (Ladner et al). 2008;52:S119 (Research Forum abstracts)

**Environment design**
Towards the resuscitation bay of the future: identifying design opportunities through human factors observation (Siegel et al). 2008; 52:S85 (Research Forum abstracts)

**Epiglottitis**
[Epiglottitis] (Mullen and Quanrud). 2008;52: 573 (Images in Emergency Medicine), 598 (Images in Emergency Medicine)

**Epiphyses, slipped**
[Slipped capital femoral epiphysis] (Zheng). 2008;52:e1 (Images in Emergency Medicine), e2 (Images in Emergency Medicine)

**Equipment and supplies.** *See also specific devices, eg,* Defibrillators
Hospital code-cart equipment quality improvement in response to simulated resuscitation program findings (Dunbar et al). 2008;52:S84 (Research Forum abstracts)
Insulated sleeve effect on cold weather performance of intravenous fluid warmers (Mayhue et al). 2008;52:S153 (Research Forum abstracts)

**Equipment design**
Hazards with medical devices: the role of design (Fairbanks and Wears). 2008;52:519–21 (Editorial)

**Erythema nodosum**
[Erythema nodosum associated with pulmonary histoplasmosis] (Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine), 615 (Images in Emergency Medicine)

**Ethics, institutional**
Health information technology (American College of Emergency Physicians). 2008;52: 595 (Policy statements)
Nonprofit hospitals come under public fire for huge war chests, tony improvement projects (Greene). 2008;52:140–2 (News and Perspective)

**Ethics, medical**
Alternate ambulance transportation and destination (American College of Emergency Physicians). 2008;52:594 (Policy statements)
Code of ethics for emergency physicians (American College of Emergency Physicians). 2008;52:581–90 (Policy statements)
Conflict of interest (American College of Emergency Physicians). 2008;52:590–2 (Policy statements)
Discontinuing resuscitation in the out-of-hospital setting (American College of Emergency Physicians). 2008;52:592 (Policy statements)
Ethical issues at the end of life (American College of Emergency Physicians). 2008;52: 592 (Policy statements)
Ethical issues of resuscitation (American College of Emergency Physicians). 2008;52:593 (Policy statements)
Health information technology (American College of Emergency Physicians). 2008;52: 595 (Policy statements)
Reporting of medical errors (American College of Emergency Physicians). 2008;52:593 (Policy statements)
Role of emergency physician in injury prevention and control for adult and pediatric patients (American College of Emergency Physicians). 2008;52:594–5 (Policy statements)
The use of pediatric sedation and analgesia (American College of Emergency Physicians). 2008;52:595–6 (Policy statements)

**Ethics, research**
Conducting research on issues regarding human subjects research regulatory compliance: a responsibility of all clinical researchers (Maio); Reply (Pentz et al). 2008;52:574–5 (Correspondence)
Ghostwriters, data manipulation and dollar diplomacy: how drug companies pull the strings in clinical research (Berger). 2008;52: 137–9 (News and Perspective)
Inconsistent conflict of interest policies across peer-reviewed biomedical journals (Blum et al). 2008;52:S82 (Research Forum abstracts)

**Ethnic groups**
Absence of racial disparities in emergency department analgesia administration (Farley et al). 2008;52:S101–S102 (Research Forum abstracts)
Asking for a same sex, race or religion provider in the emergency department: provider and patient factors relating to accommodation (Padela et al). 2008;52:S167 (Research Forum abstracts)
Chinese American pediatric parents' emergency department utilization and needs assessment (Garcia et al). 2008;52:S165–S166 (Research Forum abstracts)
Commentary: speaking up and reaching out (Mahler and Thoma). 2008;52:166–7 (NHTSA Notes)
Emergency department stroke care is similar by race and type of hospital within a regional population (Pierre et al). 2008;52:S161 (Research Forum abstracts)
The epidemiology of stroke and transient ischemic attacks: a 10-year evaluation (McClung et al). 2008;52:S162 (Research Forum abstracts)
Evaluation of racial bias in emergency medicine residents and recent graduates (Nelson et al). 2008;52:S122 (Research Forum abstracts)
Race and self-pay insurance status are associated with mortality and management of non-traumatic subarachnoid hemorrhage (McClung and Hui). 2008;52:S99 (Research Forum abstracts)
Seatbelt use in 2007—race and ethnicity results among occupants traveling with children (National Highway Traffic Safety Administration). 2008;52:165 (NHTSA Notes)

**Etomidate**
Continue to use etomidate for intubation of patients with septic shock (Walls and Murphy). 2008;52:13–14 (Clinical Controversies)
Etomidate: not worth the risk in septic patients (Sacchetti). 2008;52:14–16 (Clinical Controversies)
Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam (Marinsek et al). 2008;52: S46–S47 (Research Forum abstracts)
Successful implementation of an etomidate-facilitated endotracheal intubation protocol in an urban ground transport ambulance system (Lobel et al). 2008;52:S96 (Research Forum abstracts)

**Evidence-based medicine**
Lost in translation or just lost? (Sergeant et al); Reply (Wears). 2008;52:575–7 (Correspondence)

**Exanthema**
[Painful facial rash] (Hahn et al). [2008;51:211] Correction 2008;52:273

**Exercise test**
Comparison of the performance of stress echocardiogram and stress MIBI-SPECT in diagnosing significant coronary artery disease (Szymanski et al). 2008;52:S91 (Research Forum abstracts)
Rates of positive stress testing among chest pain patients in an emergency department observation unit (Bledsoe et al). 2008;52:S135 (Research Forum abstracts)
Significant coronary artery disease in emergency chest pain patients with recent negative cardiac stress testing (Walker et al). 2008;52:S90 (Research Forum abstracts)
A time and cost comparison of two observation protocols: "triple rule-out" MDCT vs. nuclear stress testing for emergency department patients with possible acute coronary syndrome (Takakuwa et al). 2008;52:S80 (Research Forum abstracts)

**Extremities.** *See also* Lower extremity
Long-term limb function outcomes following copperhead snakebite (Lavonas et al). 2008;52: S141–S142 (Research Forum abstracts)

**Eye foreign bodies, ultrasonography**
Ultrasonographic detection of intraocular foreign bodies (Pfeiffer and Marco). 2008;52: S148 (Research Forum abstracts)

**Eye injuries.** *See also* Orbit, injuries
[Ectopia lentis] (Hahn et al). 2008;52:474 (Images in Emergency Medicine), 481 (Images in Emergency Medicine)
[Hyphema and iridodialysis] (Althoff and Holstege). 2008;52:572 (Images in Emergency Medicine), 598 (Images in Emergency Medicine)

## F

**FABP protein, human**
Diagnostic value of heart-type fatty acid-binding proteins (h-FABP) patients with hyperacute myocardial infarction (Kim). 2008;52:S94 (Research Forum abstracts)
The quantitative point-of-care test of heart-type fatty acid-binding protein for the early diagnosis of acute myocardial infarction (Kim et al). 2008;52:S117 (Research Forum abstracts)
**Face**
[Painful facial rash] (Hahn et al). [2008;51:211] Correction 2008;52:273
**Facial injuries**
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008; 52:S142–S143 (Research Forum abstracts)
Epidemiology in patients with facial fractures (Levitan et al). 2008;52:S160–S161 (Research Forum abstracts)
**Facility design and construction**
Towards the resuscitation bay of the future: identifying design opportunities through human factors observation (Siegel et al). 2008; 52:S85 (Research Forum abstracts)
**Faculty, medical**
Does clinical productivity affect medical education? (Santen et al). 2008;52:S49–S50 (Research Forum abstracts)
No relationship between clinical efficiency and teaching evaluations for emergency medicine faculty (Begaz et al). 2008;52:S68–S69 (Research Forum abstracts)
**Falls, accidental.** *See* Accidental falls
**Family.** *See also* Parents
Presence of family members during resuscitation (Hill and Fuhrman). 2008;52:309–10 (Correspondence)
**Fees and charges.** *See also* Billing
Emergency department electronic billing algorithm increases charges per patient encounter (Prutzman et al). 2008;52:S88 (Research Forum abstracts)
**Female.** *See also* Genitalia, female; Sex factors
Sex differences in platelet activation in patients with acute coronary syndromes (Wehner et al). 2008;52:S46 (Research Forum abstracts)
**Femoral nerve**
Femoral nerve block for pain management of hip fractures in the emergency department: preliminary results of a randomized, controlled trial (Henderson et al). 2008;52:S164 (Research Forum abstracts)
**Femoral vein**
Abdominal compression effectively increases the size of the common femoral vein, as measured by ultrasonography (Rippey et al). 2008;52: 446–52 (Brief research report)
Effect of leg and body positioning on femoral vein accessibility (Cornici et al). 2008;52:S83 (Research Forum abstracts)
Resident accuracy in locating the common femoral vein in normal weight versus obese patients (Bennett et al). 2008;52:S148 (Research Forum abstracts)
**Femur**
[Slipped capital femoral epiphysis] (Zheng). 2008;52:e1 (Images in Emergency Medicine), e2 (Images in Emergency Medicine)
**Fetal death**
Characteristics of women with fetal loss in symptomatic first trimester pregnancies with documented fetal cardiac activity (Juliano et al). 2008;52:143–7
Fetal outcomes in first trimester symptomatic pregnancies presenting to an emergency department with indeterminate ultrasound (Sauter et al). 2008;52:S60 (Research Forum abstracts)
**Fibrin fibrinogen degradation products.** *See* D-dimer
**Financing, government.** *See also* Medicaid; Medical assistance
Post 9/11 federal disaster funds: where did the $7 billion trickle down? (Greene). 2008;52: 263–5 (News and Perspective)
**First aid**
First aid training through art: a pilot project in rural India (Semonovskaya and Lavery). 2008; 52:S50–S51 (Research Forum abstracts)
**Fluid shifts**
The dynamics of B-lines: a useful tool in the evaluation of pulmonary fluid status as fluid shifts occur in the body (Capp et al). 2008;52: S61 (Research Forum abstracts)
**Fluid therapy**
Is fluid therapy associated with cerebral edema in children with diabetic ketoacidosis? (Hom and Sinert). 2008;52:69–75
Subcutaneous hydration in children using recombinant human hyaluronidase: safety and ease of use (Allen et al). 2008;52:S75–S76 (Research Forum abstracts)
**Fluoroquinolones**
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52: 286–90 (CDC Update)
**Follow-up care.** *See* Aftercare
**Football**
Emergency department removal of football helmets from athletes with suspected cervical spine fractures: a comparative study of guideline-recommended techniques using a cadaveric model (Anderson et al). 2008;52: S125 (Research Forum abstracts)
Thoracoabdominal trauma in the National Football League: a twenty-eight year review (Garza et al). 2008;52:S108 (Research Forum abstracts)
**Forearm injuries**
Ultrasound-guided reduction of distal forearm fractures by emergency physicians (Chinnock et al). 2008;52:S170 (Research Forum abstracts)
**Foreign bodies**
A complication of positive pressure nasal foreign body removal in a pediatric patient (Hills et al). 2008;52:623–5 (Case report)
[Press-through package mis-swallowing] (Lee and Wang). 2008;52:98 (Images in Emergency Medicine), 115 (Images in Emergency Medicine)
Ultrasonographic detection of intraocular foreign bodies (Pfeiffer and Marco). 2008;52: S148 (Research Forum abstracts)
**Forensic medicine**
The forensic rape examination: is colposcopy really necessary? (Rogers et al). 2008;52:S63 (Research Forum abstracts)
What really glows: analysis of the Wood's lamp in detecting semen and saliva on human skin (Marinelli et al). 2008;52:S171 (Research Forum abstracts)
**Forms and records control.** *See* Coding
**Fractures, bone.** *See also specific site and type of fracture, eg,* Facial injuries
High serum S100B levels in patients with acute bone fractures without cerebral injuries (Kim et al). 2008;52:S144–S145 (Research Forum abstracts)
The utility of bedside ultrasonography in identifying fractures in the emergency department (Barata et al). 2008;52:S60 (Research Forum abstracts)
**France**
Who reads the electrocardiograms in emergency departments in France (Sende et al). [2008;51: 478/529] Correction 2008;52:79

## G

**Gallstones**
Can emergency physicians utilize the stone in gallbladder neck (SIN) phenomenon to accurately diagnose cholecystitis? (Nelson et al). 2008;52:S61 (Research Forum abstracts)
**Gastroenteritis**
Correlation between calculated venous blood gas bicarbonate and measured serum bicarbonate in children with dehydration from gastroenteritis (Hoffman et al). 2008;52:S166 (Research Forum abstracts)
Low-dose intravenous prochlorperazine as single-agent therapy for uncomplicated nausea and vomiting in elderly patients (Abram et al). 2008;52:S51 (Research Forum abstracts)
The role of oral ondansetron in children with vomiting as a result of acute gastritis/gastroenteritis who have failed oral rehydration therapy: a randomized controlled trial (Roslund et al). 2008;52:22–9, Correction 406
Safety and effectiveness of intravenous prochlorperazine for intractable vomiting in children with gastroenteritis (Goldberg et al). 2008;52:S76 (Research Forum abstracts)
**Gastrointestinal hemorrhage**
Near-infrared spectroscopy in assessing perfusion status in patients with gastrointestinal complaints presenting to the emergency department (Otero et al). 2008;52: S105–S106 (Research Forum abstracts)
**Genitalia, female.** *See* Adnexa uteri; Vagina
**Genitalia, female, injuries**
Anogenital injury in adolescent sexual assault: analysis of 1,024 cases using colposcopy and nuclear staining (Stears et al). 2008;52:S64 (Research Forum abstracts)
Presentation and outcome of adnexal torsion in pediatric patients: a 15-year retrospective review (Lovallo et al). 2008;52:S78 (Research Forum abstracts)
**Geriatrics.** *See also* Aged
Emergency physician geriatric education: an update of the 1992 Geriatric Task Force survey. Has anything changed? (Carpenter et al). 2008;52:S156 (Research Forum abstracts)
**Ghana**
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction

(Scott et al). 2008;52:S123 (Research Forum abstracts)

**Glasgow Coma Scale**
Identification of appropriate Glasgow Coma Score trauma criteria in elderly patients (Caterino and Cudnik). 2008;52:S52 (Research Forum abstracts)
Outcome of head injury patients with Glasgow Coma Score of 15 in the emergency department (Sukarom and Lim). 2008;52:S126 (Research Forum abstracts)
Scene Glasgow Coma Scale scores can help predict mortality in pediatric blunt trauma (Irvin et al). 2008;52:S166 (Research Forum abstracts)

**GlideScope®**
A comparative study of endotracheal intubation by Airtraq, Glidescope® Ranger and direct laryngoscopy in a closed space environment (Hampton et al). 2008;52:S113–S114 (Research Forum abstracts)
Glidescope® videolaryngoscopy versus direct laryngoscopy for emergency department intubation (Campagne et al). 2008;52:S113 (Research Forum abstracts)
Intubation with direct and GlideScope® laryngoscopes in teaching airway management to medical students (Drigalla et al). 2008;52:S114 (Research Forum abstracts)

**Google®**
Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? (Sinha et al). 2008;52:S57 (Research Forum abstracts)

**Government financing.** *See* Financing, government

**Government regulation**
Conducting research on issues regarding human subjects research regulatory compliance: a responsibility of all clinical researchers (Maio); Reply (Pentz et al). 2008;52:574–5 (Correspondence)

## H

**Haloperidol**
Study in the emergency department of atypical tranquilizer efficiency (Folkert et al). 2008;52:S80 (Research Forum abstracts)

**Hazardous substances**
Intraosseous line placement by hazardous materials responders and receivers for hydroxocobalamin administration (Borron et al). 2008;52:S97 (Research Forum abstracts)

**hCG-beta.** *See* Chorionic gonadotropin, beta subunit, human

**Head, radiography**
Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting (ACEP/CDC Panel to Revise the 2002 Clinical Policy: Neuroimaging and Decisionmaking in Adult Mild Traumatic Brain Injury in the Acute Setting). 2008;52:714–48 (Clinical policy)
Clinical predictors of significant findings on head computed tomographic angiography (Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Comments on "Sensitivity of noncontrast cranial computed tomography for the emergency department diagnosis of subarachnoid hemorrhage" (Broder); Reply (Callaway). 2008;52:767–8 (Correspondence)
A randomized controlled trial of two online methods for interpretation of computed tomography of the head (Broder et al). 2008;52:S67 (Research Forum abstracts)

**Headache**
Clinical policy: critical issues in the evaluation and management of adult patients presenting to the emergency department with acute headache (ACEP Clinical Policies Subcommittee). 2008;52:407–36 (Clinical policy)
Quality indicators of headache evaluation and treatment in U.S. emergency department patients (Roberts et al). 2008;52:S100 (Research Forum abstracts)

**Headache disorders, primary**
Recurrence of primary headache disorders after emergency department discharge: frequency and predictors of poor pain and functional outcomes (Friedman et al). 2008;52:696–704
The relative efficacy of meperidine for the treatment of migraine: a meta-analysis of randomized controlled trials (Friedman et al). 2008;52:705–13

**Head protective devices**
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008;52:S142–S143 (Research Forum abstracts)
Emergency department removal of football helmets from athletes with suspected cervical spine fractures: a comparative study of guideline-recommended techniques using a cadaveric model (Anderson et al). 2008;52:S125 (Research Forum abstracts)
Helmet use may affect severity of injuries sustained in motorcycle accidents (Eberhardt et al). 2008;52:S109 (Research Forum abstracts)

**Health care delivery.** *See* Delivery of health care

**Health care reform**
McCain and Obama on emergency care: the candidates' approach to emergency care (Berger) 2008;52:265–7 (News and Perspective)

**Health facility closure**
Trauma centers: what are the risk factors for closure? (Hsia and Shen). 2008;52:S43 (Research Forum abstracts)

**Health knowledge, attitudes, practice**
Multicenter study of HPV knowledge and attitudes in emergency department patients (Millen et al). 2008;52:S121–S122 (Research Forum abstracts)

**Health personnel.** *See also* Emergency medical technicians; Nurse practitioners; Nurses; Personnel staffing and scheduling; Physician assistants; Physicians
The effectiveness of disaster training for health care workers: a systematic review (Williams et al). 2008;52:211–22 (Review article)
Emergency medicine as a staffing model for medical emergency response teams (Mace et al). 2008;52:S168 (Research Forum abstracts)
Methicillin-resistant *Staphylococcus aureus* colonization among health care personnel in the emergency department: what does it tell us? (Jernigan). 2008;52:534–6 (Editorial)
Personal safety and prevalence of violence and weapons in the emergency department (Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Prevalence of *Staphylococcus aureus* nasal colonization in emergency department personnel (Suffoletto et al). 2008;52:529–33 (Brief research report)
A prevalence study of methicillin-resistant *Staphylococcus aureus* colonization in emergency department health care workers (Bisaga et al). 2008;52:525–8 (Brief research report)
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)
Transitioning from paper to electronic documentation in an urban emergency department: effect on provider efficiency (Malhotra et al). 2008;52:S55 (Research Forum abstracts)

**Health personnel, psychology**
"Am I doing the right thing?" Provider perspectives on improving palliative care in the emergency department (Smith et al). 2008;52:S52–S53 (Research Forum abstracts)

**Heart arrest, diagnosis**
Discordance between pulse detection and emergent echocardiography findings in adult cardiopulmonary arrest patients (Blaivas). 2008;52:S128 (Research Forum abstracts)
Predicting survival from out-of-hospital cardiac arrest: a systematic review and meta-analysis of presenting rhythm (Sasson et al). 2008;52:S154 (Research Forum abstracts)

**Heart arrest, economics**
Costs of post-resuscitative care for out-of-hospital cardiac arrest patients (Swor et al). 2008;52:S106 (Research Forum abstracts)

**Heart arrest, mortality**
Differential survival from in-hospital cardiac arrests: days vs nights and weekends (Henderson et al). 2008;52:S106 (Research Forum abstracts)
Unwitnessed infant cardiac arrests: is attempted resuscitation futile? (Irvin et al). 2008;52:S59–S60 (Research Forum abstracts)

**Heart arrest, therapy.** *See also* Cardiopulmonary resuscitation
Adverse design of defibrillators: turning off the machine when trying to shock (Høyer et al). 2008;52:512–14 (Case report)
Assessment of therapeutic hypothermia for cardiac arrest patients (Rebholz and Mangolds). 2008;52:S84 (Research Forum abstracts)
Cardiocerebral resuscitation improves neurologically intact survival of patients with out-of-hospital cardiac arrest (Kellum et al). 2008;52:244–52
Creation of a national model protocol on termination of resuscitation for refractory out-of-hospital cardiac arrest: identifying public policy concerns for controversial EMS issues (Sasson et al). 2008;52:S69 (Research Forum abstracts)
Delayed debrillation caused by unexpected ECG artifact (Stewart). 2008;52:515–18 (Case report)
The effect of mild therapeutic hypothermia on asystole (Moon et al). 2008;52:S58–S59 (Research Forum abstracts)
Impact of new CPR/Advanced Cardiac Life Support guidelines on outcome from out-of-hospital cardiac arrest (Eckstein). 2008;52:S69 (Research Forum abstracts)
Implementation of a therapeutic hypothermia protocol in a community hospital emergency

department (Tekwani et al). 2008;52:S105 (Research Forum abstracts)
Progress in improving neurologically intact survival from cardiac arrest (Sanders). 2008;52: 253–5 (Editorial)

**Heart catheterization**
Achieving door-to-balloon times of 90 minutes or less for ST-elevation myocardial infarction: it can be done! (Nestler et al). 2008;52:S133 (Research Forum abstracts)
The impact of out-of-hospital activation of the cardiac catheterization team on door-to-balloon time for patients presenting with ST-segment elevation myocardial infarction (Camp et al). 2008;52:S97 (Research Forum abstracts)
Improving door-to-balloon time: emergency department activation of primary coronary intervention for ST-segment elevation myocardial infarction: a pilot study (Chan et al). 2008;52:S133 (Research Forum abstracts)
What is the frequency of inappropriate emergency department catheterization laboratory activation for patients with potential ST-segment elevation myocardial infarction? (Kurz et al). 2008;52:S134 (Research Forum abstracts)

**Heart disease, diagnosis**
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)

**Heart failure**
Elucidating the inotropic molecular mechanisms of pyruvate (Torres et al). 2008;52:S65 (Research Forum abstracts)
Microcirculation is significantly altered in heart failure patients who later develop decompensated disease (Nassiry et al). 2008; 52:S48–S49 (Research Forum abstracts)
Sonographic detection of interstitial lung fluid predicts serum B-type natriuretic peptide level (Manson et al). 2008;52:S170–S171 (Research Forum abstracts)

**Heart failure, therapy**
Acutely decompensated heart failure in a county emergency department: a double-blind randomized controlled comparison of nesiritide versus placebo treatment [Journal Club answers for Miller et al, 2008;51:571-578, 580-582] (Barrett and Schriger). 2008;52:458–72

**Heart function tests, instrumentation**
A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers (Kim and Kim). 2008;52:S48 (Research Forum abstracts)

**Heart rate**
Echocardiographic determination of cardiac rhythm during trans-thoracic wireless conducted electrical weapon exposure (Ho et al). 2008;52:S62 (Research Forum abstracts)

**Heart-type fatty acid-binding protein, human.** *See* FABP protein, human

**Helmets.** *See* Head protective devices

**Hematocrit**
Comparison of blood gas versus conventional laboratory results for hematocrit, potassium, and creatinine (Fromm et al). 2008;52:S66 (Research Forum abstracts)

**Hematoma**
[Superior orbital wall fracture with retro-orbital hematoma] (Neuman et al). 2008;52:473 (Images in Emergency Medicine), 481 (Images in Emergency Medicine)

**Hemoglobins**
Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion (Sloan et al). 2008;52:S107–S108 (Research Forum abstracts)
Lack of consistent blood pressure effects or correlation with patient outcome following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock (Sloan et al). 2008;52:S143 (Research Forum abstracts)
Shock index does not differ following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, such that its clinical use as a measure of compensated shock is valid (Sloan et al). 2008;52:S109 (Research Forum abstracts)

**Hemorrhage.** *See also* Shock, hemorrhagic; Stroke, hemorrhagic; Subarachnoid hemorrhage
Balloon compression as treatment for refractory vaginal hemorrhage (Schlicher). 2008;52:148–50 (Case report)
Near-infrared spectroscopy in assessing perfusion status in patients with gastrointestinal complaints presenting to the emergency department (Otero et al). 2008;52: S105–S106 (Research Forum abstracts)
Outcome of head injury patients with Glasgow Coma Score of 15 in the emergency department (Sukarom and Lim). 2008;52:S126 (Research Forum abstracts)

**Hemostatic techniques**
Balloon compression as treatment for refractory vaginal hemorrhage (Schlicher). 2008;52:148–50 (Case report)

**Hemothorax**
Occult pneumothorax and hemothorax in major trauma patients (De la Torre and Eckstein). 2008;52:S97–S98 (Research Forum abstracts)

**Hernia, abdominal**
[Traumatic abdominal wall hernia] (Truong and Costantino). 2008;52:182 (Images in Emergency Medicine), 186 (Images in Emergency Medicine)

**Heroin, poisoning**
A descriptive study of an outbreak of clenbuterol-containing heroin (Hoffman et al). 2008;52:548–53

**Herpes simplex**
[Eczema herpeticum] (Guss). 2008;52:83 (Images in Emergency Medicine), 92 (Images in Emergency Medicine)

**Herpesvirus 2, human**
Seroprevalence of HSV-2 infection among an urban emergency department patient population (Kraus et al). 2008;52:S54 (Research Forum abstracts)

**Hip fractures**
Femoral nerve block for pain management of hip fractures in the emergency department: preliminary results of a randomized, controlled trial (Henderson et al). 2008;52:S164 (Research Forum abstracts)

**Hippocampus**
Effects of hypothermia on short-term memory and hippocampal cell proliferation following transient hypoxia-ischemia injury in rats (Cho et al). 2008;52:S65 (Research Forum abstracts)

**Hispanic Americans**
The epidemiology of stroke and transient ischemic attacks: a 10-year evaluation (McClung et al). 2008;52:S162 (Research Forum abstracts)

**Histoplasmosis**
[Erythema nodosum associated with pulmonary histoplasmosis] (Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine), 615 (Images in Emergency Medicine)

**HIV infection**
Care of the HIV-positive patient in the emergency department in the era of highly active antiretroviral therapy (Venkat et al). 2008;52:274–85 (Review article)

**HIV infection, diagnosis**
Can physician education improve patient use of a free rapid HIV testing program? (Newman et al). 2008;52:S121 (Research Forum abstracts)
Investigation of a targeted, integrated, standard enzyme-linked immunosorbent assay HIV testing program at an urban, academic emergency department (Schrantz et al). 2008; 52:S101 (Research Forum abstracts)
Patient attitudes towards human immunodeficiency virus testing in the emergency department (Totten et al). 2008;52: S102–S103 (Research Forum abstracts)
Targeting high-risk patients for rapid HIV testing: emergency physicians are not effective and patients targeted are more frequently uninsured (Sankoff et al). 2008;52:S101 (Research Forum abstracts)
Practical considerations in HIV testing in the emergency department, characteristics of diagnostic tests, and the role of sensitivity analysis in observational studies [Journal Club answers for Haukoos et al., 2008;51:303-311] (Barrett and Schriger). 2008;52:170–81

**HIV infection, epidemiology**
Sociodemographics and mortality of HIV in Washington, D.C. (Osborn et al). 2008;52: S123 (Research Forum abstracts)
Twenty years experience with HIV testing among emergency department patients at the Johns Hopkins Hospital (Kraus et al). 2008; 52:S41–S42 (Research Forum abstracts)

**Honduras**
Implementation and evaluation of an injury surveillance system in an urban emergency department in Honduras (Hahn et al). 2008; 52:S126 (Research Forum abstracts)

**Hospital communication systems**
Does a mobile voice-over Internet protocol communications system improve emergency department efficiency? (Sample and Hilliard). 2008;52:S166–S167 (Research Forum abstracts)

**Hospitals**
Assessing hospital disaster preparedness: a comparison of an on-site survey, directly observed drill performance, and video analysis of teamwork 2008;52:195–207
Assessment of the reliability of the Johns Hopkins/Agency for Healthcare Research and Quality hospital disaster drill evaluation tool (Kaji and Lewis). 2008;52:204–10
Health information technology (American College of Emergency Physicians). 2008;52: 595 (Policy statements)
Nonprofit hospitals come under public fire for huge war chests, tony improvement projects

(Greene). 2008;52:140–2 (News and Perspective)
Post 9/11 federal disaster funds: where did the $7 billion trickle down? (Greene). 2008;52:263–5 (News and Perspective)
Relationship between standards of procedures for pandemic flu and level of hospital performance in simulated drills (Adini, et al). 2008;52:223–9
Smoke and shadows: measuring hospital disaster preparedness (Burstein). 2008;52:230–1 (Editorial)

**Hospitals, teaching**
Causes of length of stay in a typical crowded emergency department of a teaching hospital in Tehran capital city (Hatamabady). 2008;52:S131 (Research Forum abstracts)
Emergency department stroke care is similar by race and type of hospital within a regional population (Pierre et al). 2008;52:S161 (Research Forum abstracts)

**Hospitals, veterans**
Emergency medicine in the VA: the battleship is turning (Olszyk and Kessler). [2008;51:632-635]. Correction 2008;52:81
Predicting patterns of patients in VA emergency department populations (Kessler et al). 2008;52:S121 (Research Forum abstracts)
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)

**Hospital units.** *See* Observation unit; Short stay unit; Trauma centers

**Human engineering**
Towards the resuscitation bay of the future: identifying design opportunities through human factors observation (Siegel et al). 2008;52:S85 (Research Forum abstracts)

**Human papillomavirus**
Multicenter study of HPV knowledge and attitudes in emergency department patients (Millen et al). 2008;52:S121–S122 (Research Forum abstracts)

**Humerus**
Humeral head intraosseus insertion: the preferred emergency venous access (Paxton et al). 2008;52:S58 (Research Forum abstracts)

**Hurricane Katrina**
Impact of Hurricane Katrina on health care delivery in New Orleans (Sibley et al). 2008;52:S149–S150 (Research Forum abstracts)
Impact of Hurricane Katrina on the medical residency training in New Orleans (Manausa et al). 2008;52:S149 (Research Forum abstracts)
Undergraduate medical education as affected by Hurricane Katrina (Duffy et al). 2008;52:S149 (Research Forum abstracts)

**Hyaluronoglucosaminidase**
Subcutaneous hydration in children using recombinant human hyaluronidase: safety and ease of use (Allen et al). 2008;52:S75–S76 (Research Forum abstracts)

**Hydroxocobalamin**
Effect of hydroxocobalamin on measurement of plasma lactate concentration: an in vitro study (Laforge et al). 2008;52:S136 (Research Forum abstracts)
Hemodynamics following intraosseous administration of hydroxocobalamin in the goat (Borron et al). 2008;52:S96 (Research Forum abstracts)
Intraosseous line placement by hazardous materials responders and receivers for hydroxocobalamin administration (Borron et al). 2008;52:S97 (Research Forum abstracts)

**3-Hydroxybutyric acid**
Comparing beta-hydroxybutyrate testing to urine dip for identifying diabetic ketoacidosis at triage (Arora et al). 2008;52:S93–S94 (Research Forum abstracts)

**Hyperbaric oxygenation**
Only a minority of intentional carbon monoxide poisoned patients receive hyperbaric oxygen therapy (Kairam et al). 2008;52:S142 (Research Forum abstracts)

**Hyperglycemia**
Hyperglycemia as a predictor of death in patients with transient ischemic attack and no prior history of diabetes mellitus (Bellolio et al). 2008;52:S100 (Research Forum abstracts)
The prevalence and prognostic value of hyperglycemia among sepsis patients in the emergency department (D'Amore et al). 2008;52:S53–S54 (Research Forum abstracts)

**Hyperkalemia**
Pressure-immobilization bandages for rattlesnake envenomations prevent lethal hyperkalemia from necrosis in a porcine model (Meggs et al). 2008;52:S140–S141 (Research Forum abstracts)

**Hypertension**
Beta-blockers following cocaine use: a reappraisal (Mariani); Reply (Dattilo et al). 2008;52:89–90 (Correspondence)
Blood pressure response in hypertensive emergency department patients with a history of end organ disease (Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Prospective validation of a novel method for assessment of secondary brain insults in the emergency department in acute hemorrhagic stroke (Barton et al). 2008;52:S99 (Research Forum abstracts)

**Hyphema**
[Hyphema and iridodialysis] (Althoff and Holstege). 2008;52:572 (Images in Emergency Medicine), 598 (Images in Emergency Medicine)

**Hypnotics and sedatives.** *See* Etomidate; Ketamine; Midazolam; Propofol

**Hypothermia**
Characteristics and rates of rewarming of emergency department patients with moderate to severe accidental hypothermia (Bizek et al). 2008;52:S104–S105 (Research Forum abstracts)
Hypothermia in burn victims (Singer et al). 2008;52:S124–S125 (Research Forum abstracts)

**Hypothermia, induced**
Assessment of therapeutic hypothermia for cardiac arrest patients (Rebholz and Mangolds). 2008;52:S84 (Research Forum abstracts)
The effect of mild therapeutic hypothermia on asystole (Moon et al). 2008;52:S58–S59 (Research Forum abstracts)
Effects of hypothermia on short-term memory and hippocampal cell proliferation following transient hypoxia-ischemia injury in rats (Cho et al). 2008;52:S65 (Research Forum abstracts)
Implementation of a therapeutic hypothermia protocol in a community hospital emergency department (Tekwani et al). 2008;52:S105 (Research Forum abstracts)
Outcome prediction of postresuscitation patients during therapeutic hypothermia (Kim et al). 2008;52:S106 (Research Forum abstracts)

**Hypoxia-ischemia, brain**
Effects of hypothermia on short-term memory and hippocampal cell proliferation following transient hypoxia-ischemia injury in rats (Cho et al). 2008;52:S65 (Research Forum abstracts)

## I

**Immigrants.** *See* Emigrants and immigrants

**Implantable cardioverter-defibrillators.** *See* Defibrillators, implantable

**India**
First aid training through art: a pilot project in rural India (Semonovskaya and Lavery). 2008;52:S50–S51 (Research Forum abstracts)
Impact of health education video intervention on patient knowledge in emergency department waiting area of a developing nation: a pilot study (Gupta et al). 2008;52:S103 (Research Forum abstracts)

**Infant**
Apparent life-threatening event: is there an increased risk for bacterial infections? (Waseem and Dubbaka). 2008;52:S165 (Research Forum abstracts)
Effects of intranasal oxymetazoline on the pediatric population aged 1 to 12 months: an interim analysis (Hite and Mullen). 2008;52:S165 (Research Forum abstracts)
[Infantile hypertrophic pyloric stenosis] (Ball et al). 2008;52:496 (Images in Emergency Medicine), 511 (Images in Emergency Medicine)
Intussusception (Halvorson and Eilbert). 2008;52:307 (Images in Emergency Medicine), 312 (Images in Emergency Medicine)
Unwitnessed infant cardiac arrests: is attempted resuscitation futile? (Irvin et al). 2008;52:S59–S60 (Research Forum abstracts)

**Infectious mononucleosis**
Normative spleen size in tall healthy athletes: implications for safe return to contact sports following infectious mononucleosis (McCorkle et al). 2008;52:S146–S147 (Research Forum abstracts)

**Influenza**
Relationship between standards of procedures for pandemic flu and level of hospital performance in simulated drills (Adini, et al). 2008;52:223–9

**Influenza, human**
Emergency department preparedness for pandemic influenza in the U.S.: a survey of medical directors and department chairs (Morton et al). 2008;52:S150 (Research Forum abstracts)
The impact of rapid influenza testing on adult and pediatric patient management (Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Influenza vaccination in the emergency department (Hiller et al). 2008;52:S72 (Research Forum abstracts)
The utility of patient chief complaint and ICD 9 classifiers for the influenza sub-syndrome (Cochrane et al). 2008;52:S103 (Research Forum abstracts)

**Information systems.** *See also* Medical order entry systems; Medical records systems, computerized
Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? (Sinha et al). 2008;52:S57 (Research Forum abstracts)
Computerized recruiting for clinical research in the emergency department (Kashyap et al). 2008;52:S55 (Research Forum abstracts)
The effectiveness of Emergency Department Information System® to detect acute respiratory syndrome (Lee). 2008;52:S70 (Research Forum abstracts)
Electronic dashboard and a multidisciplinary hospital-wide team decrease patient throughput intervals and reduce number of admitted patients held in the emergency department (Spektor et al). 2008;52:S87 (Research Forum abstracts)
A formal "drug seeker" policy/database does not decrease the dispensing of narcotics to drug seekers (Patterson et al). 2008;52:S111 (Research Forum abstracts)
Health information technology (American College of Emergency Physicians). 2008;52:595 (Policy statements)

**Informed consent**
Conducting research on issues regarding human subjects research regulatory compliance: a responsibility of all clinical researchers (Maio); Reply (Pentz et al). 2008;52:574–5 (Correspondence)

**Infusions, intraosseous**
Hemodynamics following intraosseous administration of hydroxocobalamin in the goat (Borron et al). 2008;52:S96 (Research Forum abstracts)
Humeral head intraosseus insertion: the preferred emergency venous access (Paxton et al). 2008;52:S58 (Research Forum abstracts)
Intraosseous line placement by hazardous materials responders and receivers for hydroxocobalamin administration (Borron et al). 2008;52:S97 (Research Forum abstracts)
1,199 case series: powered intraosseous insertion provides safe and effective vascular access for emergency patients (Fowler et al). 2008;52:S152 (Research Forum abstracts)

**Infusions, intravenous**
Insulated sleeve effect on cold weather performance of intravenous fluid warmers (Mayhue et al). 2008;52:S153 (Research Forum abstracts)

**Injury prevention**
Comparative analysis of EMS components of state strategic highway safety plans (Cordi and Levick). 2008;52:S154–S155 (Research Forum abstracts)
Is it cost effective to distribute educational videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)

**Injury Severity Score**
Evaluation of the Revised Trauma and Injury Severity Scores in elderly trauma patients (Watts et al). 2008;52:S52 (Research Forum abstracts)

**Insecticides, poisoning.** *See also* Phosphoric acid esters, poisoning
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22

**Insurance coverage.** *See also* Cost-sharing; Medical assistance; Medically uninsured
The Maple Leaf Model: what Canada can tell American emergency physicians about practice with universal coverage (Cearnal). 2008;52:19–21 (News and Perspective)
Patients with repeat visits to the emergency department: an indictment of health care in the United States? (O'Connor and Sohr). 2008;52:S120 (Research Forum abstracts)
Race and self-pay insurance status are associated with mortality and management of non-traumatic subarachnoid hemorrhage (McClung and Hui). 2008;52:S99 (Research Forum abstracts)

**Intensive care.** *See also* Critical care
Boarding of admitted intensive care patients in the emergency department (American College of Emergency Physicians). 2008;52:188–9 (Policy statements)

**Internal medicine**
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)

**International Classification of Diseases**
The utility of patient chief complaint and ICD 9 classifiers for the influenza sub-syndrome (Cochrane et al). 2008;52:S103 (Research Forum abstracts)

**Internet**
Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? (Sinha et al). 2008;52:S57 (Research Forum abstracts)
Implementation of a Web-based educational tool for residents rotating in the pediatric emergency department (Burnette et al). 2008;52:S68 (Research Forum abstracts)
A randomized controlled trial of two online methods for interpretation of computed tomography of the head (Broder et al). 2008;52:S67 (Research Forum abstracts)

**Internship and residency**
Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? (Sinha et al). 2008;52:S57 (Research Forum abstracts)
Assessment of emergency medicine resident competency in interpretation of right upper quadrant and focused abdominal sonography for trauma ultrasound scans (Bahl et al). 2008;52:S146 (Research Forum abstracts)
Comparison of ten-hour and twelve-hour shifts demonstrates no difference in resident productivity (McClay). 2008;52:S151 (Research Forum abstracts)
Dedicated shift wrap-up time does not improve resident sign-out burden (Jeanmonod and Tomassi). 2008;52:S168 (Research Forum abstracts)
Disposition time: how do residents affect emergency department length of stay? (*Pontius and* Osborn). 2008;52:S49 (Research Forum abstracts)
Emergency medicine intern use of Objective Structured Clinical Examination in emergency medicine training (Shih et al). 2008;52:S152 (Research Forum abstracts)
Emergency medicine residents' attitudes regarding ultrasound-guided central venous catheterization (Adhikari). 2008;52:S128 (Research Forum abstracts)
Emergency medicine residents' perceptions of ultrasound education (Adhikari). 2008;52:S150–S151 (Research Forum abstracts)
Evaluation of racial bias in emergency medicine residents and recent graduates (Nelson et al). 2008;52:S122 (Research Forum abstracts)
Impact of Hurricane Katrina on the medical residency training in New Orleans (Manausa et al). 2008;52:S149 (Research Forum abstracts)
Implementation of a Web-based educational tool for residents rotating in the pediatric emergency department (Burnette et al). 2008;52:S68 (Research Forum abstracts)
Junior emergency medicine residents demonstrate improved accuracy for the identification of a central venous needle-tip with a long-axis ultrasound transducer orientation (Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Physician scene response in an emergency medicine residency program (Martin-Gill and Mosesso). 2008;52:S151 (Research Forum abstracts)
Remediation trends associated with learning styles in an emergency medicine residency (Caro et al). 2008;52:S66–S67 (Research Forum abstracts)
Resident accuracy in locating the common femoral vein in normal weight versus obese patients (Bennett et al). 2008;52:S148 (Research Forum abstracts)
Ultrasonographic detection of intraocular foreign bodies (Pfeiffer and Marco). 2008;52:S148 (Research Forum abstracts)
Violence in the emergency department: a national survey of emergency medicine resident and attending physicians (Behnam et al). 2008;52:S172 (Research Forum abstracts)

**Inter-rater reliability**
Gestalt estimation of inferior vena cava collapse index between different emergency sonographers is reliable and accurate (Lee et al). 2008;52:S128–S129 (Research Forum abstracts)

**Intimate partner violence**
Assessing stage of change in female victims of intimate partner violence in an emergency department patient population (Asher et al). 2008;52:S63 (Research Forum abstracts)
Emergency department visits prior to the diagnosis of intimate partner violence (Choo et al). 2008;52:S62–S63 (Research Forum abstracts)
Improving emergency department screening for intimate partner violence: effectiveness of a brief physician training program (Thoelecke et al). 2008;52:S171 (Research Forum abstracts)

**Intracranial hemorrhage**
Outcome of head injury patients with Glasgow Coma Score of 15 in the emergency department (Sukarom and Lim). 2008;52:S126 (Research Forum abstracts)

**Intracranial pressure**
Is the optic nerve sheath diameter that is measured by ultrasonography useful for early detection of elevated intracranial pressure in adult patients? (Oh and Kim). 2008;52:S129 (Research Forum abstracts)

**Intracranial thrombosis**
The effectiveness of emergency medical service and emergency physician use of the F.A.S.T.

exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis (Farber et al). 2008;52:S100 (Research Forum abstracts)

**Intraosseous access.** *See* Infusions, intraosseous

**Intubation, intratracheal**
Continue to use etomidate for intubation of patients with septic shock (Walls and Murphy). 2008;52:13–14 (Clinical Controversies)
Etomidate: not worth the risk in septic patients (Sacchetti). 2008;52:14–16 (Clinical Controversies)
Rapid sequence intubation from the patients' perspective (Kimball et al). 2008;52:S83 (Research Forum abstracts)
Successful implementation of an etomidate-facilitated endotracheal intubation protocol in an urban ground transport ambulance system (Lobel et al). 2008;52:S96 (Research Forum abstracts)
Success rates in out-of-hospital intubation (Temin et al). 2008;52:S153 (Research Forum abstracts)

**Intubation, intratracheal, instrumentation**
Analysis of endotracheal intubation performed using video laryngoscope by emergency physicians at six teaching hospitals (Choi et al). 2008;52:S115 (Research Forum abstracts)
Assessment of face-mask ventilation using an airway simulation model (Reardon et al). 2008;52:S114 (Research Forum abstracts)
A comparative study of endotracheal intubation by Airtraq, Glidescope® Ranger and direct laryngoscopy in a closed space environment (Hampton et al). 2008;52:S113–S114 (Research Forum abstracts)
Difficulties with gum-elastic bougie intubation as a rescue airway in the emergency department (Shah et al). 2008;52:S113 (Research Forum abstracts)
Glidescope® videolaryngoscopy versus direct laryngoscopy for emergency department intubation (Campagne et al). 2008;52:S113 (Research Forum abstracts)
Hospital code-cart equipment quality improvement in response to simulated resuscitation program findings (Dunbar et al). 2008;52:S84 (Research Forum abstracts)
The intubating laryngeal mask airway is an important backup device for emergency airways (Reardon et al). 2008;52:S115 (Research Forum abstracts)
Intubation with direct and GlideScope® laryngoscopes in teaching airway management to medical students (Drigalla et al). 2008;52:S114 (Research Forum abstracts)
Optical laryngoscope versus mobile telemonitoring intubating video laryngoscope for difficult airway management: a comparative analysis (Wadman et al). 2008;52:S115 (Research Forum abstracts)
The primary confirmation of endotracheal intubation by ultrasonography in the emergency department (Ryu). 2008;52:S114–S115 (Research Forum abstracts)

**Intussusception**
[Intussusception] (Westfall and Kerns). 2008;52:e1 (Images in Emergency Medicine), e2 (Images in Emergency Medicine)

**Iran**
Causes of length of stay in a typical crowded emergency department of a teaching hospital in Tehran capital city (Hatamabady). 2008;52:S131 (Research Forum abstracts)

**Iraq**
Balad's green doors (Bebarta). 2008;52:304–5 (Change of Shift)

**Irrigation**
The effect of systemic antibiotic prophylaxis and wound irrigation on penetrating combat wounds in a "return-to-duty" population (Gerhardt et al). 2008;52:S108 (Research Forum abstracts)

**Ischemia**
[Low-flow (ischemic) priapism] (Tomich and Blankenship). 2008;52:202 (Images in Emergency Medicine), 210 (Images in Emergency Medicine)

**Ischemia-reperfusion injury.** *See* Reperfusion injury

**Ischemic attack, transient**
Ability of the ABCD2 score to predict early stroke and DWI positive MRI in admitted transient ischemic attack patients without a history of prior stroke (Asimos et al). 2008;52:S98 (Research Forum abstracts)
Hyperglycemia as a predictor of death in patients with transient ischemic attack and no prior history of diabetes mellitus (Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Performance of the ABCD2 score in an emergency department population presenting with transient ischemic attack: a prospective observational study (Stead et al). 2008;52:S162–S163 (Research Forum abstracts)
Predictors of an increased risk of death following transient ischemic attack (Bellolio et al). 2008;52:S161 (Research Forum abstracts)
Prolonged QTc as a predictor of death one year following transient ischemic attack (Enduri et al). 2008;52:S134 (Research Forum abstracts)
Risk of an ischemic stroke following a transient ischemic attack in patients managed in an emergency department observation unit (Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)
Transient ischemic attack: definitions and clinical presentations (Lewandowski et al). 2008;52:S7–S16 (Supplement)
Transient ischemic attack: diagnostic evaluation (Meese and Jauch). 2008;52:S17–S26 (Supplement)
Transient ischemic attack: risk stratification and treatment (Cucchiara and Ross). 2008;52:S27–S39 (Supplement)
Transient ischemic attack overview: defining the challenges for improving outcomes (Jagoda and Chan). 2008;52:S3–S6 (Supplement)

**Ischemic attack, transient, epidemiology**
The epidemiology of stroke and transient ischemic attacks: a 10-year evaluation (McClung et al). 2008;52:S162 (Research Forum abstracts)

**Italy**
Assessment of emergency department crowding in a large referral north Italian hospital (Gai et al). 2008;52:S120 (Research Forum abstracts)

## J

**Job satisfaction**
Career satisfaction in emergency medicine and burnout: all is not well (Gendreau). 2008;52:577 (Correspondence)

**Joint diseases**
Utility of bedside ultrasound to distinguish soft tissue abnormalities from joint effusions in emergency departments (Adhikari and Blaivas). 2008;52:S168 (Research Forum abstracts)

**Joints, ultrasonography**
Utility of bedside ultrasound to distinguish soft tissue abnormalities from joint effusions in emergency departments (Adhikari and Blaivas). 2008;52:S168 (Research Forum abstracts)

**Jugular veins**
Improving patient safety using ultrasound guidance during internal jugular central venous catheter placement by novice practioners (Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)

**Jurisprudence.** *See also* Government regulation
Empirical characteristics of litigation involving tissue plasminogen activator and ischemic stroke (Liang and Zivin). 2008;52:160–4 (Brief research report)
Tort claims and adverse events in emergency medical services (Wang et al). 2008;52:256–62

## K

**Kaposi variceliform eruption**
[Eczema herpeticum] (Guss). 2008;52:83 (Images in Emergency Medicine), 92 (Images in Emergency Medicine)

**Ketamine**
Can a therapeutic serum ketamine concentration be achieved by nebulization? (Hoffman et al). 2008;52:S73–S74 (Research Forum abstracts)
Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial (Langston et al). 2008;52:30–4

**Ketones, urine**
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008;52:S76 (Research Forum abstracts)
The correlation of serum lactate and ketone levels to the anion gap and serum bicarbonate in acutely dehydrated children (Gupta et al). 2008;52:S77 (Research Forum abstracts)

**Kidney, injuries**
Contrast-induced nephropathy in emergency department patients receiving abdominal contrast-enhanced computed tomography (Kim et al). 2008;52:S136 (Research Forum abstracts)
The incidence of contrast nephropathy in the emergency department is higher than previous estimates (Mitchell et al). 2008;52:S157 (Research Forum abstracts)

**Kidney, ultrasonography**
Bedside renal ultrasound in the evaluation of emergency department patients with suspected renal colic (Moak and Lindsell). 2008;52:S62 (Research Forum abstracts)

**Kidney diseases**
Disparities in pain management: a comparison of time to analgesic for emergency department patients with sickle cell disease and renal colic (Lazio et al). 2008;52:S163 (Research Forum abstracts)
Incidence and impact of renal dysfunction on acute coronary syndrome in chest pain observation unit patients (Limkakeng et al).

2008;52:S134 (Research Forum abstracts)
**Knowledge, attitudes, practice**
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)
Marijuana use and associated motor vehicle crash risk factors in emergency department patients (Ward et al). 2008;52:S159 (Research Forum abstracts)
Multicenter study of HPV knowledge and attitudes in emergency department patients (Millen et al). 2008;52:S121–S122 (Research Forum abstracts)
Patient attitudes towards human immunodeficiency virus testing in the emergency department (Totten et al). 2008;52:S102–S103 (Research Forum abstracts)
Psychosocial variables influence the decision to call 9-1-1 in emergency department patients with abdominal pain (Davis et al). 2008;52:S71 (Research Forum abstracts)
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)
**Knowledge translation**
Lost in translation or just lost? (Sergeant et al); Reply (Wears). 2008;52:575–7 (Correspondence)

## L

**Laboratory techniques and procedures**
Comparison of blood gas versus conventional laboratory results for hematocrit, potassium, and creatinine (Fromm et al). 2008;52:S66 (Research Forum abstracts)
A time-and-motion study of the processes required to obtain cardiac biomarker assays using both central laboratory and point-of-care testing (Lindsell et al). 2008;52:S66 (Research Forum abstracts)
**Lactic acid, blood**
Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion (Sloan et al). 2008;52:S107–S108 (Research Forum abstracts)
Can the exact mortality in emergency department patients with infection be assumed from serum lactate level? (Chung et al). 2008;52:S139 (Research Forum abstracts)
The correlation of serum lactate and ketone levels to the anion gap and serum bicarbonate in acutely dehydrated children (Gupta et al). 2008;52:S77 (Research Forum abstracts)
Effect of hydroxocobalamin on measurement of plasma lactate concentration: an in vitro study (Laforge et al). 2008;52:S136 (Research Forum abstracts)
End expiratory carbon dioxide concentrations to predict blood lactate concentration and lactate clearance in emergency department patients with sepsis (Jones et al). 2008;52:S140 (Research Forum abstracts)
Factors predictive of 28-day in-patient mortality among adult emergency department patients admitted for suspected infection (Berger et al). 2008;52:S54 (Research Forum abstracts)
Influence of cyanide and carbon monoxide poisoning severity on vital signs and plasma lactate concentrations: implications for the unique characteristics of the cyanide toxidrome (Borron et al). 2008;52:S93 (Research Forum abstracts)
Lactate levels predict in-hospital mortality in transferred patients with severe sepsis or septic shock (Cannon et al). 2008;52:S70–S71 (Research Forum abstracts)
Should adult emergency department patients with suspicion for sepsis be screened for occult hypoperfusion at triage? (Green et al). 2008;52:S86 (Research Forum abstracts)
**Larva migrans**
[Cutaneous larvae migrans] (Lemery). 2008;52:82 (Images in Emergency Medicine), 92 (Images in Emergency Medicine)
**Laryngeal masks**
Assessment of face-mask ventilation using an airway simulation model (Reardon et al). 2008;52:S114 (Research Forum abstracts)
The intubating laryngeal mask airway is an important backup device for emergency airways (Reardon et al). 2008;52:S115 (Research Forum abstracts)
**Laryngitis**
How to lose your voice (Flora). 2008;52:80–1 (Change of Shift)
**Laryngoscopes**
Analysis of endotracheal intubation performed using video laryngoscope by emergency physicians at six teaching hospitals (Choi et al). 2008;52:S115 (Research Forum abstracts)
A comparative study of endotracheal intubation by Airtraq, Glidescope® Ranger and direct laryngoscopy in a closed space environment (Hampton et al). 2008;52:S113–S114 (Research Forum abstracts)
Glidescope® videolaryngoscopy versus direct laryngoscopy for emergency department intubation (Campagne et al). 2008;52:S113 (Research Forum abstracts)
Hospital code-cart equipment quality improvement in response to simulated resuscitation program findings (Dunbar et al). 2008;52:S84 (Research Forum abstracts)
Intubation with direct and GlideScope® laryngoscopes in teaching airway management to medical students (Drigalla et al). 2008;52:S114 (Research Forum abstracts)
Optical laryngoscope versus mobile telemonitoring intubating video laryngoscope for difficult airway management: a comparative analysis (Wadman et al). 2008;52:S115 (Research Forum abstracts)
**Learning styles**
Remediation trends associated with learning styles in an emergency medicine residency (Caro et al). 2008;52:S66–S67 (Research Forum abstracts)
**Left without being seen.** *See* Patient dropouts
**Length of stay**
Causes of length of stay in a typical crowded emergency department of a teaching hospital in Tehran capital city (Hatamabady). 2008;52:S131 (Research Forum abstracts)
Comparison of the hospital cost and emergency department length of stay of 64-multislice computed tomography coronary angiography versus stress echocardiography for evaluation of patients with low probability of acute coronary syndrome (Griffen et al). 2008;52:S88–S89 (Research Forum abstracts)
Disposition time: how do residents affect emergency department length of stay? (Pontius and Osborn). 2008;52:S49 (Research Forum abstracts)
Does providing patients with overestimates of anticipated waiting times improve perception of wait times in the emergency department? (Rae et al). 2008;52:S111 (Research Forum abstracts)
Early predictors of mortality and length of stay in emergency department nursing home-acquired pneumonia (Robinson et al). 2008;52:S138 (Research Forum abstracts)
Effect of admitted patient boarder occupancy percentage on emergency department length of stay and patients leaving without treatment (Nazziola). 2008;52:S129–S130 (Research Forum abstracts)
The effect of implementation of an observation unit on emergency department wait time to initial physician evaluation, emergency department length of stay, emergency department boarding times, and percentage of patients who left without being seen (Hedayati et al). 2008;52:S112 (Research Forum abstracts)
The effect of timing and choice of antibiotic on mortality and length of stay in nursing home-acquired pneumonia (Medado et al). 2008;52:S137 (Research Forum abstracts)
The effect of wait times and emergency department length of stay on patient perception of medical team communication (Donlan et al). 2008;52:S111–S112 (Research Forum abstracts)
Emergency department bed utilization practices affect efficiency measures (Farley et al). 2008;52:S112 (Research Forum abstracts)
Emergency department crowding: factors associated with length of stay and disposition in an observation unit (Norton and Fu). 2008;52:S137 (Research Forum abstracts)
Emergency department length of stay in non-English speaking patients and use of interpreter services (Vega et al). 2008;52:S123 (Research Forum abstracts)
How long before patients lose their patience? (Bastani et al). 2008;52:S86–S87 (Research Forum abstracts)
Impact of computerized physician order entry on emergency department patient length of stay (Spalding et al). 2008;52:S80 (Research Forum abstracts)
Impact of mandated nurse–patient ratios on emergency department crowding (Chan et al). 2008;52:S44 (Research Forum abstracts)
Implementation of a team training program for trauma care: The BETTER (Bringing Enhanced Team Training to the Emergency Room) initiative (*Gagliano* et al). 2008;52:S107 (Research Forum abstracts)
Improving emergency department patient flow through optimal fast track usage (Peck and Kim). 2008;52:S88 (Research Forum abstracts)
Out-of-hospital ECGs may shorten emergency department length of stay, but do not improve the process of care in non-ST-elevation myocardial infarction patients (Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Reduction in emergency department fast track length of stay (Massucci et al). 2008;52:S111 (Research Forum abstracts)
Trauma team activation does not improve functional status on discharge nor length of

emergency department stays when controlled for Injury Severity Scores (Dozier et al). 2008; 52:S143 (Research Forum abstracts)

**Lens subluxation**
[Ectopia lentis] (Hahn et al). 2008;52:474 (Images in Emergency Medicine), 481 (Images in Emergency Medicine)

**Liability, legal**
Tort claims and adverse events in emergency medical services (Wang et al). 2008;52:256–62

**Liberia**
A retrospective review of sepsis management in an international resource-limited setting (Theodosis et al). 2008;52:S139 (Research Forum abstracts)

**Lidocaine**
A randomized controlled trial comparing injected buffered lidocaine, lidocaine cream, and no analgesia for peripheral intravenous cannula insertion (McNaughton et al). 2008; 52:S75 (Research Forum abstracts)
Warm lidocaine/tetracaine patch versus placebo before pediatric intravenous cannulation: a randomized controlled trial (Singer et al). 2008;52:41–7

**Liver, pathology**
In response to Tong TC, et al. Comparative treatment of alpha-amanitin poisoning with *N*-acetylcysteine, benzylpenicillin, cimetidine, thioctic acid, and silybin in a murine model (Salhanick et al); Reply (Tong). 2008;52:184–5 (Correspondence)

**Lower extremity.** *See also* Extremities
Emergency clinician–performed compression ultrasonography for deep venous thrombosis of the lower extremity (Kline et al). 2008;52:437–45
Lower extremity deep venous thrombosis in emergency department patients undergoing workup for pulmonary embolism (Shriver et al). 2008;52:S135 (Research Forum abstracts)

**Lung, ultrasonography**
The dynamics of B-lines: a useful tool in the evaluation of pulmonary fluid status as fluid shifts occur in the body (Capp et al). 2008;52: S61 (Research Forum abstracts)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)

**Lung diseases, fungal**
[Erythema nodosum associated with pulmonary histoplasmosis] (Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine), 615 (Images in Emergency Medicine)

## M

**Magnetic resonance imaging**
Ability of the ABCD2 score to predict early stroke and DWI positive MRI in admitted transient ischemic attack patients without a history of prior stroke (Asimos et al). 2008;52: S98 (Research Forum abstracts)
Acute ischemic stroke with initial negative diffusion-weighted imaging findings (Yoon and Kim). 2008;52:S157–S158 (Research Forum abstracts)
Clinical factors predicting spinal cord compression on STAT MRI of the spine in non-trauma patients (Cline et al). 2008;52: S136 (Research Forum abstracts)
Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting (ACEP/CDC Panel to Revise the 2002 Clinical Policy: Neuroimaging and Decisionmaking in Adult Mild Traumatic Brain Injury in the Acute Setting). 2008;52:714–48 (Clinical policy)

**Magnetic resonance imaging, adverse effects**
Magnetic resonance-induced thermal burn (Landman and Goldfarb). 2008;52:308–9 (Correspondence)

**Manganese superoxide dismutase.** *See* Superoxide dismutase

**Mannitol**
Ciguatera poisoning successfully treated with delayed mannitol (Schwarz et al). 2008;52: 476–7 (Correspondence)
Mannitol for traumatic brain injury: searching for the evidence (Wakai); Commentary: clinical implication (Morley). 2008;52:298–300 (Systematic review abstract)

**Marijuana smoking**
Marijuana use and associated motor vehicle crash risk factors in emergency department patients (Ward et al). 2008;52:S159 (Research Forum abstracts)

**Marketing of health services**
Air ambulance medical transport advertising and marketing (American College of Emergency Physicians). 2008;52:581 (Policy statements)

**McCain, John**
McCain and Obama on emergency care: the candidates' approach to emergency care (Berger) 2008;52:265–7 (News and Perspective)

**Medicaid**
Impact of Medicaid cutbacks on emergency department use: the Oregon experience (Lowe et al). 2008;52:626–34
Medicaid disenrollment increases emergency department utilization among the uninsured (Heavrin et al). 2008;52:S42–S43 (Research Forum abstracts)

**Medical assistance.** *See also* Medicaid
Patients with repeat visits to the emergency department: an indictment of health care in the United States? (O'Connor and Sohr). 2008;52: S120 (Research Forum abstracts)

**Medical device.** *See* Equipment design; *specific devices, eg,* Defibrillators

**Medical errors**
The effect of clinical experience on the error rate of emergency physicians (Berk et al). 2008;52: 497–501
The error of counting "errors" (Wears). 2008; 52:502–3 (Editorial)
Reporting of medical errors (American College of Emergency Physicians). 2008;52:593 (Policy statements)

**Medical history taking**
Good question (Veysman). 2008;52:168–9 (Change of Shift)
Medication reconciliation in a rural trauma population (Miller et al). 2008;52:483–91
The unexpected challenges of accurate medication reconciliation (Schenkel). 2008;52: 493–5 (Editorial)

**Medical informatics**
Health information technology (American College of Emergency Physicians). 2008;52: 595 (Policy statements)

**Medically uninsured**
Are the uninsured responsible for the increase in emergency department visits in the United States? (Weber et al). 2008;52:108–15
Impact of Medicaid cutbacks on emergency department use: the Oregon experience (Lowe et al). 2008;52:626–34
Medicaid disenrollment increases emergency department utilization among the uninsured (Heavrin et al). 2008;52:S42–S43 (Research Forum abstracts)
Race and self-pay insurance status are associated with mortality and management of non-traumatic subarachnoid hemorrhage (McClung and Hui). 2008;52:S99 (Research Forum abstracts)
Targeting high-risk patients for rapid HIV testing: emergency physicians are not effective and patients targeted are more frequently uninsured (Sankoff et al). 2008;52:S101 (Research Forum abstracts)

**Medical order entry systems**
Impact of computerized physician order entry on emergency department patient length of stay (Spalding et al). 2008;52:S80 (Research Forum abstracts)

**Medical records**
The chart is dead—long live the chart (Wears). 2008;52:390–1 (Editorial)
A comparison of observed versus documented physician assessment and treatment of pain: the physician record does not reflect the reality (Chisholm et al). 2008;52:383–9
Health information technology (American College of Emergency Physicians). 2008;52: 595 (Policy statements)

**Medical records systems, computerized**
Emergency department electronic billing algorithm increases charges per patient encounter (Prutzman et al). 2008;52:S88 (Research Forum abstracts)
Transitioning from paper to electronic documentation in an urban emergency department: effect on provider efficiency (Malhotra et al). 2008;52:S55 (Research Forum abstracts)

**Medication therapy management**
Medication reconciliation in a rural trauma population (Miller et al). 2008;52:483–91
The unexpected challenges of accurate medication reconciliation (Schenkel). 2008;52: 493–5 (Editorial)

**Memory, short-term**
Effects of hypothermia on short-term memory and hippocampal cell proliferation following transient hypoxia-ischemia injury in rats (Cho et al). 2008;52:S65 (Research Forum abstracts)

**Meningitis, bacterial**
Corticosteroids for acute bacterial meningitis (van de Beek); Commentary: clinical implications for emergency medicine (Upadhye). 2008;52:291–3 (Systematic review abstract)
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52: 286–90 (CDC Update)

**Meperidine**
Meperidine for acute sickle cell crisis: what is the rationale? (Phillips et al). 2008;52:766 (Correspondence)
The relative efficacy of meperidine for the treatment of migraine: a meta-analysis of randomized controlled trials (Friedman et al). 2008;52:705–13

**Methadone**
Meperidine for acute sickle cell crisis: what is the rationale? (Phillips et al). 2008;52:766 (Correspondence)
**Methicillin-resistant *Staphylococcus aureus* (MRSA).** *See Staphylococcus aureus,* methicillin-resistant
**Metoclopramide**
Metoclopramide in the emergency department: a randomized factorial design study to determine the influence of dose and diphenhydramine on akathisia (Bender et al). 2008;52:S78 (Research Forum abstracts)
A randomized controlled trial of prochlorperazine versus metoclopramide for treatment of acute migraine (Friedman et al). 2008;52:399–406
**Michigan**
A survey of emergency department radiology coverage and contemporaneous billing practices (Dunne et al). 2008;52:S119–S120 (Research Forum abstracts)
**Microcirculation**
Microcirculation is significantly altered in heart failure patients who later develop decompensated disease (Nassiry et al). 2008; 52:S48–S49 (Research Forum abstracts)
**Midazolam**
Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam (Marinsek et al). 2008;52: S46–S47 (Research Forum abstracts)
**Migraine disorders**
A randomized controlled trial of prochlorperazine versus metoclopramide for treatment of acute migraine (Friedman et al). 2008;52:399–406
The relative efficacy of meperidine for the treatment of migraine: a meta-analysis of randomized controlled trials (Friedman et al). 2008;52:705–13
**Military medicine**
Balad's green doors (Bebarta). 2008;52:304–5 (Change of Shift)
Early identification of combat casualties who are at high risk for death from severe trauma (Mehta et al). 2008;52:S144 (Research Forum abstracts)
The effect of systemic antibiotic prophylaxis and wound irrigation on penetrating combat wounds in a "return-to-duty" population (Gerhardt et al). 2008;52:S108 (Research Forum abstracts)
Emergency physicians highlight "Army-wide emergency medical care deficiency" in training of flight medics (Cearnal). 2008;52:522–4 (News and Perspective)
**Minnesota**
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52: 286–90 (CDC Update)
Human rabies—Minnesota, 2007 (Centers for Disease Control and Prevention); Commentary (Ufberg and Karras). 2008;52:537–40 (CDC Update)
**Mitochondria, muscle**
Mitochondrial manganese superoxide dismutase in a murine model of acute hind limb ischemia reperfusion (Tran et al). 2008;52:S64 (Research Forum abstracts)
**Models, statistical**
Advanced modeling strategies in emergency medicine research: is the pendulum swinging? (Haukoos). 2008;52:365–7 (Editorial)
Improvement in performance of N-Gram classifiers with frequent updates (Cochrane et al). 2008;52:S102 (Research Forum abstracts)
Randomized trial of pretest probability to reduce unnecessary resource use and imaging of low-risk chest pain patients (Kline et al). 2008;52: S47–S48 (Research Forum abstracts)
Using information on preexisting conditions to predict mortality from traumatic injury (Moore et al). 2008;52:356–64
**Monitoring, physiologic**
A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers (Kim and Kim). 2008;52:S48 (Research Forum abstracts)
Outcome prediction of postresuscitation patients during therapeutic hypothermia (Kim et al). 2008;52:S106 (Research Forum abstracts)
Use of continuous ScVO2 catheters increases ScVO2 monitoring and may improve outcome of early goal-directed therapy (Mullen et al). 2008;52:S104 (Research Forum abstracts)
**Mononucleosis, infectious.** *See* Infectious mononucleosis
**Mortality in Emergency Department Sepsis (MEDS)**
Outcome prediction using the Mortality in Emergency Department Sepsis (MEDS) score in patients treated with early goal-directed therapy (Crowe et al). 2008;52:S58 (Research Forum abstracts)
**Motorcycles**
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008; 52:S142–S143 (Research Forum abstracts)
Helmet use may affect severity of injuries sustained in motorcycle accidents (Eberhardt et al). 2008;52:S109 (Research Forum abstracts)
**Motor vehicle crashes**
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008; 52:S142–S143 (Research Forum abstracts)
ATV accidents and the elderly: national trends and implications for emergency medicine (Walling et al). 2008;52:S156 (Research Forum abstracts)
Comparative analysis of EMS components of state strategic highway safety plans (Cordi and Levick). 2008;52:S154–S155 (Research Forum abstracts)
DIAL: Decreasing Injuries from ALcohol (Mello et al). 2008;52:S158–S159 (Research Forum abstracts)
Do ambulatory trauma patients have serious injuries? (Heavrin et al). 2008;52:S143 (Research Forum abstracts)
Helmet use may affect severity of injuries sustained in motorcycle accidents (Eberhardt et al). 2008;52:S109 (Research Forum abstracts)
Identifying the etiology of pediatric ATV injuries using a detailed survey of patients and parents (Humphries and Wright). 2008;52: S160 (Research Forum abstracts)
**Motor vehicle crashes, prevention & control**
Comparative analysis of EMS components of state strategic highway safety plans (Cordi and Levick). 2008;52:S154–S155 (Research Forum abstracts)
Marijuana use and associated motor vehicle crash risk factors in emergency department patients (Ward et al). 2008;52:S159 (Research Forum abstracts)
**Mouth, injuries**
Are prophylactic oral antibiotics indicated for the treatment of intraoral wounds? (Mark and Granquist). 2008;52:368–72 (Best available evidence)
**Mozambique**
The epidemiology of pediatric trauma in the capital city of Maputo, Mozambique (Petersburgo et al). 2008;52:S125–S126 (Research Forum abstracts)
**MRSA.** *See Staphylococcus aureus,* methicillin-resistant
**Mucocele**
[Frontoethmoid mucocele] (Good and Bloch). 2008;52:337 (Images in Emergency Medicine), 343 (Images in Emergency Medicine)
**Multiple organ failure**
Predicting outcomes and severity of illness in emergency department patients with suspected infection: a novel use of the D-dimer (Goebel et al). 2008;52:S92 (Research Forum abstracts)
**Music**
"Stayin' Alive": a pilot study to test the effectiveness of a novel mental metronome in maintaining appropriate compression rates in simulated cardiac arrest scenarios (Matlock et al). 2008;52:S67–S68 (Research Forum abstracts)
**Mycoses**
[Erythema nodosum associated with pulmonary histoplasmosis] (Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine), 615 (Images in Emergency Medicine)
[Sporotrichosis] (Saleh et al). 2008;52:616 (Images in Emergency Medicine), 626 (Images in Emergency Medicine)
**Myocardial infarction.** *See also* Acute coronary syndrome
2007 focused update to the ACC/AHA guidelines for the management of patients with ST-segment elevation myocardial infarction: implications for emergency department practice (Pollack et al). 2008;52:344–55 (Special contribution)
**Myocardial infarction, diagnosis**
The accuracy of an out-of-hospital 12-lead ECG for the detection of ST-elevation myocardial infarction immediately after resuscitation (Müller et al). 2008;52:658–64
The derived electrocardiogram and a cardiac electrical marker for acute myocardial infarction (Schreck and Rajagopalan). 2008;52: S115–S116 (Research Forum abstracts)
Diagnostic accuracy of ST-segment elevation in lead I, aVL and anterior chest leads for proximal left anterior descending cornary artery occlusion in myocardial infarction (Park). 2008;52:S91–S92 (Research Forum abstracts)
Diagnostic value of heart-type fatty acid-binding proteins (h-FABP) patients with hyperacute myocardial infarction (Kim). 2008;52:S94 (Research Forum abstracts)
Electrocardiographic criteria for detecting acute

myocardial infarction in patients with left bundle branch block: a meta-analysis (Tabas et al). 2008;52:329–36
Electrocardiographic determination of culprit artery occlusion in acute inferior myocardial infarction (DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Normal ST-segment elevation and electrocardiographic patterns in right-sided chest leads (V3R, V4R) in young adult Koreans (Kim and Kim). 2008;52:S116 (Research Forum abstracts)
A novel approach to transmission of the out-of-hospital EKG in patients with ST segment elevation myocardial infarction (Carmody). 2008;52:183–4 (Correspondence)
A novel assay for the highly sensitive and precise detection of cardiac troponin I (cTnI): clinical utility in the emergency department (Shipp). 2008;52:S89–S90 (Research Forum abstracts)
Out-of-hospital ECGs may shorten emergency department length of stay, but do not improve the process of care in non-ST-elevation myocardial infarction patients (Cudnik et al). 2008;52:S47 (Research Forum abstracts)
The quantitative point-of-care test of heart-type fatty acid-binding protein for the early diagnosis of acute myocardial infarction (Kim et al). 2008;52:S117 (Research Forum abstracts)
Rapid rule-out of myocardial infarction with high sensitivity newer generation cardiac troponin (Delavari et al). 2008;52:S47 (Research Forum abstracts)

**Myocardial infarction, prevention & control**
Beta-blockers are associated with reduced risk of myocardial infarction after cocaine use (Fung et al). 2008;52:88–9 (Correspondence)
Beta-blockers following cocaine use: a reappraisal (Mariani); Reply (Dattilo et al). 2008;52:89–90 (Correspondence)

**Myocardial infarction, therapy**
Achieving door-to-balloon times of 90 minutes or less for ST-elevation myocardial infarction: it can be done! (Nestler et al). 2008;52:S133 (Research Forum abstracts)
Association of door-to-electrocardiogram time and door-to-balloon time in patients with ST-elevation myocardial infarction (Nestler et al). 2008;52:S91 (Research Forum abstracts)
Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by ambulance diversion based on a out-of-hospital electrocardiogram (Poitras et al). 2008;52:S95 (Research Forum abstracts)
Effect of crowding on time to percutaneous coronary intervention for acute myocardial infarction (Kulstad et al). 2008;52:S86 (Research Forum abstracts)
Emergency physician-initiated primary percutaneous coronary intervention via a single group page is associated with reduced interval times in ST-elevation myocardial infarction patients (Kontos et al). 2008;52:S117–S118 (Research Forum abstracts)
The impact of out-of-hospital activation of the cardiac catheterization team on door-to-balloon time for patients presenting with ST-segment- elevation myocardial infarction (Camp et al). 2008;52:S97 (Research Forum abstracts)
Improving door-to-balloon time: emergency department activation of primary coronary intervention for ST-segment elevation myocardial infarction: a pilot study (Chan et al). 2008;52:S133 (Research Forum abstracts)
Out-of-hospital ECGs may shorten emergency department length of stay, but do not improve the process of care in non-ST-elevation myocardial infarction patients (Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Out-of-hospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction (Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Regionalization of care for ST-segment elevation myocardial infarction: is it too soon? (Pottenger et al). 2008;52:677–85 (Concepts)
Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials (De Luca et al). 2008;52:665–76 (Review article)
What is the frequency of inappropriate emergency department catheterization laboratory activation for patients with potential ST-segment elevation myocardial infarction? (Kurz et al). 2008;52:S134 (Research Forum abstracts)

## N

**Narcotics.** *See also* Meperidine
A formal "drug seeker" policy/database does not decrease the dispensing of narcotics to drug seekers (Patterson et al). 2008;52:S111 (Research Forum abstracts)

**Nasal cavity**
A complication of positive pressure nasal foreign body removal in a pediatric patient (Hills et al). 2008;52:623–5 (Case report)

**Nasal sinuses.** *See* Paranasal sinuses

**Natriuretic peptide, brain**
Acutely decompensated heart failure in a county emergency department: a double-blind randomized controlled comparison of nesiritide versus placebo treatment [Journal Club answers for Miller et al, 2008;51:571-578, 580-582] (Barrett and Schriger). 2008;52:458–72
Sonographic detection of interstitial lung fluid predicts serum B-type natriuretic peptide level (Manson et al). 2008;52:S170–S171 (Research Forum abstracts)

**Nausea, therapy**
Efficacy impacts of an evidence-based algorithmic approach to the treatment, matched to presumed underlying cause of nausea and vomiting, in the emergency department (Gaddis et al). 2008;52:S78 (Research Forum abstracts)
Low-dose intravenous prochlorperazine as single-agent therapy for uncomplicated nausea and vomiting in elderly patients (Abram et al). 2008;52:S51 (Research Forum abstracts)
Undertreatment of nausea and vomiting in US emergency departments: the phenomenon of oligoantiemesis (Singer et al). 2008;52:S95 (Research Forum abstracts)

**Neck injuries.** *See also* Cervical vertebrae, injuries
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008;52:S142–S143 (Research Forum abstracts)

***Neisseria gonorrhoeae***
[Gonococcal conjunctivitis] (Donham and Gibler). 2008;52:11 (Images in Emergency Medicine), 16 (Images in Emergency Medicine)

***Neisseria meningitidis***
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52:286–90 (CDC Update)

**Neoplasms**
Cumulative radiation exposure and cancer risk estimates in emergency patients undergoing repeat or multiple CT imaging (Griffey and Sodickson). 2008;52:S157 (Research Forum abstracts)

**Nepal**
Himalayan house call (Gorlin). 2008;52:457 (Change of Shift)

**Nerve block**
Femoral nerve block for pain management of hip fractures in the emergency department: preliminary results of a randomized, controlled trial (Henderson et al). 2008;52:S164 (Research Forum abstracts)

**Nesiritide.** *See* Natriuretic peptide, brain

**New Orleans**. *See* Hurricane Katrina

**News & Perspective**
News & Perspective 2008;52:17–9, 137–42, 263–7, 373–82, 522–4, 651–7

**North Dakota**
Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008 (Centers for Disease Control and Prevention); Commentary (Takhar). 2008;52:286–90 (CDC Update)

**Nurse practitioners**
Ten-year trend in midlevel provider utilization in US emergency departments (1996–2005) (Wiechmann and Menchine). 2008;52:S82 (Research Forum abstracts)
Use of physician assistants and nurse practitioners in United States emergency departments, 1993–2005: implications for the emergency physician workforce (Ginde et al). 2008;52:S87 (Research Forum abstracts)

**Nurses**
Efficacy impacts of an evidence-based algorithmic approach to the treatment, matched to presumed underlying cause of nausea and vomiting, in the emergency department (Gaddis et al). 2008;52:S78 (Research Forum abstracts)
Higher patient-to-nurse ratios adversely affect core-measure and service outcomes in the emergency department (Jones et al). 2008;52:S86 (Research Forum abstracts)
Variability among emergency department charge nurses in the efficiency of patient bed assignment (Sattarian et al). 2008;52:S132 (Research Forum abstracts)

**Nursing care**
Impact of a nurse-initiated asthma care protocol on mean door to first Salbutamol® (albuterol) nebulization time in pediatric emergency department patients (Qazi et al). 2008;52:S44–S45 (Research Forum abstracts)
Impact of mandated nurse–patient ratios on emergency department crowding (Chan et al). 2008;52:S44 (Research Forum abstracts)
Nursing home-acquired pneumonia. *See* Pneumonia, nursing-home acquired

## O

**Obama, Barack**
McCain and Obama on emergency care: the candidates' approach to emergency care (Berger) 2008;52:265–7 (News and Perspective)
**Obesity.** *See* Overweight
**Objective Structured Clinical Examination (OSCE)**
Emergency medicine intern use of Objective Structured Clinical Examination in emergency medicine training (Shih et al). 2008;52:S152 (Research Forum abstracts)
**Observation unit**
Appropriately screened geriatric chest pain patients may be appropriate for an emergency department observation unit (Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
The effect of implementation of an observation unit on emergency department wait time to initial physician evaluation, emergency department length of stay, emergency department boarding times, and percentage of patients who left without being seen (Hedayati et al). 2008;52:S112 (Research Forum abstracts)
Emergency department crowding: factors associated with length of stay and disposition in an observation unit (Norton and Fu). 2008;52:S137 (Research Forum abstracts)
Emergency department observation unit admission as an alterantive to inpatient admission for trauma activation patients (Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
A prospective, randomized trial of an emergency department observation unit for acute onset atrial fibrillation (Decker et al). 2008;52:322–8
**Occupational health**
Personal safety and prevalence of violence and weapons in the emergency department (Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Violence in the emergency department: a national survey of emergency medicine resident and attending physicians (Behnam et al). 2008;52:S172 (Research Forum abstracts)
**Occupational safety.** *See* Occupational health
**Odontogenesis**
Cost-effectiveness of emergency department penicillin skin testing to guide antibiotic treatment of odontogenic infections (Raja et al). 2008;52:S54–S55 (Research Forum abstracts)
**Off-road motor vehicles**
ATV accidents and the elderly: national trends and implications for emergency medicine (Walling et al). 2008;52:S156 (Research Forum abstracts)
Identifying the etiology of pediatric ATV injuries using a detailed survey of patients and parents (Humphries and Wright). 2008;52:S160 (Research Forum abstracts)
**Ondansetron**
Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial (Langston et al). 2008;52:30–4
The role of oral ondansetron in children with vomiting as a result of acute gastritis/gastroenteritis who have failed oral rehydration therapy: a randomized controlled trial (Roslund et al). 2008;52:22–9, Correction 406
**Online systems.** *See* Internet
**Optic nerve, ultrasonography**
Is the optic nerve sheath diameter that is measured by ultrasonography useful for early detection of elevated intracranial pressure in adult patients? (Oh and Kim). 2008;52:S129 (Research Forum abstracts)
**Oral cavity, injuries.** *See* Mouth, injuries
**Orbit, injuries**
[Orbital blowout fracture] (Geeting and Benaknin). 2008;52:337 (Images in Emergency Medicine), 367 (Images in Emergency Medicine)
[Superior orbital wall fracture with retro-orbital hematoma] (Neuman et al). 2008;52:473 (Images in Emergency Medicine), 481 (Images in Emergency Medicine)
**Oregon**
Changes in the cost and management of emergency department on-call coverage: evidence from a longitudinal statewide survey (McConnell et al). 2008;52:635–42
Impact of Medicaid cutbacks on emergency department use: the Oregon experience (Lowe et al). 2008;52:626–34
**Organophosphates, poisoning.** *See* Phosphoric acid esters, poisoning
**Overweight**
Comparing bedside ultrasound to palpation in identification of spinal landmarks (Arora et al). 2008;52:S127 (Research Forum abstracts)
Resident accuracy in locating the common femoral vein in normal weight versus obese patients (Bennett et al). 2008;52:S148 (Research Forum abstracts)
Risk factors associated with obesity in an urban pediatric emergency department (Thundiyil et al). 2008;52:S103–S104 (Research Forum abstracts)
Using body mass index to predict the adequacy of cervical spine radiography in trauma patients (Barlas and Mirakhor). 2008;52:S123–S124 (Research Forum abstracts)
What is the impact of obesity on the relative risk of cervical spine injury in blunt trauma patients? (Jones et al). 2008;52:S144 (Research Forum abstracts)
**Oxygen, analysis**
Near-infrared spectroscopy in assessing perfusion status in patients with gastrointestinal complaints presenting to the emergency department (Otero et al). 2008;52:S105–S106 (Research Forum abstracts)
The relationship between near infrared spectroscopy and end tidal carbon dioxide in patients presenting with shock (Miner et al). 2008;52:S57–S58 (Research Forum abstracts)
Tissue oxygenation in soft tissue infections (Capraro et al). 2008;52:S138–S139 (Research Forum abstracts)
Use of continuous ScVO2 catheters increases ScVO2 monitoring and may improve outcome of early goal-directed therapy (Mullen et al). 2008;52:S104 (Research Forum abstracts)
**Oxygen inhalation therapy**
Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam (Marinsek et al). 2008;52:S46–S47 (Research Forum abstracts)
Supplemental oxygen during propofol sedation: yes or no? (Green and Kraus). 2008;52:9–10 (Editorial)
The utility of supplemental oxygen during emergency department procedural sedation with propofol: a randomized, controlled trial (Deitch et al). 2008;52:1–8
**Oxygen measurement.** *See* Oxygen, analysis
**Oxymetazoline**
Effects of intranasal oxymetazoline on the pediatric population aged 1 to 12 months: an interim analysis (Hite and Mullen). 2008;52:S165 (Research Forum abstracts)

## P

**Pain.** *See also* Abdominal pain
Arrival and discharge pain intensity in the emergency department (Fosnocht and Swanson). 2008;52:S163–S164 (Research Forum abstracts)
A comparison of observed versus documented physician assessment and treatment of pain: the physician record does not reflect the reality (Chisholm et al). 2008;52:383–9
Comparison of outcomes before and after implementation of an observation unit clinical pathway for uncomplicated sickle cell vaso-occlusive crisis (Sinclair et al). 2008;52:S75 (Research Forum abstracts)
Comparison of pain scale on manual reduction technique in patients with elbow subluxation (Lee). 2008;52:S108 (Research Forum abstracts)
Pain intensity for emergency department patients following discharge (Fosnocht et al). 2008;52:S164 (Research Forum abstracts)
Ultrasound-guided peripheral IV access: patient pain, anxiety and preference (Panebianco et al). 2008;52:S61 (Research Forum abstracts)
Why do some patients with sickle cell disease have multiple emergency department visits and what do they expect? (Tanabe et al). 2008;52:S74 (Research Forum abstracts)
**Pain measurement**
How frequently do patients want their pain assessed? (Lozner et al). 2008;52:S164–S165 (Research Forum abstracts)
Triage pain scores and the desire for and use of analgesics (Singer et al). 2008;52:689–95
**Palliative care.** *See also* Terminal care
"Am I doing the right thing?" Provider perspectives on improving palliative care in the emergency department (Smith et al). 2008;52:S52–S53 (Research Forum abstracts)
What is the need for integration of palliative care in the emergency department? (Stone et al). 2008;52:S119 (Research Forum abstracts)
**Papillomavirus infections**
Multicenter study of HPV knowledge and attitudes in emergency department patients (Millen et al). 2008;52:S121–S122 (Research Forum abstracts)
**Paracentesis**
Physician clinical impression does not rule out spontaneous bacterial peritonitis in patients undergoing emergency department paracentesis (Chinnock et al). 2008;52:268–73 (Brief research report)
**Paranasal sinuses**
[Frontoethmoid mucocele] (Good and Bloch). 2008;52:337 (Images in Emergency Medicine), 343 (Images in Emergency Medicine)
**Parents**
Chinese American pediatric parents' emergency department utilization and needs assessment

(Garcia et al). 2008;52:S165–S166 (Research Forum abstracts)
Is it cost effective to distribute educational videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)
Left without being seen (Sadosty). 2008;52:753 (Change of Shift)

**Patellar dislocation, epidemiology**
The epidemiology of patellar dislocations (Porter et al). 2008;52:S124 (Research Forum abstracts)

**Patient acceptance of health care.** *See also* Patient dropouts
EMS "No Transports": an evaluation of emergency department presentation and admission rates following patient initiated "No Transports" (Dawson et al). 2008;52:S71 (Research Forum abstracts)
Patient attitudes towards human immunodeficiency virus testing in the emergency department (Totten et al). 2008;52:S102–S103 (Research Forum abstracts)
Practical considerations in HIV testing in the emergency department, characteristics of diagnostic tests, and the role of sensitivity analysis in observational studies [Journal Club answers for Haukoos et al., 2008;51:303-311] (Barrett and Schriger). 2008;52:170–81

**Patient admission.** *See also* Boarding
Emergency department observation unit admission as an alternative to inpatient admission for trauma activation patients (Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
An experience with the transfer of admitted patients from an emergency department to an off-site hospitalist service (Thomas et al). 2008;52:S131 (Research Forum abstracts)
Impact of Medicaid cutbacks on emergency department use: the Oregon experience (Lowe et al). 2008;52:626–34
A prospective, randomized trial of an emergency department observation unit for acute onset atrial fibrillation (Decker et al). 2008;52:322–8

**Patient beliefs.** *See* Knowledge, attitudes, practice

**Patient care management.** *See also* Efficiency; Patient care team
An alternate site of care program in an urban emergency department (Ferguson et al). 2008;52:S131–S132 (Research Forum abstracts)
Assessment of emergency department crowding in a large referral north Italian hospital (Gai et al). 2008;52:S120 (Research Forum abstracts)
Implementation of a novel "see and treat" system reduces emergency department crowding (Codreanu et al). 2008;52:S130–S131 (Research Forum abstracts)
Variability among emergency department charge nurses in the efficiency of patient bed assignment (Sattarian et al). 2008;52:S132 (Research Forum abstracts)

**Patient care planning**
Analysis of the Community Resources for Emergency Department Overuse (CREDO) initiative for emergency department frequent users (Ford et al). 2008;52:S80–S81 (Research Forum abstracts)

**Patient care team.** *See also* Personnel staffing and scheduling
The effect of wait times and emergency department length of stay on patient perception of medical team communication (Donlan et al). 2008;52:S111–S112 (Research Forum abstracts)
Electronic dashboard and a multidisciplinary hospital-wide team decrease patient throughput intervals and reduce number of admitted patients held in the emergency department (Spektor et al). 2008;52:S87 (Research Forum abstracts)
Emergency medicine as a staffing model for medical emergency response teams (Mace et al). 2008;52:S168 (Research Forum abstracts)
Implementation of a team training program for trauma care: The BETTER (Bringing Enhanced Team Training to the Emergency Room) initiative (Gagliano et al). 2008;52:S107 (Research Forum abstracts)
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction (Scott et al). 2008;52:S123 (Research Forum abstracts)
Predicting the need for emergent surgery in adult trauma patients: external validation of a clinical decision rule and implications for trauma triage (Paulson et al). 2008;52:S107 (Research Forum abstracts)
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)
Trauma team activation does not improve functional status on discharge nor length of emergency department stays when controlled for Injury Severity Scores (Dozier et al). 2008;52:S143 (Research Forum abstracts)

**Patient-centered care**
The patient-centered medical home: a solution to "hamster health care" or a drain on emergency care? (Berger). 2008;52:654–7 (News and Perspective)

**Patient compliance**
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)

**Patient dropouts**
Effect of admitted patient boarder occupancy percentage on emergency department length of stay and patients leaving without treatment (Nazziola). 2008;52:S129–S130 (Research Forum abstracts)
The effect of implementation of an observation unit on emergency department wait time to initial physician evaluation, emergency department length of stay, emergency department boarding times, and percentage of patients who left without being seen (Hedayati et al). 2008;52:S112 (Research Forum abstracts)
Hourly patient arrivals predict the number of patients who leave without being seen (Farley et al). 2008;52:S131 (Research Forum abstracts)
"Left without being seen": a national profile of children who leave the emergency department before evaluation (Bourgeois et al). 2008;52:599–605
Occupancy rate and EDWIN score both correlate significantly with number of patients leaving the emergency department without being seen (Kulstad et al). 2008;52:S85 (Research Forum abstracts)

**Patient education.** *See also* Counseling
DIAL: Decreasing Injuries from ALcohol (Mello et al). 2008;52:S158–S159 (Research Forum abstracts)
Impact of health education video intervention on patient knowledge in emergency department waiting area of a developing nation: a pilot study (Gupta et al). 2008;52:S103 (Research Forum abstracts)
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction (Scott et al). 2008;52:S123 (Research Forum abstracts)
Is it cost effective to distribute educational videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)
A program for asthma education in the emergency department (Kletti et al). 2008;52:S45 (Research Forum abstracts)
Stroke education in the emergency department waiting room (Chan et al). 2008;52:S161 (Research Forum abstracts)

**Patient preferences.** *See* Patient satisfaction

**Patients.** *See also* Aged; Athlete; Child; Emigrants and immigrants; Ethnic groups; Medically uninsured; Physician-patient relations
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)
Do ambulatory trauma patients have serious injuries? (Heavrin et al). 2008;52:S143 (Research Forum abstracts)
Multicenter study of HPV knowledge and attitudes in emergency department patients (Millen et al). 2008;52:S121–S122 (Research Forum abstracts)
Patients with repeat visits to the emergency department: an indictment of health care in the United States? (O'Connor and Sohr). 2008;52:S120 (Research Forum abstracts)
Rapid sequence intubation from the patients' perspective (Kimball et al). 2008;52:S83 (Research Forum abstracts)
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)

**Patients, psychology**
Psychosocial variables influence the decision to call 9-1-1 in emergency department patients with abdominal pain (Davis et al). 2008;52:S71 (Research Forum abstracts)

**Patient satisfaction**
Asking for a same sex, race or religion provider in the emergency department: provider and patient factors relating to accommodation (Padela et al). 2008;52:S167 (Research Forum abstracts)
Does physician use of scripting in the emergency department improve patient satisfaction? (Matloff et al). 2008;52:S81–S82 (Research Forum abstracts)
Does providing patients with overestimates of anticipated waiting times improve perception of wait times in the emergency department? (Rae et al). 2008;52:S111 (Research Forum abstracts)
The effect of wait times and emergency department length of stay on patient

perception of medical team communication (Donlan et al). 2008;52:S111–S112 (Research Forum abstracts)
How frequently do patients want their pain assessed? (Lozner et al). 2008;52:S164–S165 (Research Forum abstracts)
How long before patients lose their patience? (Bastani et al). 2008;52:S86–S87 (Research Forum abstracts)
Interruptions occurring during clinical practice in the emergency department (Jeanmonod et al). 2008;52:S110–S111 (Research Forum abstracts)
Language interpretation service preferences among non-English speaking patients (Ladner et al). 2008;52:S119 (Research Forum abstracts)
Patient expectation in a freestanding emergency department (Meyer-Reed et al). 2008;52:S112–S113 (Research Forum abstracts)
Triage pain scores and the desire for and use of analgesics (Singer et al). 2008;52:689–95
Ultrasound-guided peripheral IV access: patient pain, anxiety and preference (Panebianco et al). 2008;52:S61 (Research Forum abstracts)

**Patient selection**
Computerized recruiting for clinical research in the emergency department (Kashyap et al). 2008;52:S55 (Research Forum abstracts)

**Patient simulation**
Improved student satisfaction and test performance with a simulation-based emergency medicine curriculum (Ten Eyck et al). 2008;52:S49 (Research Forum abstracts)
Preliminary analysis of in-hospital cardiopulmonary resuscitation simulation (SimCode) training program (Kobayashi et al). 2008;52:S83–S84 (Research Forum abstracts)
The role of high-fidelity computerized human patient simulation in cardiopulmonary resuscitation training of medical providers (Bockewitz et al). 2008;52:S50 (Research Forum abstracts)

**Patient transfer**
Changes in the cost and management of emergency department on-call coverage: evidence from a longitudinal statewide survey (McConnell et al). 2008;52:635–42
An experience with the transfer of admitted patients from an emergency department to an off-site hospitalist service (Thomas et al). 2008;52:S131 (Research Forum abstracts)
Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials (De Luca et al). 2008;52:665–76 (Review article)

**Peak expiratory flow rate**
The utility of serial peak flow measurements in the acute asthmatic being treated in the emergency department (Henderson and Knight). 2008;52:S45 (Research Forum abstracts)

**Pediatrics, education**
Implementation of a Web-based educational tool for residents rotating in the pediatric emergency department (Burnette et al). 2008;52:S68 (Research Forum abstracts)

**Penicillins**
Cost-effectiveness of emergency department penicillin skin testing to guide antibiotic treatment of odontogenic infections (Raja et al). 2008;52:S54–S55 (Research Forum abstracts)

**Pennsylvania**
Emergency department crowding in the Commonwealth of Pennsylvania (Pines et al). 2008;52:S130 (Research Forum abstracts)

**Percutaneous cardiopulmonary support**
The effectiveness of using percutaneous cardiopulmonary support in cardiopulmonary arrest and postresuscitation care (Shin et al). 2008;52:S57 (Research Forum abstracts)

**Periodicals**
Effect of sex on funding in emergency medicine literature (Jahnes et al). 2008;52:S82–S83 (Research Forum abstracts)
Inconsistent conflict of interest policies across peer-reviewed biomedical journals (Blum et al). 2008;52:S82 (Research Forum abstracts)

**Periodicity**
Differential survival from in-hospital cardiac arrests: days vs nights and weekends (Henderson et al). 2008;52:S106 (Research Forum abstracts)
Higher severity of illness in pediatric patients presenting at night and by ambulance (Easter et al). 2008;52:S165 (Research Forum abstracts)
The seasonality of testicular torsion (McCarthy et al). 2008;52:S166 (Research Forum abstracts)

**Peritonitis**
Physician clinical impression does not rule out spontaneous bacterial peritonitis in patients undergoing emergency department paracentesis (Chinnock et al). 2008;52:268–73 (Brief research report)

**Peritonsillar abscess, therapy**
A comparison of ultrasound-guided and non ultrasound-guided peritonsillar abscess drainage by emergency physicians (Vates et al). 2008;52:S128 (Research Forum abstracts)

**Personnel staffing and scheduling.** *See also* Patient care team
Career satisfaction in emergency medicine and burnout: all is not well (Gendreau). 2008;52:577 (Correspondence)
Changes in the cost and management of emergency department on-call coverage: evidence from a longitudinal statewide survey (McConnell et al). 2008;52:635–42
Comparison of ten-hour and twelve-hour shifts demonstrates no difference in resident productivity (McClay). 2008;52:S151 (Research Forum abstracts)
Dedicated shift wrap-up time does not improve resident sign-out burden (Jeanmonod and Tomassi). 2008;52:S168 (Research Forum abstracts)
Differential survival from in-hospital cardiac arrests: days vs nights and weekends (Henderson et al). 2008;52:S106 (Research Forum abstracts)
Emergency medicine as a staffing model for medical emergency response teams (Mace et al). 2008;52:S168 (Research Forum abstracts)
Emergency physician productivity: a comparison of 8-hour versus 12-hour shifts (Yang et al). 2008;52:S110 (Research Forum abstracts)
Higher patient-to-nurse ratios adversely affect core-measure and service outcomes in the emergency department (Jones et al). 2008;52:S86 (Research Forum abstracts)
Predicting patterns of patients in VA emergency department populations (Kessler et al). 2008;52:S121 (Research Forum abstracts)
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)

**Pharmacy service, hospital**
Does implementation of a satellite pharmacy in the emergency department affect time to treatment or completeness of antibiotic treatment in sepsis patients (McGrath et al). 2008;52:S73 (Research Forum abstracts)

**Phosphoric acid esters, poisoning**
Advanced bioscavengers for the emergency treatment of nerve agent/pesticide poisoning (Geyer et al). 2008;52:S142 (Research Forum abstracts)
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22
The risk factors for mortality in organophosphate poisoning (Choi et al). 2008;52:S142 (Research Forum abstracts)

**Physician assistants**
Ten-year trend in midlevel provider utilization in US emergency departments (1996–2005) (Wiechmann and Menchine). 2008;52:S82 (Research Forum abstracts)
Use of physician assistants and nurse practitioners in United States emergency departments, 1993–2005: implications for the emergency physician workforce (Ginde et al). 2008;52:S87 (Research Forum abstracts)

**Physician-patient relations**
Cultural awareness and emergency care (American College of Emergency Physicians). 2008;52:189 (Policy statements)
Does physician use of scripting in the emergency department improve patient satisfaction? (Matloff et al). 2008;52:S81–S82 (Research Forum abstracts)
Good question (Veysman). 2008;52:168–9 (Change of Shift)
Influence of patient costs and requests on emergency physician decisionmaking (Ballard et al). 2008;52:643–50
In response to "To sit or not to sit" (Romane); Reply (Johnson et al). 2008;52:185–6 (Correspondence)

**Physicians**
Can physician education improve patient use of a free rapid HIV testing program? (Newman et al). 2008;52:S121 (Research Forum abstracts)
Career satisfaction in emergency medicine and burnout: all is not well (Gendreau). 2008;52:577 (Correspondence)
Code of ethics for emergency physicians (American College of Emergency Physicians). 2008;52:581–90 (Policy statements)
A comparison of observed versus documented physician assessment and treatment of pain: the physician record does not reflect the reality (Chisholm et al). 2008;52:383–9
Does clinical productivity affect medical education? (Santen et al). 2008;52:S49–S50 (Research Forum abstracts)
Emergency physician-initiated primary percutaneous coronary intervention via a single group page is associated with reduced interval times in ST-elevation myocardial infarction

patients (Kontos et al). 2008;52:S117–S118 (Research Forum abstracts)
Emergency physician productivity: a comparison of 8-hour versus 12-hour shifts (Yang et al). 2008;52:S110 (Research Forum abstracts)
Emergency physician rights and responsibilities (American College of Emergency Physicians). 2008;52:187–8 (Policy statements)
How to lose your voice (Flora). 2008;52:80–1 (Change of Shift)
Physician scene response in an emergency medicine residency program (Martin-Gill and Mosesso). 2008;52:S151 (Research Forum abstracts)
In response to "To sit or not to sit" (Romane); Reply (Johnson et al). 2008;52:185–6 (Correspondence)
Role of emergency physician in injury prevention and control for adult and pediatric patients (American College of Emergency Physicians). 2008;52:594–5 (Policy statements)
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)
Violence in the emergency department: a national survey of emergency medicine resident and attending physicians (Behnam et al). 2008;52:S172 (Research Forum abstracts)

**Physicians, continuing education.** *See* Education, medical, continuing

**Physicians, internal medicine**
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)

**Physicians, psychology**
Evaluation of racial bias in emergency medicine residents and recent graduates (Nelson et al). 2008;52:S122 (Research Forum abstracts)

**Physicians, women**
Asking for a same sex, race or religion provider in the emergency department: provider and patient factors relating to accommodation (Padela et al). 2008;52:S167 (Research Forum abstracts)
Effect of sex on funding in emergency medicine literature (Jahnes et al). 2008;52:S82–S83 (Research Forum abstracts)
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)

**Physician's practice patterns**
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
A comparison of observed versus documented physician assessment and treatment of pain: the physician record does not reflect the reality (Chisholm et al). 2008;52:383–9
The effect of clinical experience on the error rate of emergency physicians (Berk et al). 2008;52:497–501
Emergency clinician–performed compression ultrasonography for deep venous thrombosis of the lower extremity (Kline et al). 2008;52:437–45
Improving emergency department screening for intimate partner violence: effectiveness of a brief physician training program (Thoelecke et al). 2008;52:S171 (Research Forum abstracts)
Influence of patient costs and requests on emergency physician decisionmaking (Ballard et al). 2008;52:643–50
Interruptions occurring during clinical practice in the emergency department (Jeanmonod et al). 2008;52:S110–S111 (Research Forum abstracts)
Lost in translation or just lost? (Sergeant et al); Reply (Wears). 2008;52:575–7 (Correspondence)
The 2005 Model of the Clinical Practice of Emergency Medicine: the 2007 update (2007 EM Model Review Task Force et al). 2008;52:e1–e17

**Plant preparations**
Advanced bioscavengers for the emergency treatment of nerve agent/pesticide poisoning (Geyer et al). 2008;52:S142 (Research Forum abstracts)

**Platelet activation**
Sex differences in platelet activation in patients with acute coronary syndromes (Wehner et al). 2008;52:S46 (Research Forum abstracts)

**Pneumonia**
Are the new community-acquired pneumonia guidelines applicable to a community hospital pneumonia population? (Benenson et al). 2008;52:S53 (Research Forum abstracts)
Management and outcome of patients over 75 with pneumonia: report of 149 consecutive cases in an emergency department short stay unit (Ferre et al). 2008;52:S139 (Research Forum abstracts)
Who's watching the vent?: morbidity associated with mechanically ventilated patients in the emergency department (Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)

**Pneumonia, diagnosis**
Early predictors of mortality and length of stay in emergency department nursing home-acquired pneumonia (Robinson et al). 2008;52:S138 (Research Forum abstracts)
Proadrenomedullin in emergency department patients with community-acquired pneumonia (Huang et al). 2008;52:S41 (Research Forum abstracts)
Protein C as an early biomarker to distinguish pneumonia from sepsis (Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
Risk prediction with procalcitonin and clinical rules in community-acquired pneumonia (Huang et al); [Journal Club discussion] (Menchine); [Journal Club answers] (Menchine and Schriger). 2008;52:48–55, 59–60, 754–63
Risk stratification of community-acquired pneumonia: what does all of this mean? (Jones and Kline). 2008;52:61–2 (Editorial)

**Pneumonia, drug therapy**
CMS community-acquired pneumonia core measures leads to unnecessary antibiotic administration by emergency physicians (Nicks et al). 2008;52:S119 (Research Forum abstracts)
Correlation of emergency department occupancy rate with time to antibiotics for patients with pneumonia (Sikka et al). 2008;52:S110 (Research Forum abstracts)
The effect of timing and choice of antibiotic on mortality and length of stay in nursing home-acquired pneumonia (Medado et al). 2008;52:S137 (Research Forum abstracts)
Nursing home-acquired pneumonia: demographics, outcomes and antibiotic usage (Kass-Shamoun et al). 2008;52:S155–S156 (Research Forum abstracts)
Subgroup analyses of time to antibiotics in community-acquired pneumonia: correlating capacity and physician-dependent processes with outcomes (Pearson et al). 2008;52:S94–S95 (Research Forum abstracts)

**Pneumonia, nursing home-acquired**
Early predictors of mortality and length of stay in emergency department nursing home-acquired pneumonia (Robinson et al). 2008;52:S138 (Research Forum abstracts)
The effect of timing and choice of antibiotic on mortality and length of stay in nursing home-acquired pneumonia (Medado et al). 2008;52:S137 (Research Forum abstracts)
Nursing home-acquired pneumonia: demographics, outcomes and antibiotic usage (Kass-Shamoun et al). 2008;52:S155–S156 (Research Forum abstracts)

**Pneumonia Severity Index**
Risk stratification of community-acquired pneumonia: what does all of this mean? (Jones and Kline). 2008;52:61–2 (Editorial)

**Pneumothorax**
Inadequate needle thoracostomy rate of the chest in the out-of-hospital setting for presumed pneumothorax, as documented on ultrasound (Blaivas). 2008;52:S145–S146 (Research Forum abstracts)
Incidental pneumothorax found after blunt abdominal trauma (Robinson et al). 2008;52:S144 (Research Forum abstracts)
Occult pneumothorax and hemothorax in major trauma patients (De la Torre and Eckstein). 2008;52:S97–S98 (Research Forum abstracts)

**Pneumothorax, diagnosis**
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
Feasibility of using M-mode ultrasound for the detection of pneumothorax during helicopter transport (Lyon et al). 2008;52:S147 (Research Forum abstracts)
[Pneumothorax] (Hou et al). 2008;52:306 (Images in Emergency Medicine), 310 (Images in Emergency Medicine)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)

**Point-of-care systems**
High imprecision of a point-of-care D-dimer test limits its utility for reliable exclusion of venous thromboembolism (Houdijk et al). 2008;52:S65–S66 (Research Forum abstracts)
A time-and-motion study of the processes required to obtain cardiac biomarker assays using both central laboratory and point-of-care testing (Lindsell et al). 2008;52:S66 (Research Forum abstracts)

**Poisoning.** *See also* Carbon monoxide poisoning; Contrast media, poisoning; Cyanides, poisoning; Phosphoric acid esters, poisoning; Snake bites
Acute quetiapine overdose in adults: a 5-year retrospective case series (Ngo et al). 2008;52:541–7

Ciguatera poisoning successfully treated with delayed mannitol (Schwarz et al). 2008;52: 476–7 (Correspondence)
Clinical characteristics and mortality rate of geriatric dapsone intoxication (Kim). 2008;52: S156 (Research Forum abstracts)
A descriptive study of an outbreak of clenbuterol-containing heroin (Hoffman et al). 2008;52:548–53
Effect of activated charcoal on citalopram-induced QT prolongation (Greene et al); Reply (Isbister et al). 2008;52:86–8 (Correspondence)
In response to Tong TC, et al. Comparative treatment of alpha-amanitin poisoning with *N*-acetylcysteine, benzylpenicillin, cimetidine, thioctic acid, and silybin in a murine model (Salhanick et al); Reply (Tong). 2008;52:184–5 (Correspondence)

**Police.** *See also* Conducted electrical weapons
Ambulance staging for potentially dangerous scenes: another hidden component of response time (Gratton et al). 2008;52:S97 (Research Forum abstracts)

**Policy statements**
Air ambulance medical transport advertising and marketing (American College of Emergency Physicians). 2008;52:581
Alternate ambulance transportation and destination (American College of Emergency Physicians). 2008;52:594 (Policy statements)
Boarding of admitted intensive care patients in the emergency department (American College of Emergency Physicians). 2008;52:188–9 (Policy statements)
Code of ethics for emergency physicians (American College of Emergency Physicians). 2008;52:581–90 (Policy statements)
Conflict of interest (American College of Emergency Physicians). 2008;52:590–2 (Policy statements)
Cultural awareness and emergency care (American College of Emergency Physicians). 2008;52:189 (Policy statements)
Definition of emergency medicine (American College of Emergency Physicians). 2008;52: 189–90 (Policy statements)
Disaster planning and response (American College of Emergency Physicians). 2008;52: 581 (Policy statements)
Discontinuing resuscitation in the out-of-hospital setting (American College of Emergency Physicians). 2008;52:592 (Policy statements)
Emergency physician rights and responsibilities (American College of Emergency Physicians). 2008;52:187–8 (Policy statements)
Ethical issues at the end of life (American College of Emergency Physicians). 2008;52: 592 (Policy statements)
Ethical issues of resuscitation (American College of Emergency Physicians). 2008;52:593 (Policy statements)
Fictitious patients (American College of Emergency Physicians). 2008;52:581 (Policy statements)
Health information technology (American College of Emergency Physicians). 2008;52: 595 (Policy statements)
Reporting of medical errors (American College of Emergency Physicians). 2008;52:593 (Policy statements)
Retail-based clinics (American College of Emergency Physicians). 2008;52:190 (Policy statements)
Role of emergency physician in injury prevention and control for adult and pediatric patients (American College of Emergency Physicians). 2008;52:594–5 (Policy statements)
The use of pediatric sedation and analgesia (American College of Emergency Physicians). 2008;52:595–6 (Policy statements)

**Population characteristics.** *See also* Ethnic groups
Commentary: speaking up and reaching out (Mahler and Thoma). 2008;52:166–7 (NHTSA Notes)
Pediatric population size is associated with geographic patterns of acute respiratory infections among adults (Brownstein and Mandl). 2008;52:63–8

**Population surveillance**. *See* Syndromic surveillance

**Potassium, blood**
Comparison of blood gas versus conventional laboratory results for hematocrit, potassium, and creatinine (Fromm et al). 2008;52:S66 (Research Forum abstracts)

**Pregnancy**
Characteristics of women with fetal loss in symptomatic first trimester pregnancies with documented fetal cardiac activity (Juliano et al). 2008;52:143–7
Fetal outcomes in first trimester symptomatic pregnancies presenting to an emergency department with indeterminate ultrasound (Sauter et al). 2008;52:S60 (Research Forum abstracts)
Location of the appendix in the gravid patient (House et al). 2008;52:S92–S93 (Research Forum abstracts)

**Pregnancy, ectopic**
The additional value of quantitative beta-hCG in evaluating patients at risk of ectopic pregnancy with bedside ultrasound in the emergency department (Stein et al). 2008;52: S169–S170 (Research Forum abstracts)
Trends and predictors of emergency department pregnancy test use in women with symptoms of potential ectopic pregnancy (2001–2005) (Pines and Schuur). 2008;52:S118–S119 (Research Forum abstracts)

**Prejudice**
Evaluation of racial bias in emergency medicine residents and recent graduates (Nelson et al). 2008;52:S122 (Research Forum abstracts)

**Priapism**
[Low-flow (ischemic) priapism] (Tomich and Blankenship). 2008;52:202 (Images in Emergency Medicine), 210 (Images in Emergency Medicine)

**Primary health care**
An alternate site of care program in an urban emergency department (Ferguson et al). 2008; 52:S131–S132 (Research Forum abstracts)
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)
The patient-centered medical home: a solution to "hamster health care" or a drain on emergency care? (Berger). 2008;52:654–7 (News and Perspective)
Retail-based clinics (American College of Emergency Physicians). 2008;52:190 (Policy statements)

**Proadrenomedullin**
Proadrenomedullin in emergency department patients with community-acquired pneumonia (Huang et al). 2008;52:S41 (Research Forum abstracts)

**Probabilistic models.** *See* Models, statistical

**Procalcitonin**
Risk prediction with procalcitonin and clinical rules in community-acquired pneumonia (Huang et al); [Journal Club discussion] (Menchine); [Journal Club answers] (Menchine and Schriger). 2008;52:48–55, 59–60, 754–63

**Procedural sedation**
Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial (Langston et al). 2008;52:30–4
Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam (Marinsek et al). 2008;52: S46–S47 (Research Forum abstracts)
Supplemental oxygen during propofol sedation: yes or no? (Green and Kraus). 2008;52:9–10 (Editorial)
The utility of supplemental oxygen during emergency department procedural sedation with propofol: a randomized, controlled trial (Deitch et al). 2008;52:1–8

**Process assessment (health care)**
Accuracy of staff-initiated emergency department tracking system timestamps in identifying actual event times (Gordon et al). 2008;52:504–11
Assessing hospital disaster preparedness: a comparison of an on-site survey, directly observed drill performance, and video analysis of teamwork 2008;52:195–207
Assessment of the reliability of the Johns Hopkins/Agency for Healthcare Research and Quality hospital disaster drill evaluation tool (Kaji and Lewis). 2008;52:204–10
Smoke and shadows: measuring hospital disaster preparedness (Burstein). 2008;52:230–1 (Editorial)

**Prochlorperazine**
Low-dose intravenous prochlorperazine as single-agent therapy for uncomplicated nausea and vomiting in elderly patients (Abram et al). 2008;52:S51 (Research Forum abstracts)
A randomized controlled trial of prochlorperazine versus metoclopramide for treatment of acute migraine (Friedman et al). 2008;52:399–406
Safety and effectiveness of intravenous prochlorperazine for intractable vomiting in children with gastroenteritis (Goldberg et al). 2008;52:S76 (Research Forum abstracts)

**Productivity.** *See* Efficiency

**Propofol**
Barriers to propofol use in emergency medicine (Green and Krauss). 2008;52:392–8 (Concepts)
Impact of addition of propofol to emergency department formulary (Senula and Sacchetti). 2008;52:S75 (Research Forum abstracts)
Supplemental oxygen during propofol sedation: yes or no? (Green and Kraus). 2008;52:9–10 (Editorial)
The utility of supplemental oxygen during emergency department procedural sedation with propofol: a randomized, controlled trial (Deitch et al). 2008;52:1–8

**Protein C**
Protein C as an early biomarker to distinguish pneumonia from sepsis (Gutovitz et al). 2008; 52:S53 (Research Forum abstracts)
**Psychology**
Psychosocial variables influence the decision to call 9-1-1 in emergency department patients with abdominal pain (Davis et al). 2008;52: S71 (Research Forum abstracts)
**Public health.** *See also* Patient education; Smoking cessation; Syndromic surveillance
International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction (Scott et al). 2008;52:S123 (Research Forum abstracts)
**Pulmonary disease, chronic obstructive**
Improved emergency department management of acute exacerbation of chronic obstructive pulmonary disease (Camargo et al). 2008;52: S46 (Research Forum abstracts)
Risk factors for failure to follow up in a smoking cessation program among adults presenting to the emergency department with acute exacerbation of asthma or chronic obstructive pulmonary disease (Pagan et al). 2008;52:S45 (Research Forum abstracts)
**Pulmonary edema, diagnosis**
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
The dynamics of B-lines: a useful tool in the evaluation of pulmonary fluid status as fluid shifts occur in the body (Capp et al). 2008;52: S61 (Research Forum abstracts)
Sonographic detection of interstitial lung fluid predicts serum B-type natriuretic peptide level (Manson et al). 2008;52:S170–S171 (Research Forum abstracts)
**Pulmonary embolism**
Lower extremity deep venous thrombosis in emergency department patients undergoing workup for pulmonary embolism (Shriver et al). 2008;52:S135 (Research Forum abstracts)
**Pulmonary embolism, diagnosis**
Acute pulmonary embolism (Huang et al). 2008;52:492 (Images in Emergency Medicine), 495 (Images in Emergency Medicine)
Clinical assessment of patient with a suspected pulmonary embolism (Ginsberg); Commentary: clinical implications (Sinert). 2008;52:76–9 (Rational clinical examination abstract)
Frequency of abdominal pain as the presenting complaint in pulmonary embolism (Cohen et al). 2008;52:S137–S138 (Research Forum abstracts)
**Pulse**
Discordance between pulse detection and emergent echocardiography findings in adult cardiopulmonary arrest patients (Blaivas). 2008;52:S128 (Research Forum abstracts)
**Pyloric stenosis, hypertrophic**
[Infantile hypertrophic pyloric stenosis] (Ball et al). 2008;52:496 (Images in Emergency Medicine), 511 (Images in Emergency Medicine)
**Pyruvic acid**
Elucidating the inotropic molecular mechanisms of pyruvate (Torres et al). 2008;52:S65 (Research Forum abstracts)

## Q

**Quality assurance, health care**
Fictitious patients (American College of Emergency Physicians). 2008;52:581 (Policy statements)
Reporting of medical errors (American College of Emergency Physicians). 2008;52:593 (Policy statements)
**Quetiapine**
Acute quetiapine overdose in adults: a 5-year retrospective case series (Ngo et al). 2008;52: 541–7

## R

**Rabies**
Human rabies—Minnesota, 2007 (Centers for Disease Control and Prevention); Commentary (Ufberg and Karras). 2008;52:537–40 (CDC Update)
**Race.** *See* Ethnic groups
**Racism.** *See* Prejudice
**Radiation**
Cumulative radiation exposure and cancer risk estimates in emergency patients undergoing repeat or multiple CT imaging (Griffey and Sodickson). 2008;52:S157 (Research Forum abstracts)
**Radiation injuries**
Quantitative assessment of diagnostic radiation doses in adult blunt trauma patients (Winslow et al). 2008;52:93–7
Radiation doses among blunt trauma patients: assessing risks and benefits of computed tomographic imaging (Mower). 2008;52:99–100 (Editorial)
Whole-body imaging in blunt multisystem trauma patients who were never examined (Snyder). 2008;52:101–3 (Editorial)
**Radiography.** *See also* Tomography, x-ray computed
Using body mass index to predict the adequacy of cervical spine radiography in trauma patients (Barlas and Mirakhor). 2008;52:S123–S124 (Research Forum abstracts)
**Radiography, abdominal**
Contrast-induced nephropathy in emergency department patients receiving abdominal contrast-enhanced computed tomography (Kim et al). 2008;52:S136 (Research Forum abstracts)
Incidental pneumothorax found after blunt abdominal trauma (Robinson et al). 2008;52: S144 (Research Forum abstracts)
**Radiology**
A survey of emergency department radiology coverage and contemporaneous billing practices (Dunne et al). 2008;52:S119–S120 (Research Forum abstracts)
**Rape**
Anogenital injury in adolescent sexual assault: analysis of 1,024 cases using colposcopy and nuclear staining (Stears et al). 2008;52:S64 (Research Forum abstracts)
Comparative analysis of statutory versus forcible rape: findings from the National Incident-Based Reporting System (Madsen et al). 2008; 52:S63–S64 (Research Forum abstracts)
The epidemiology of sexual revictimization in adolescent and adult women (Atkinson et al). 2008;52:S172 (Research Forum abstracts)
Sexual assault victims: who gets lost to follow-up? (De Leon et al). 2008;52:S62 (Research Forum abstracts)
**Rape, diagnosis**
The forensic rape examination: is colposcopy really necessary? (Rogers et al). 2008;52:S63 (Research Forum abstracts)
What really glows: analysis of the Wood's lamp in detecting semen and saliva on human skin (Marinelli et al). 2008;52:S171 (Research Forum abstracts)
**Recreation.** *See also* Football
An analysis of skiing and snowboarding injuries on Utah slopes (Wasden et al). 2008;52:S159–S160 (Research Forum abstracts)
ATV accidents and the elderly: national trends and implications for emergency medicine (Walling et al). 2008;52:S156 (Research Forum abstracts)
Identifying the etiology of pediatric ATV injuries using a detailed survey of patients and parents (Humphries and Wright). 2008;52: S160 (Research Forum abstracts)
Mountain biking: an evolving mechanism of injury (Flaherty et al). 2008;52:S145 (Research Forum abstracts)
Variation in carbon monoxide levels produced from backpacking stoves in tents related to fuel type and tent style (Bales et al). 2008;52:S141 (Research Forum abstracts)
**Referral and consultation**
An alternate site of care program in an urban emergency department (Ferguson et al). 2008; 52:S131–S132 (Research Forum abstracts)
Barriers to follow-up for emergency department patients receiving primary care referrals (Kim et al). 2008;52:S122 (Research Forum abstracts)
Defining critical data elements to improve emergency department consultation communication (Schuur et al). 2008;52:S130 (Research Forum abstracts)
Depression screening and referral in emergency department elders (Hogan). 2008;52:S51 (Research Forum abstracts)
**Regional medical programs**
Regionalization of care for ST-segment elevation myocardial infarction: is it too soon? (Pottenger et al). 2008;52:677–85 (Concepts)
**Religion**
Asking for a same sex, race or religion provider in the emergency department: provider and patient factors relating to accommodation (Padela et al). 2008;52:S167 (Research Forum abstracts)
**Renal insufficiency**
Describing the test characteristics of the urine dip in identifying renal insufficiency in diabetic patients (Arora and Long). 2008;52:S93 (Research Forum abstracts)
**Reperfusion**
Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion (Sloan et al). 2008;52:S107–S108 (Research Forum abstracts)
**Reperfusion injury**
Mitochondrial manganese superoxide dismutase in a murine model of acute hind limb ischemia reperfusion (Tran et al). 2008;52:S64 (Research Forum abstracts)
**Research, biomedical.** *See* Biomedical research
**Research support**
Effect of sex on funding in emergency medicine literature (Jahnes et al). 2008;52:S82–S83 (Research Forum abstracts)

**Respiration**
The effect of a cross-chest electronic control device exposure on breathing (Dawes et al). 2008;52:S65 (Research Forum abstracts)
**Respiration, artificial**
Out-of-hospital continuous positive airway pressure ventilation versus usual care in acute respiratory failure: a randomized controlled trial (Thompson et al); [Journal Club discussion] (Brywczynski). 2008;52:232–41, 242–3, Correction 2008;52:524
Who's watching the vent?: morbidity associated with mechanically ventilated patients in the emergency department (Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)
**Respiratory insufficiency**
The effectiveness of Emergency Department Information System® to detect acute respiratory syndrome (Lee). 2008;52:S70 (Research Forum abstracts)
Out-of-hospital continuous positive airway pressure ventilation versus usual care in acute respiratory failure: a randomized controlled trial (Thompson et al); [Journal Club discussion] (Brywczynski). 2008;52:232–41, 242–3, Correction 2008;52:524
**Respiratory tract infections**
Pediatric population size is associated with geographic patterns of acute respiratory infections among adults (Brownstein and Mandl). 2008;52:63–8
**Resuscitation.** *See also* Advanced cardiac life support; Cardiocerebral resuscitation; Cardiopulmonary resuscitation
Comparison of two methods of pediatric resuscitation and critical care management (Fineberg and Arendts). 2008;52:35–40
Creation of a national model protocol on termination of resuscitation for refractory out-of-hospital cardiac arrest: identifying public policy concerns for controversial EMS issues (Sasson et al). 2008;52:S69 (Research Forum abstracts)
Discontinuing resuscitation in the out-of-hospital setting (American College of Emergency Physicians). 2008;52:592 (Policy statements)
The effect of a quantitative resuscitation strategy on mortality in patients with sepsis: a meta-analysis (Jones et al). 2008;52:S106–S107 (Research Forum abstracts)
Ethical issues of resuscitation (American College of Emergency Physicians). 2008;52:593 (Policy statements)
Impact of new CPR/Advanced Cardiac Life Support guidelines on outcome from out-of-hospital cardiac arrest (Eckstein). 2008;52:S69 (Research Forum abstracts)
Presence of family members during resuscitation (Hill and Fuhrman). 2008;52:309–10 (Correspondence)
Progress in improving neurologically intact survival from cardiac arrest (Sanders). 2008;52:253–5 (Editorial)
Towards the resuscitation bay of the future: identifying design opportunities through human factors observation (Siegel et al). 2008;52:S85 (Research Forum abstracts)
Unwitnessed infant cardiac arrests: is attempted resuscitation futile? (Irvin et al). 2008;52:S59–S60 (Research Forum abstracts)
**Resuscitation, instrumentation**
Hospital code-cart equipment quality improvement in response to simulated resuscitation program findings (Dunbar et al). 2008;52:S84 (Research Forum abstracts)
**Retail-based clinics**
Retail-based clinics (American College of Emergency Physicians). 2008;52:190 (Policy statements)
**Rewarming**
Characteristics and rates of rewarming of emergency department patients with moderate to severe accidental hypothermia (Bizek et al). 2008;52:S104–S105 (Research Forum abstracts)
**Receiver operating characteristic**
Receiver operating characteristic curves for systemic inflammatory response syndrome criteria in patients with documented severe sepsis and septic shock (*Allen* et al). 2008;52:S72 (Research Forum abstracts)
**Rural health services**
Medication reconciliation in a rural trauma population (Miller et al). 2008;52:483–91

## S

**Saliva**
What really glows: analysis of the Wood's lamp in detecting semen and saliva on human skin (Marinelli et al). 2008;52:S171 (Research Forum abstracts)
**Sanchis score**
Comparison of two validated risk stratification scores in predicting outcomes of chest pain evaluation unit patients (Ali et al). 2008;52:S91 (Research Forum abstracts)
**San Francisco Syncope Rule**
Failure to validate the San Francisco Syncope Rule in an independent emergency department population (Birnbaum et al). 2008;52:151–9
**Seasons**
The seasonality of testicular torsion (McCarthy et al). 2008;52:S166 (Research Forum abstracts)
**Seat belts**
Commentary: don't just stand there . . . stir things up! (National Highway Traffic Safety Administration). 2008;52:750–2 (NHTSA Notes)
Commentary: speaking up and reaching out (Mahler and Thoma). 2008;52:166–7 (NHTSA notes)
Marijuana use and associated motor vehicle crash risk factors in emergency department patients (Ward et al). 2008;52:S159 (Research Forum abstracts)
[Pneumothorax] (Hou et al). 2008;52:306 (Images in Emergency Medicine), 310 (Images in Emergency Medicine)
Seat belt use in 2007—demographic results (National Highway Traffic Safety Administration). 2008;52:749 (NHTSA Notes)
Seatbelt use in 2007—race and ethnicity results among occupants traveling with children (National Highway Traffic Safety Administration). 2008;52:165 (NHTSA Notes)
**Sedation.** *See also* Procedural sedation
Development and validation of a sedation scale for out-of-hospital intensive care (Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
The use of pediatric sedation and analgesia (American College of Emergency Physicians). 2008;52:595–6 (Policy statements)
**Semen**
What really glows: analysis of the Wood's lamp in detecting semen and saliva on human skin (Marinelli et al). 2008;52:S171 (Research Forum abstracts)
**Sepsis**
Early sepsis management: a meta-analysis of published studies (Garcia et al). 2008;52:S59 (Research Forum abstracts)
An emergency department-based institutional sepsis collaborative improves mortality (Coba). 2008;52:S59 (Research Forum abstracts)
An endogenous anti-inflammatory molecule, spermine, protects mice against lethal experimental sepsis (Zhu et al). 2008;52:S42 (Research Forum abstracts)
Implementation of a sepsis quality intitiative in a community hospital and its impact on morbidity and mortality in septic shock (Gunaga et al). 2008;52:S55 (Research Forum abstracts)
**Sepsis, diagnosis**
Bedside emergency physician determination of cardiac output in severe sepsis (Chang et al). 2008;52:S129 (Research Forum abstracts)
Can the exact mortality in emergency department patients with infection be assumed from serum lactate level? (Chung et al). 2008;52:S139 (Research Forum abstracts)
Controversy swirls around early goal directed therapy in sepsis: pioneer defends ground-breaking approach to deadly disease (McKenna). 2008;52:651–4 (News and Perspective)
End expiratory carbon dioxide concentrations to predict blood lactate concentration and lactate clearance in emergency department patients with sepsis (Jones et al). 2008;52:S140 (Research Forum abstracts)
Factors predictive of 28-day in-patient mortality among adult emergency department patients admitted for suspected infection (Berger et al). 2008;52:S54 (Research Forum abstracts)
Lactate levels predict in-hospital mortality in transferred patients with severe sepsis or septic shock (Cannon et al). 2008;52:S70–S71 (Research Forum abstracts)
Likelihood ratios for SIRS criteria predict neither candidacy for early goal-directed therapy nor in-patient mortality in adult emergency department patients with suspected infection (Green et al). 2008;52:S72–S73 (Research Forum abstracts)
Outcome prediction using the Mortality in Emergency Department Sepsis (MEDS) score in patients treated with early goal-directed therapy (Crowe et al). 2008;52:S58 (Research Forum abstracts)
Predicting outcomes and severity of illness in emergency department patients with suspected infection: a novel use of the D-dimer (Goebel et al). 2008;52:S92 (Research Forum abstracts)
The prevalence and prognostic value of hyperglycemia among sepsis patients in the emergency department (D'Amore et al). 2008;52:S53–S54 (Research Forum abstracts)
Protein C as an early biomarker to distinguish pneumonia from sepsis (Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
RAPIDD MEDS study: risks associated with and predictive in identifying delayed decompensation and mortality in emergency

department sepsis (D'Amore et al). 2008;52: S71 (Research Forum abstracts)
Receiver operating characteristic curves for systemic inflammatory response syndrome criteria in patients with documented severe sepsis and septic shock (Allen et al). 2008;52: S72 (Research Forum abstracts)
Should adult emergency department patients with suspicion for sepsis be screened for occult hypoperfusion at triage? (Green et al). 2008; 52:S86 (Research Forum abstracts)

**Sepsis, therapy**
Continue to use etomidate for intubation of patients with septic shock (Walls and Murphy). 2008;52:13–14 (Clinical Controversies)
Does implementation of a satellite pharmacy in the emergency department affect time to treatment or completeness of antibiotic treatment in sepsis patients (McGrath et al). 2008;52:S73 (Research Forum abstracts)
The effect of a quantitative resuscitation strategy on mortality in patients with sepsis: a meta-analysis (Jones et al). 2008;52:S106–S107 (Research Forum abstracts)
Empiric antibiotic therapy for sepsis patients: monotherapy with β-lactam or β-lactam plus an aminoglycoside? (Paul); Commentary: clinical implications (Sinert and Bright); [Journal Club discussion] (Reynolds). 2008;52: 557–62 (Systematic review abstract)
Etomidate: not worth the risk in septic patients (Sacchetti). 2008;52:14–16 (Clinical Controversies)
Evaluation of early therapy in severe sepsis and septic shock: a retrospective review of protocolized care content on clinical practice (Ellender et al). 2008;52:S85 (Research Forum abstracts)
Implementation of a sepsis quality intitiative in a community hospital and its impact on morbidity and mortality in septic shock (Gunaga et al). 2008;52:S55 (Research Forum abstracts)
A retrospective review of sepsis management in an international resource-limited setting (Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Use of continuous ScVO2 catheters increases ScVO2 monitoring and may improve outcome of early goal-directed therapy (Mullen et al). 2008;52:S104 (Research Forum abstracts)

**Sex factors**
Asking for a same sex, race or religion provider in the emergency department: provider and patient factors relating to accommodation (Padela et al). 2008;52:S167 (Research Forum abstracts)
Effect of sex on funding in emergency medicine literature (Jahnes et al). 2008;52:S82–S83 (Research Forum abstracts)
The epidemiology of patellar dislocations (Porter et al). 2008;52:S124 (Research Forum abstracts)
Impact of age, sex, and history of anticoagulation on early mortality following hemorrhagic stroke (Hoff et al). 2008;52:S161–S162 (Research Forum abstracts)
Remediation trends associated with learning styles in an emergency medicine residency (Caro et al). 2008;52:S66–S67 (Research Forum abstracts)
Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center (Safdar et al). 2008;52:S116 (Research Forum abstracts)
Sex differences in platelet activation in patients with acute coronary syndromes (Wehner et al). 2008;52:S46 (Research Forum abstracts)

**Shock**
The relationship between near infrared spectroscopy and end tidal carbon dioxide in patients presenting with shock (Miner et al). 2008;52:S57–S58 (Research Forum abstracts)

**Shock, hemorrhagic**
Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion (Sloan et al). 2008;52:S107–S108 (Research Forum abstracts)
Is the halo sign useful in hemorrhagic shock? (Sohn et al). 2008;52:S158 (Research Forum abstracts)
Lack of consistent blood pressure effects or correlation with patient outcome following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock (Sloan et al). 2008;52:S143 (Research Forum abstracts)
Shock index does not differ following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, such that its clinical use as a measure of compensated shock is valid (Sloan et al). 2008;52:S109 (Research Forum abstracts)

**Shock, septic.** *See* Sepsis

**Short stay unit**
Management and outcome of patients over 75 with pneumonia: report of 149 consecutive cases in an emergency department short stay unit (Ferre et al). 2008;52:S139 (Research Forum abstracts)

**Shoulder dislocation**
[Luxatio erecta (inferior shoulder dislocation)] (Mohseni). 2008;52:203 (Images in Emergency Medicine), 231 (Images in Emergency Medicine)

**Sickle cell disease.** *See* Anemia, sickle cell

**Skiing, injuries**
An analysis of skiing and snowboarding injuries on Utah slopes (Wasden et al). 2008;52:S159–S160 (Research Forum abstracts)

**Skin diseases**
[Erythema nodosum associated with pulmonary histoplasmosis] (Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine), 615 (Images in Emergency Medicine)
[Painful facial rash] (Hahn et al). [2008;51:211] Correction 2008;52:273
[Sporotrichosis] (Saleh et al). 2008;52:616 (Images in Emergency Medicine), 626 (Images in Emergency Medicine)

**Skin diseases, bacterial**
The cost of emergency department treatment of community-acquired methicillin-resistant *Staphylococcus aureus* skin infections (Knoll et al). 2008;52:S69–S70 (Research Forum abstracts)
A novel incision and drainage technique in the treatment of skin abscesses in a pediatric emergency department (Ladde et al). 2008;52: S76–S77 (Research Forum abstracts)
The reliability of abscess detection by bedside ultrasound in the emergency department (Gupta et al). 2008;52:S60 (Research Forum abstracts)

**Skin tests**
Cost-effectiveness of emergency department penicillin skin testing to guide antibiotic treatment of odontogenic infections (Raja et al). 2008;52:S54–S55 (Research Forum abstracts)

**Smoking**
Multicenter study of cigarette smoking among patients presenting to the emergency department with acute asthma (Patel et al). 2008;52:S44 (Research Forum abstracts)

**Smoking cessation**
Brief physician intervention did not alter cessation rates in smokers presenting to the emergency department (Brown and Barry). 2008;52:S102 (Research Forum abstracts)
Motivated-to-quit smokers are interested in smoking cessation interventions (Llovera et al). 2008;52:S121 (Research Forum abstracts)
Risk factors for failure to follow up in a smoking cessation program among adults presenting to the emergency department with acute exacerbation of asthma or chronic obstructive pulmonary disease (Pagan et al). 2008;52:S45 (Research Forum abstracts)

**Snake bites**
Cardiovascular effects of intravenous rattlesnake envenomations (Fish et al). 2008;52:S140 (Research Forum abstracts)
Long-term limb function outcomes following copperhead snakebite (Lavonas et al). 2008;52: S141–S142 (Research Forum abstracts)
Pressure-immobilization bandages for rattlesnake envenomations prevent lethal hyperkalemia from necrosis in a porcine model (Meggs et al). 2008;52:S140–S141 (Research Forum abstracts)
The utility of Crotalidae Polyvalent Immune Fab (CroFab™) maintenance dosing in treatment of copperhead envenomation (Bowers et al). 2008;52:S141–S142 (Research Forum abstracts)

**Soft tissue infections**
Can the heat of localized soft tissue infections be quantified non-invasively using an infrared thermography camera? (Capraro et al). 2008; 52:S157 (Research Forum abstracts)
Tissue oxygenation in soft tissue infections (Capraro et al). 2008;52:S138–S139 (Research Forum abstracts)
Utility of bedside ultrasound to distinguish soft tissue abnormalities from joint effusions in emergency departments (Adhikari and Blaivas). 2008;52:S168 (Research Forum abstracts)

**Soft tissue injuries**
Time to resolution of pain from minor soft tissue injury with diclofenac epolamine topical patch (Kuehi et al). 2008;52:S74 (Research Forum abstracts)
Utility of bedside ultrasound to distinguish soft tissue abnormalities from joint effusions in emergency departments (Adhikari and Blaivas). 2008;52:S168 (Research Forum abstracts)

**Specific gravity**
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008; 52:S76 (Research Forum abstracts)

**Spectroscopy, near-infrared**
Near-infrared spectroscopy in assessing perfusion status in patients with

gastrointestinal complaints presenting to the emergency department (Otero et al). 2008;52: S105–S106 (Research Forum abstracts)
The relationship between near infrared spectroscopy and end tidal carbon dioxide in patients presenting with shock (Miner et al). 2008;52:S57–S58 (Research Forum abstracts)

**Spermatic cord torsion**
The seasonality of testicular torsion (McCarthy et al). 2008;52:S166 (Research Forum abstracts)

**Spermine**
An endogenous anti-inflammatory molecule, spermine, protects mice against lethal experimental sepsis (Zhu et al). 2008;52:S42 (Research Forum abstracts)

**Spinal cord compression, diagnosis**
Clinical factors predicting spinal cord compression on STAT MRI of the spine in non-trauma patients (Cline et al). 2008;52: S136 (Research Forum abstracts)

**Spine, cervical.** *See* Cervical vertebrae

**Spine, ultrasonography**
Comparing bedside ultrasound to palpation in identification of spinal landmarks (Arora et al). 2008;52:S127 (Research Forum abstracts)

**Spleen**
Normative spleen size in tall healthy athletes: implications for safe return to contact sports following infectious mononucleosis (McCorkle et al). 2008;52:S146–S147 (Research Forum abstracts)

**Sporotrichosis**
[Sporotrichosis] (Saleh et al). 2008;52:616 (Images in Emergency Medicine), 625 (Images in Emergency Medicine)

**Sports.** *See* Athlete; Athletic injuries; Recreation; *specific sport*

**S100 proteins**
High serum S100B levels in patients with acute bone fractures without cerebral injuries (Kim et al). 2008;52:S144–S145 (Research Forum abstracts)

***Staphylococcus aureus***
Prevalence of *Staphylococcus aureus* nasal colonization in emergency department personnel (Suffoletto et al). 2008;52:529–33 (Brief research report)

***Staphylococcus aureus*, methicillin-resistant**
The cost of emergency department treatment of community-acquired methicillin-resistant *Staphylococcus aureus* skin infections (Knoll et al). 2008;52:S69–S70 (Research Forum abstracts)
Methicillin-resistant *Staphylococcus aureus* colonization among health care personnel in the emergency department: what does it tell us? (Jernigan). 2008;52:534–6 (Editorial)
Methicillin-resistant *Staphylococcus aureus* rates in a suburban community hospital pediatric emergency department (Kairam et al). 2008; 52:S73 (Research Forum abstracts)
Prevalence of *Staphylococcus aureus* nasal colonization in emergency department personnel (Suffoletto et al). 2008;52:529–33 (Brief research report)
A prevalence study of methicillin-resistant *Staphylococcus aureus* colonization in emergency department health care workers (Bisaga et al). 2008;52:525–8 (Brief research report)

**State government**
Comparative analysis of EMS components of state strategic highway safety plans (Cordi and Levick). 2008;52:S154–S155 (Research Forum abstracts)

**Stress test.** *See* Exercise test

**Stroke.** *See also* Ischemic attack, transient
Ability of the ABCD2 score to predict early stroke and DWI positive MRI in admitted transient ischemic attack patients without a history of prior stroke (Asimos et al). 2008;52: S98 (Research Forum abstracts)
The effectiveness of emergency medical service and emergency physician use of the F.A.S.T. exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis (Farber et al). 2008;52:S100 (Research Forum abstracts)
Emergency physician dysphagia assessment in acute stroke patients (Turner-Lawrence et al). 2008;52:S98 (Research Forum abstracts)
Empirical characteristics of litigation involving tissue plasminogen activator and ischemic stroke (Liang and Zivin). 2008;52:160–4 (Brief research report)
Out-of-hospital transport time intervals for acute stroke patients (Ramanujam et al). 2008; 52:S154 (Research Forum abstracts)
Performance of the ABCD2 score in an emergency department population presenting with transient ischemic attack: a prospective observational study (Stead et al). 2008;52:S162–S163 (Research Forum abstracts)
Risk of an ischemic stroke following a transient ischemic attack in patients managed in an emergency department observation unit (Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)

**Stroke, diagnosis**
Acute ischemic stroke with initial negative diffusion-weighted imaging findings (Yoon and Kim). 2008;52:S157–S158 (Research Forum abstracts)
Use of a novel portable computerized EEG device in emergency department stroke patients (Michaelson et al). 2008;52:S162 (Research Forum abstracts)
The value of a biomarker panel test for acute stroke in emergency department (Yeo et al). 2008;52:S99 (Research Forum abstracts)

**Stroke, epidemiology**
Emergency department stroke care is similar by race and type of hospital within a regional population (Pierre et al). 2008;52:S161 (Research Forum abstracts)
The epidemiology of stroke and transient ischemic attacks: a 10-year evaluation (McClung et al). 2008;52:S162 (Research Forum abstracts)

**Stroke, hemorrhagic**
Do emergency department vital signs predict mortality following hemorrhagic stroke? (Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Impact of age, sex, and history of anticoagulation on early mortality following hemorrhagic stroke (Hoff et al). 2008;52:S161–S162 (Research Forum abstracts)
Prospective validation of a novel method for assessment of secondary brain insults in the emergency department in acute hemorrhagic stroke (Barton et al). 2008;52:S99 (Research Forum abstracts)

**Stroke, prevention & control**
Stroke education in the emergency department waiting room (Chan et al). 2008;52:S161 (Research Forum abstracts)

**Stroke volume**
A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers (Kim and Kim). 2008;52:S48 (Research Forum abstracts)

**Students, medical**
Disaster 101: can fourth-year medical students rapidly learn a novel disaster medicine and emergency preparedness curriculum? (Scott et al). 2008;52:S150 (Research Forum abstracts)
The emergency department involvement in a one-year longitudinal integrated clerkship for third-year medical students (Stein et al). 2008; 52:S152 (Research Forum abstracts)
Emergency medicine career choice: a profile of factors and influences from the 2005–2006 AAMC Graduation Questionnaire (Boyd et al). 2008;52:S67 (Research Forum abstracts)
Evaluation of racial bias in emergency medicine residents and recent graduates (Nelson et al). 2008;52:S122 (Research Forum abstracts)

**Subarachnoid hemorrhage**
Comments on "Sensitivity of noncontrast cranial computed tomography for the emergency department diagnosis of subarachnoid hemorrhage" (Broder); Reply (Callaway). 2008;52:767–8 (Correspondence)
Race and self-pay insurance status are associated with mortality and management of non-traumatic subarachnoid hemorrhage (McClung and Hui). 2008;52:S99 (Research Forum abstracts)

**Subclavian vein**
[Guidewire ensnarement] (Weizberg et al). 2008;52:764 (Images in Emergency Medicine), 771 (Images in Emergency Medicine)
Ultrasound-guided axillary vein approach to the subclavian vein for central venous access (Bentley et al). 2008;52:475–6 (Correspondence)

**Substance-related disorders**
Coronary computed tomography for rapid discharge of low risk patients with cocaine-associated chest pain (Chang et al). 2008;52: S140 (Research Forum abstracts)
A descriptive study of an outbreak of clenbuterol-containing heroin (Hoffman et al). 2008;52:548–53
A formal "drug seeker" policy/database does not decrease the dispensing of narcotics to drug seekers (Patterson et al). 2008;52:S111 (Research Forum abstracts)

**Suicide**
Trends in United States emergency department visits for suicide attempts (Larkin and Beautrais). 2008;52:S79 (Research Forum abstracts)

**Superoxide dismutase**
Mitochondrial manganese superoxide dismutase in a murine model of acute hind limb ischemia reperfusion (Tran et al). 2008;52:S64 (Research Forum abstracts)

**Surgical procedures, operative**
Predicting the need for emergent surgery in adult trauma patients: external validation of a clinical decision rule and implications for trauma triage (Paulson et al). 2008;52:S107 (Research Forum abstracts)

**Syncope**
Failure to validate the San Francisco Syncope Rule in an independent emergency department population (Birnbaum et al). 2008;52:151–9
Incidence of cardiac arrhythmias among patients who present to the emergency department with syncope (Serrano et al). 2008;52:S132–S133 (Research Forum abstracts)
**Syndromic surveillance**
The effectiveness of Emergency Department Information System® to detect acute respiratory syndrome (Lee). 2008;52:S70 (Research Forum abstracts)
Implementation and evaluation of an injury surveillance system in an urban emergency department in Honduras (Hahn et al). 2008; 52:S126 (Research Forum abstracts)
Improvement in performance of N-Gram classifiers with frequent updates (Cochrane et al). 2008;52:S102 (Research Forum abstracts)
The utility of patient chief complaint and ICD 9 classifiers for the influenza sub-syndrome (Cochrane et al). 2008;52:S103 (Research Forum abstracts)
**Systemic inflammatory response syndrome**
Likelihood ratios for SIRS criteria predict neither candidacy for early goal-directed therapy nor in-patient mortality in adult emergency department patients with suspected infection (Green et al). 2008;52:S72–S73 (Research Forum abstracts)
Receiver operating characteristic curves for systemic inflammatory response syndrome criteria in patients with documented severe sepsis and septic shock (Allen et al). 2008;52: S72 (Research Forum abstracts)

## T

**Tachycardia**
Cardiovascular effects of intravenous rattlesnake envenomations (Fish et al). 2008;52:S140 (Research Forum abstracts)
Effect of activated charcoal on citalopram-induced QT prolongation (Greene et al); Reply (Isbister et al). 2008;52:86–8 (Correspondence)
Heterogeneous calcium cycling during ventricular tachycardia promotes electrical instability and ventricular fibrillation (Wilson et al). 2008;52:S89 (Research Forum abstracts)
**Task performance and analysis.** *See also* Efficiency
Interruptions occurring during clinical practice in the emergency department (Jeanmonod et al). 2008;52:S110–S111 (Research Forum abstracts)
**Teaching**
Does clinical productivity affect medical education? (Santen et al). 2008;52:S49–S50 (Research Forum abstracts)
No relationship between clinical efficiency and teaching evaluations for emergency medicine faculty (Begaz et al). 2008;52:S68–S69 (Research Forum abstracts)
**Teaching, methods.** *See also* Patient education; Patient simulation
Animation-instructed CPR program as reminder tool in achieving effective CPR performance (Choaet al). 2008;52:S105 (Research Forum abstracts)
Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? (Sinha et al). 2008;52: S57 (Research Forum abstracts)
Creating an inexpensive and durable ultrasound phantom for simulation of central venous catheterization (Althoff et al). 2008;52:S147–S148 (Research Forum abstracts)
The emergency department involvement in a one-year longitudinal integrated clerkship for third-year medical students (Stein et al). 2008; 52:S152 (Research Forum abstracts)
Emergency medicine intern use of Objective Structured Clinical Examination in emergency medicine training (Shih et al). 2008;52:S152 (Research Forum abstracts)
Implementation of a Web-based educational tool for residents rotating in the pediatric emergency department (Burnette et al). 2008; 52:S68 (Research Forum abstracts)
Intubation with direct and GlideScope® laryngoscopes in teaching airway management to medical students (Drigalla et al). 2008;52: S114 (Research Forum abstracts)
Junior emergency medicine residents demonstrate improved accuracy for the identification of a central venous needle-tip with a long-axis ultrasound transducer orientation (Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Preliminary analysis of in-hospital cardiopulmonary resuscitation simulation (SimCode) training program (Kobayashi et al). 2008;52:S83–S84 (Research Forum abstracts)
A randomized controlled trial of two online methods for interpretation of computed tomography of the head (Broder et al). 2008; 52:S67 (Research Forum abstracts)
Remediation trends associated with learning styles in an emergency medicine residency (Caro et al). 2008;52:S66–S67 (Research Forum abstracts)
"Stayin' Alive": a pilot study to test the effectiveness of a novel mental metronome in maintaining appropriate compression rates in simulated cardiac arrest scenarios (Matlock et al). 2008;52:S67–S68 (Research Forum abstracts)
**Tennessee**
Medicaid disenrollment increases emergency department utilization among the uninsured (Heavrin et al). 2008;52:S42–S43 (Research Forum abstracts)
**Terminal care.** *See also* Palliative care
Ethical issues at the end of life (American College of Emergency Physicians). 2008;52: 592 (Policy statements)
**Testicular torsion.** *See* Spermatic cord torsion
**Tetracaine**
Warm lidocaine/tetracaine patch versus placebo before pediatric intravenous cannulation: a randomized controlled trial (Singer et al). 2008;52:41–7
**Thermography**
Can the heat of localized soft tissue infections be quantified non-invasively using an infrared thermography camera? (Capraro et al). 2008; 52:S157 (Research Forum abstracts)
**Thoracic injuries**
Thoracoabdominal trauma in the National Football League: a twenty-eight year review (Garza et al). 2008;52:S108 (Research Forum abstracts)
**Thoracostomy**
Inadequate needle thoracostomy rate of the chest in the out-of-hospital setting for presumed pneumothorax, as documented on ultrasound (Blaivas). 2008;52:S145–S146 (Research Forum abstracts)
**Thorax, ultrasonography**
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
Feasibility of using M-mode ultrasound for the detection of pneumothorax during helicopter transport (Lyon et al). 2008;52:S147 (Research Forum abstracts)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)
**Thrombolysis in Myocardial Infarction (TIMI) score**
Comparison of two validated risk stratification scores in predicting outcomes of chest pain evaluation unit patients (Ali et al). 2008;52: S91 (Research Forum abstracts)
**Thrombolytic therapy**
The effectiveness of emergency medical service and emergency physician use of the F.A.S.T. exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis (Farber et al). 2008;52:S100 (Research Forum abstracts)
Impact of age, sex, and history of anticoagulation on early mortality following hemorrhagic stroke (Hoff et al). 2008;52:S161–S162 (Research Forum abstracts)
Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials (De Luca et al). 2008;52: 665–76 (Review article)
**Thrombosis**
Bilateral compartment syndrome as a result of inferior vena cava filter thrombosis (Shokoohi et al). 2008;52:104–7 (Case report)
**Time factors.** *See* Periodicity; Time management
**Time management.** *See also* Length of stay
Accuracy of staff-initiated emergency department tracking system timestamps in identifying actual event times (Gordon et al). 2008;52:504–11
Achieving door-to-balloon times of 90 minutes or less for ST-elevation myocardial infarction: it can be done! (Nestler et al). 2008;52:S133 (Research Forum abstracts)
Ambulance staging for potentially dangerous scenes: another hidden component of response time (Gratton et al). 2008;52:S97 (Research Forum abstracts)
Association of door-to-electrocardiogram time and door-to-balloon time in patients with ST-elevation myocardial infarction (Nestler et al). 2008;52:S91 (Research Forum abstracts)
Correlation of emergency department occupancy rate with time to antibiotics for patients with pneumonia (Sikka et al). 2008; 52:S110 (Research Forum abstracts)
Delays and high costs associated with emergency physician variation in diagnostic approaches to venous thromboembolism (Kim et al). 2008; 52:S94 (Research Forum abstracts)
Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by

ambulance diversion based on an out-of-hospital electrocardiogram (Poitras et al). 2008; 52:S95 (Research Forum abstracts)
Disparities in pain management: a comparison of time to analgesic for emergency department patients with sickle cell disease and renal colic (Lazio et al). 2008;52:S163 (Research Forum abstracts)
Does a mobile voice-over Internet protocol communications system improve emergency department efficiency? (Sample and Hilliard). 2008;52:S166–S167 (Research Forum abstracts)
Door-to-electrocardiogram times in non-differentiated chest pain in an academic emergency department in Chile (Aguilera et al). 2008;52:S116–S117 (Research Forum abstracts)
The effectiveness of emergency medical service and emergency physician use of the F.A.S.T. exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis (Farber et al). 2008;52:S100 (Research Forum abstracts)
Effect of crowding on time to percutaneous coronary intervention for acute myocardial infarction (Kulstad et al). 2008;52:S86 (Research Forum abstracts)
The effect of timing and choice of antibiotic on mortality and length of stay in nursing home-acquired pneumonia (Medado et al). 2008;52: S137 (Research Forum abstracts)
Electronic dashboard and a multidisciplinary hospital-wide team decrease patient throughput intervals and reduce number of admitted patients held in the emergency department (Spektor et al). 2008;52:S87 (Research Forum abstracts)
Emergency department bed utilization practices affect efficiency measures (Farley et al). 2008; 52:S112 (Research Forum abstracts)
Emergency physician-initiated primary percutaneous coronary intervention via a single group page is associated with reduced interval times in ST-elevation myocardial infarction patients (Kontos et al). 2008;52:S117–S118 (Research Forum abstracts)
Emergency Severity Index as a predictor of emergency department efficiency rates in a level 1 trauma center employing infrared automatic tracking technology (Villarin and Goss). 2008; 52:S56 (Research Forum abstracts)
Higher patient-to-nurse ratios adversely affect core-measure and service outcomes in the emergency department (Jones et al). 2008;52: S86 (Research Forum abstracts)
Impact of a nurse-initiated asthma care protocol on mean door to first Salbutamol® (albuterol) nebulization time in pediatric emergency department patients (Qazi et al). 2008;52:S44–S45 (Research Forum abstracts)
Impact of mandated nurse–patient ratios on emergency department crowding (Chan et al). 2008;52:S44 (Research Forum abstracts)
The impact of out-of-hospital activation of the cardiac catheterization team on door-to-balloon time for patients presenting with ST-segment elevation myocardial infarction (Camp et al). 2008;52:S97 (Research Forum abstracts)
Implementation of a novel "see and treat" system reduces emergency department crowding (Codreanu et al). 2008;52:S130–S131 (Research Forum abstracts)
Implementation of a team training program for trauma care: The BETTER (Bringing Enhanced Team Training to the Emergency Room) initiative (Gagliano et al). 2008;52: S107 (Research Forum abstracts)
Improving door-to-balloon time: emergency department activation of primary coronary intervention for ST-segment elevation myocardial infarction: a pilot study (Chan et al). 2008;52:S133 (Research Forum abstracts)
Out-of-hospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction (Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Out-of-hospital transport time intervals for acute stroke patients (Ramanujam et al). 2008; 52:S154 (Research Forum abstracts)
Scene time does not impact mortality in trauma patients (Cudnik et al). 2008;52:S95–S96 (Research Forum abstracts)
Subgroup analyses of time to antibiotics in community-acquired pneumonia: correlating capacity and physician-dependent processes with outcomes (Pearson et al). 2008;52:S94–S95 (Research Forum abstracts)
A time and cost comparison of two observation protocols: "triple rule-out" MDCT vs. nuclear stress testing for emergency department patients with possible acute coronary syndrome (Takakuwa et al). 2008;52:S80 (Research Forum abstracts)
A time-and-motion study of the processes required to obtain cardiac biomarker assays using both central laboratory and point-of-care testing (Lindsell et al). 2008;52:S66 (Research Forum abstracts)
Time to assay performance greatly affects ischemia modified albumin levels (Seamonds et al). 2008;52:S118 (Research Forum abstracts)
Transitioning from paper to electronic documentation in an urban emergency department: effect on provider efficiency (Malhotra et al). 2008;52:S55 (Research Forum abstracts)

**Tissue plasminogen activator**
Empirical characteristics of litigation involving tissue plasminogen activator and ischemic stroke (Liang and Zivin). 2008;52:160–4 (Brief research report)

**Tomography, emission-computed, single-photon**
Comparison of the performance of stress echocardiogram and stress MIBI-SPECT in diagnosing significant coronary artery disease (Szymanski et al). 2008;52:S91 (Research Forum abstracts)

**Tomography, x-ray computed**
Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting (ACEP/CDC Panel to Revise the 2002 Clinical Policy: Neuroimaging and Decisionmaking in Adult Mild Traumatic Brain Injury in the Acute Setting). 2008;52:714–48 (Clinical policy)
Clinical predictors of significant findings on head computed tomographic angiography (Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Comments on "Sensitivity of noncontrast cranial computed tomography for the emergency department diagnosis of subarachnoid hemorrhage" (Broder); Reply (Callaway). 2008;52:767–8 (Correspondence)
Comparison of the hospital cost and emergency department length of stay of 64-multislice computed tomography coronary angiography versus stress echocardiography for evaluation of patients with low probability of acute coronary syndrome (Griffen et al). 2008;52:S88–S89 (Research Forum abstracts)
Coronary computed tomography for rapid discharge of low risk patients with cocaine-associated chest pain (Chang et al). 2008;52: S140 (Research Forum abstracts)
Determination of clinical criteria to rule out intracranial abnormalities in patients without evidence of trauma (Riutta et al). 2008;52: S135–S136 (Research Forum abstracts)
Incidental pneumothorax found after blunt abdominal trauma (Robinson et al). 2008;52: S144 (Research Forum abstracts)
Is the halo sign useful in hemorrhagic shock? (Sohn et al). 2008;52:S158 (Research Forum abstracts)
Is whole body computed tomography imaging necessary to identify "clinically significant" injuries in low risk blunt trauma patients? (Wright et al). 2008;52:S125 (Research Forum abstracts)
Quantitative assessment of diagnostic radiation doses in adult blunt trauma patients (Winslow et al). 2008;52:93–7
Radiation doses among blunt trauma patients: assessing risks and benefits of computed tomographic imaging (Mower). 2008;52:99–100 (Editorial)
A randomized controlled trial of two online methods for interpretation of computed tomography of the head (Broder et al). 2008; 52:S67 (Research Forum abstracts)
A time and cost comparison of two observation protocols: "triple rule-out" MDCT vs. nuclear stress testing for emergency department patients with possible acute coronary syndrome (Takakuwa et al). 2008;52:S80 (Research Forum abstracts)
Whole-body imaging in blunt multisystem trauma patients who were never examined (Snyder). 2008;52:101–3 (Editorial)

**Tomography, x-ray computed, adverse effects**
Contrast-induced nephropathy in emergency department patients receiving abdominal contrast-enhanced computed tomography (Kim et al). 2008;52:S136 (Research Forum abstracts)
Cumulative radiation exposure and cancer risk estimates in emergency patients undergoing repeat or multiple CT imaging (Griffey and Sodickson). 2008;52:S157 (Research Forum abstracts)
The incidence of contrast nephropathy in the emergency department is higher than previous estimates (Mitchell et al). 2008;52:S157 (Research Forum abstracts)

**Torts.** *See* Liability, legal

**Toxoplasma**
*Toxoplasma gondii* antibodies and associated oxidative stress among asymptomatic blood donors (Abousamra). 2008;52:S138 (Research Forum abstracts)

**Transient ischemic attack.** *See* Ischemic attack, transient
**Transportation of patients.** *See also* Air ambulances; Ambulance diversion; Ambulances
Alternate ambulance transportation and destination (American College of Emergency Physicians). 2008;52:594 (Policy statements)
Ambulance staging for potentially dangerous scenes: another hidden component of response time (Gratton et al). 2008;52:S97 (Research Forum abstracts)
Comparison of emergency department patient admission rates by mode of arrival: were emergency department transports indicated or was the public "crying wolf"? (Matthews et al). 2008;52:S153–S154 (Research Forum abstracts)
Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by ambulance diversion based on a out-of-hospital electrocardiogram (Poitras et al). 2008;52:S95 (Research Forum abstracts)
EMS "No Transports": an evaluation of emergency department presentation and admission rates following patient initiated "No Transports" (Dawson et al). 2008;52:S71 (Research Forum abstracts)
The financial impact of ambulance diversion on inpatient hospital revenues (Handel and McConnell). 2008;52:S87–S88 (Research Forum abstracts)
Higher severity of illness in pediatric patients presenting at night and by ambulance (Easter et al). 2008;52:S165 (Research Forum abstracts)
The impact of suspension of diversion on an emergency medical service system (Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Out-of-hospital transport time intervals for acute stroke patients (Ramanujam et al). 2008; 52:S154 (Research Forum abstracts)
Scene time does not impact mortality in trauma patients (Cudnik et al). 2008;52:S95–S96 (Research Forum abstracts)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)
**Trauma.** *See* Wounds and injuries
**Trauma centers**
Trauma centers: what are the risk factors for closure? (Hsia and Shen). 2008;52:S43 (Research Forum abstracts)
Variability in pediatric utilization of trauma facilities in California: 1999 to 2005 (Wang et al). 2008;52:607–19
**Trauma severity indices.** *See also* Glasgow Coma Scale
Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the Abbreviated Injury Scale (Wong et al). 2008; 52:S142–S143 (Research Forum abstracts)
Evaluation of the Revised Trauma and Injury Severity Scores in elderly trauma patients (Watts et al). 2008;52:S52 (Research Forum abstracts)
**Traumatic brain injuries.** *See* Brain injuries
**Triage.** *See also* Trauma severity indices; *specific disorder*
A clinical decision aid for triage of children younger than 5 years and with organosphosphate or carbamate insecticide exposure in developing countries (Bond et al). 2008;52:617–22
Computerized triage simulation as a tool to compare the reliability and the performance of triage scales (Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Emergency Severity Index as a predictor of emergency department efficiency rates in a level 1 trauma center employing infrared automatic tracking technology (Villarin and Goss). 2008; 52:S56 (Research Forum abstracts)
Implementation of a novel "see and treat" system reduces emergency department crowding (Codreanu et al). 2008;52:S130–S131 (Research Forum abstracts)
Improving emergency department patient flow through optimal fast track usage (Peck and Kim). 2008;52:S88 (Research Forum abstracts)
Predicting the need for emergent surgery in adult trauma patients: external validation of a clinical decision rule and implications for trauma triage (Paulson et al). 2008;52:S107 (Research Forum abstracts)
Reduction in emergency department fast track length of stay (Massucci et al). 2008;52:S111 (Research Forum abstracts)
Standardization of vital signs measurement during the triage process improves triage reliability (Rutschmann et al). 2008;52:S167–S168 (Research Forum abstracts)
**Triage® (D-dimer POC device)**
High imprecision of a point-of-care D-dimer test limits its utility for reliable exclusion of venous thromboembolism (Houdijk et al). 2008;52:S65–S66 (Research Forum abstracts)
**Triage Stroke Panel™ (TSP) test**
The value of a biomarker panel test for acute stroke in emergency department (Yeo et al). 2008;52:S99 (Research Forum abstracts)
**Troponin**
Does use of an ultra-sensitive troponin assay improve mortality? (Farris and Klausner). 2008;52:S134–S135 (Research Forum abstracts)
**Troponin I**
A novel assay for the highly sensitive and precise detection of cardiac troponin I (cTnI): clinical utility in the emergency department (Shipp). 2008;52:S89–S90 (Research Forum abstracts)
Rapid rule-out of myocardial infarction with high sensitivity newer generation cardiac troponin (Delavari et al). 2008;52:S47 (Research Forum abstracts)

## U

**Ultrasonography.** *See also* Thorax, ultrasonography
Assessment of emergency medicine resident competency in interpretation of right upper quadrant and focused abdominal sonography for trauma ultrasound scans (Bahl et al). 2008; 52:S146 (Research Forum abstracts)
Bedside renal ultrasound in the evaluation of emergency department patients with suspected renal colic (Moak and Lindsell). 2008;52:S62 (Research Forum abstracts)
Can emergency physicians utilize the stone in gallbladder neck (SIN) phenomenon to accurately diagnose cholecystitis? (Nelson et al). 2008;52:S61 (Research Forum abstracts)
Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? (Capp et al). 2008;52:S145 (Research Forum abstracts)
Comparing bedside ultrasound to palpation in identification of spinal landmarks (Arora et al). 2008;52:S127 (Research Forum abstracts)
A comparison of ultrasound-guided and non ultrasound-guided peritonsillar abscess drainage by emergency physicians (Vates et al). 2008;52:S128 (Research Forum abstracts)
Creating an inexpensive and durable ultrasound phantom for simulation of central venous catheterization (Althoff et al). 2008;52:S147–S148 (Research Forum abstracts)
The dynamics of B-lines: a useful tool in the evaluation of pulmonary fluid status as fluid shifts occur in the body (Capp et al). 2008;52: S61 (Research Forum abstracts)
The effectiveness of emergency medical service and emergency physician use of the F.A.S.T. exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis (Farber et al). 2008;52:S100 (Research Forum abstracts)
Effects of vein width and depth in ultrasound-guided IV insertion (Witting et al). 2008;52: S127 (Research Forum abstracts)
Emergency clinician–performed compression ultrasonography for deep venous thrombosis of the lower extremity (Kline et al). 2008;52:437–45
Emergency medicine residents' attitudes regarding ultrasound-guided central venous catheterization (Adhikari). 2008;52:S128 (Research Forum abstracts)
Emergency medicine residents' perceptions of ultrasound education (Adhikari). 2008;52: S150–S151 (Research Forum abstracts)
Emergency physicians more accurately identify the potentially critical, posterior vessel wall needle-tip location by using a long-axis orientation of the ultrasound transducer (Baty et al). 2008;52:S127 (Research Forum abstracts)
Feasibility of using M-mode ultrasound for the detection of pneumothorax during helicopter transport (Lyon et al). 2008;52:S147 (Research Forum abstracts)
Gestalt estimation of inferior vena cava collapse index between different emergency sonographers is reliable and accurate (Lee et al). 2008;52:S128–S129 (Research Forum abstracts)
Improving patient safety using ultrasound guidance during internal jugular central venous catheter placement by novice practioners (Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)
Is the optic nerve sheath diameter that is measured by ultrasonography useful for early detection of elevated intracranial pressure in adult patients? (Oh and Kim). 2008;52:S129 (Research Forum abstracts)
Junior emergency medicine residents demonstrate improved accuracy for the identification of a central venous needle-tip with a long-axis ultrasound transducer orientation (Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Long-axis orientation of the ultrasound transducer is more accurate for the identification and determination of vascular

access needle-tip location (Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
The primary confirmation of endotracheal intubation by ultrasonography in the emergency department (Ryu). 2008;52:S114–S115 (Research Forum abstracts)
The reliability of abscess detection by bedside ultrasound in the emergency department (Gupta et al). 2008;52:S60 (Research Forum abstracts)
Sonographic detection of interstitial lung fluid predicts serum B-type natriuretic peptide level (Manson et al). 2008;52:S170–S171 (Research Forum abstracts)
Transfer of real-time ultrasound video of FAST examinations from victims at a disaster scene via a commercially available video cell phone (Blaivas et al). 2008;52:S126–S127 (Research Forum abstracts)
Ultrasonographic detection of intraocular foreign bodies (Pfeiffer and Marco). 2008;52:S148 (Research Forum abstracts)
Ultrasound detection of the sliding lung sign by critical care transport providers (Lyon et al). 2008;52:S169 (Research Forum abstracts)
Ultrasound-guided axillary vein approach to the subclavian vein for central venous access (Bentley et al). 2008;52:475–6 (Correspondence)
Ultrasound-guided peripheral intravenous access in the emergency department using modified seldinger technique: a novel technique (Mahler et al). 2008;52:S147 (Research Forum abstracts)
Ultrasound-guided peripheral IV access: patient pain, anxiety and preference (Panebianco et al). 2008;52:S61 (Research Forum abstracts)
Ultrasound-guided reduction of distal forearm fractures by emergency physicians (Chinnock et al). 2008;52:S170 (Research Forum abstracts)
The utility of bedside ultrasonography in identifying fractures in the emergency department (Barata et al). 2008;52:S60 (Research Forum abstracts)
Utility of bedside ultrasound to distinguish soft tissue abnormalities from joint effusions in emergency departments (Adhikari and Blaivas). 2008;52:S168 (Research Forum abstracts)

**Ultrasonography, Doppler**
A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers (Kim and Kim). 2008;52:S48 (Research Forum abstracts)

**Ultrasonography, economics**
Financial impact of emergency department ultrasound: current and potential revenue (Soremekun et al). 2008;52:S81 (Research Forum abstracts)

**Ultrasonography, prenatal**
The additional value of quantitative beta-hCG in evaluating patients at risk of ectopic pregnancy with bedside ultrasound in the emergency department (Stein et al). 2008;52:S169–S170 (Research Forum abstracts)
Fetal outcomes in first trimester symptomatic pregnancies presenting to an emergency department with indeterminate ultrasound (Sauter et al). 2008;52:S60 (Research Forum abstracts)

**Uninsured patient.** *See* Medically uninsured

**United States Department of Veterans Affairs**
Emergency medicine in the VA: the battleship is turning (Olszyk and Kessler). [2008;51:632-635]. Correction 2008;52:81
Predicting patterns of patients in VA emergency department populations (Kessler et al). 2008;52:S121 (Research Forum abstracts)
Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience (Unterman et al). 2008;52:S167 (Research Forum abstracts)

**Universal coverage**
The Maple Leaf Model: what Canada can tell American emergency physicians about practice with universal coverage (Cearnal). 2008;52:19–21 (News and Perspective)

**Ureterolithiasis, diagnosis**
Bedside renal ultrasound in the evaluation of emergency department patients with suspected renal colic (Moak and Lindsell). 2008;52:S62 (Research Forum abstracts)

**Urinalysis**
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008;52:S76 (Research Forum abstracts)
Comparing beta-hydroxybutyrate testing to urine dip for identifying diabetic ketoacidosis at triage (Arora et al). 2008;52:S93–S94 (Research Forum abstracts)
Describing the test characteristics of the urine dip in identifying renal insufficiency in diabetic patients (Arora and Long). 2008;52:S93 (Research Forum abstracts)

**Urinary tract infections, drug therapy**
National patterns in emergency department antibiotic prescribing for elderly patients with urinary tract infections, 1996–2005 (Weed et al). 2008;52:S155 (Research Forum abstracts)

## V

**Vaccination**
Influenza vaccination in the emergency department (Hiller et al). 2008;52:S72 (Research Forum abstracts)
Multicenter study of HPV knowledge and attitudes in emergency department patients (Millen et al). 2008;52:S121–S122 (Research Forum abstracts)

**Vagina**
Balloon compression as treatment for refractory vaginal hemorrhage (Schlicher). 2008;52:148–50 (Case report)
Diagnostic utility of physical examination, history, and laboratory evaluation in emergency department patients with vaginal complaints 2008;52:294–7 (Rational clinical examination abstract)

**VA hospitals.** *See* United States Department of Veterans Affairs

**Veins.** *See also* specific vein
Effects of vein width and depth in ultrasound-guided IV insertion (Witting et al). 2008;52:S127 (Research Forum abstracts)

**Vena cava, inferior**
Bilateral compartment syndrome as a result of inferior vena cava filter thrombosis (Shokoohi et al). 2008;52:104–7 (Case report)
[Guidewire ensnarement] (Weizberg et al). 2008;52:764 (Images in Emergency Medicine), 771 (Images in Emergency Medicine)

**Vena cava, inferior, ultrasonography**
Gestalt estimation of inferior vena cava collapse index between different emergency sonographers is reliable and accurate (Lee et al). 2008;52:S128–S129 (Research Forum abstracts)
Gestalt visual estimation of inferior vena cava collapse index maintains reliable agreement with traditional quantitative measurements (Fields et al). 2008;52:S148 (Research Forum abstracts)

**Vena cava filters**
Bilateral compartment syndrome as a result of inferior vena cava filter thrombosis (Shokoohi et al). 2008;52:104–7 (Case report)
[Guidewire ensnarement] (Weizberg et al). 2008;52:764 (Images in Emergency Medicine), 771 (Images in Emergency Medicine)

**Venous thromboembolism**
Age differences in the clinical presentation of emergency department patients with venous thromboembolism (Richman et al). 2008;52:S45–S46 (Research Forum abstracts)
Delays and high costs associated with emergency physician variation in diagnostic approaches to venous thromboembolism (Kim et al). 2008;52:S94 (Research Forum abstracts)

**Venous thromboembolism, diagnosis**
High imprecision of a point-of-care D-dimer test limits its utility for reliable exclusion of venous thromboembolism (Houdijk et al). 2008;52:S65–S66 (Research Forum abstracts)

**Venous thrombosis**
Analytical and clinical evaluation of four D-dimer methods (Padurean et al). 2008;52:S152–S153 (Research Forum abstracts)
Emergency clinician–performed compression ultrasonography for deep venous thrombosis of the lower extremity (Kline et al). 2008;52:437–45
Lower extremity deep venous thrombosis in emergency department patients undergoing workup for pulmonary embolism (Shriver et al). 2008;52:S135 (Research Forum abstracts)

**Ventilation, mechanical.** *See* Respiration, artificial

**Ventricular dysfunction, right**
Normal ST-segment elevation and electrocardiographic patterns in right-sided chest leads (V3R, V4R) in young adult Koreans (Kim and Kim). 2008;52:S116 (Research Forum abstracts)

**Vernakalant**
The conversion of recent-onset atrial fibrillation to sinus rhythm with vernakalant hydrochloride injection: the influence of patients' medical history and baseline characteristics (Rowe et al). 2008;52:S48 (Research Forum abstracts)

**Vertigo**
A simple prediction method of central vertigo among patients with dizziness in the emergency department (Park). 2008;52:S137 (Research Forum abstracts)

**Veterans hospitals.** *See* Hospitals, veterans

**Video technology**
Impact of health education video intervention on patient knowledge in emergency department waiting area of a developing nation: a pilot study (Gupta et al). 2008;52:S103 (Research Forum abstracts)

Is it cost effective to distribute educational videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)
Transfer of real-time ultrasound video of FAST examinations from victims at a disaster scene via a commercially available video cell phone (Blaivas et al). 2008;52:S126–S127 (Research Forum abstracts)
**Violence.** *See also* Child abuse; Intimate partner violence; Rape
Epidemiology in patients with facial fractures (Levitan et al). 2008;52:S160–S161 (Research Forum abstracts)
Personal safety and prevalence of violence and weapons in the emergency department (Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Violence in the emergency department: no quick fixes for pervasive threat (Greene). 2008;52: 17–19 (News and Perspective)
Violence in the emergency department: a national survey of emergency medicine resident and attending physicians (Behnam et al). 2008; 52:S172 (Research Forum abstracts)
**Vital signs**
Do emergency department vital signs predict mortality following hemorrhagic stroke? (Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Influence of cyanide and carbon monoxide poisoning severity on vital signs and plasma lactate concentrations: implications for the unique characteristics of the cyanide toxidrome (Borron et al). 2008;52:S93 (Research Forum abstracts)
Standardization of vital signs measurement during the triage process improves triage reliability (Rutschmann et al). 2008;52:S167–S168 (Research Forum abstracts)
**Vomiting.** *See also* Dehydration
Association of urine ketones and specific gravity with anion gap and serum carbon dioxide in vomiting children (Smith and Dolan). 2008; 52:S76 (Research Forum abstracts)
**Vomiting, therapy**
Efficacy impacts of an evidence-based algorithmic approach to the treatment, matched to presumed underlying cause of nausea and vomiting, in the emergency department (Gaddis et al). 2008;52:S78 (Research Forum abstracts)
Low-dose intravenous prochlorperazine as single-agent therapy for uncomplicated nausea and vomiting in elderly patients (Abram et al). 2008;52:S51 (Research Forum abstracts)
The role of oral ondansetron in children with vomiting as a result of acute gastritis/gastroenteritis who have failed oral rehydration therapy: a randomized controlled trial (Roslund et al). 2008;52:22–9, Correction 406
Safety and effectiveness of intravenous prochlorperazine for intractable vomiting in children with gastroenteritis (Goldberg et al). 2008;52:S76 (Research Forum abstracts)
Undertreatment of nausea and vomiting in US emergency departments: the phenomenon of oligoantiemesis (Singer et al). 2008;52:S95 (Research Forum abstracts)

## W

**Wait times.** *See* Length of stay
**Weapons.** *See also* conducted electrical weapons
Personal safety and prevalence of violence and weapons in the emergency department (Sullivan et al). 2008;52:S171 (Research Forum abstracts)
**Whole body imaging**
Is whole body computed tomography imaging necessary to identify "clinically significant" injuries in low risk blunt trauma patients? (Wright et al). 2008;52:S125 (Research Forum abstracts)
**Women.** *See* Female; Sex factors
**Women physicians.** *See* Physicians, women
**Wood's lamp**
What really glows: analysis of the Wood's lamp in detecting semen and saliva on human skin (Marinelli et al). 2008;52:S171 (Research Forum abstracts)
**Workload.** *See also* Personnel staffing and scheduling
Career satisfaction in emergency medicine and burnout: all is not well (Gendreau). 2008;52: 577 (Correspondence)
Dedicated shift wrap-up time does not improve resident sign-out burden (Jeanmonod and Tomassi). 2008;52:S168 (Research Forum abstracts)
**Wounds, nonpenetrating**
Clinical assessment of intoxication in blunt trauma patients by emergency physicians (Mahler et al). 2008;52:S109–S110 (Research Forum abstracts)
Do ambulatory trauma patients have serious injuries? (Heavrin et al). 2008;52:S143 (Research Forum abstracts)
Incidental pneumothorax found after blunt abdominal trauma (Robinson et al). 2008;52: S144 (Research Forum abstracts)
Is whole body computed tomography imaging necessary to identify "clinically significant" injuries in low risk blunt trauma patients? (Wright et al). 2008;52:S125 (Research Forum abstracts)
Quantitative assessment of diagnostic radiation doses in adult blunt trauma patients (Winslow et al). 2008;52:93–7
Radiation doses among blunt trauma patients: assessing risks and benefits of computed tomographic imaging (Mower). 2008;52:99–100 (Editorial)
Scene Glasgow Coma Scale scores can help predict mortality in pediatric blunt trauma (Irvin et al). 2008;52:S166 (Research Forum abstracts)
[Traumatic abdominal wall hernia] (Truong and Costantino). 2008;52:182 (Images in Emergency Medicine), 186 (Images in Emergency Medicine)
What is the impact of obesity on the relative risk of cervical spine injury in blunt trauma patients? (Jones et al). 2008;52:S144 (Research Forum abstracts)
Whole-body imaging in blunt multisystem trauma patients who were never examined (Snyder). 2008;52:101–3 (Editorial)
**Wounds, penetrating**
The effect of systemic antibiotic prophylaxis and wound irrigation on penetrating combat wounds in a "return-to-duty" population (Gerhardt et al). 2008;52:S108 (Research Forum abstracts)
**Wounds and injuries.** *See also* Motor vehicle crashes; *specific sites and types of injury, eg,* Abdominal injuries
Implementation of a team training program for trauma care: The BETTER (Bringing Enhanced Team Training to the Emergency Room) initiative (Gagliano et al). 2008;52: S107 (Research Forum abstracts)
Medication reconciliation in a rural trauma population (Miller et al). 2008;52:483–91
Occult pneumothorax and hemothorax in major trauma patients (De la Torre and Eckstein). 2008;52:S97–S98 (Research Forum abstracts)
Predicting the need for emergent surgery in adult trauma patients: external validation of a clinical decision rule and implications for trauma triage (Paulson et al). 2008;52:S107 (Research Forum abstracts)
Trauma team activation does not improve functional status on discharge nor length of emergency department stays when controlled for Injury Severity Scores (Dozier et al). 2008; 52:S143 (Research Forum abstracts)
The unexpected challenges of accurate medication reconciliation (Schenkel). 2008;52: 493–5 (Editorial)
Using information on preexisting conditions to predict mortality from traumatic injury (Moore et al). 2008;52:356–64
**Wounds and injuries, diagnosis**
Do ambulatory trauma patients have serious injuries? (Heavrin et al). 2008;52:S143 (Research Forum abstracts)
Early identification of combat casualties who are at high risk for death from severe trauma (Mehta et al). 2008;52:S144 (Research Forum abstracts)
Emergency department observation unit admission as an alternative to inpatient admission for trauma activation patients (Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
Evaluation of the Revised Trauma and Injury Severity Scores in elderly trauma patients (Watts et al). 2008;52:S52 (Research Forum abstracts)
Identification of appropriate Glasgow Coma Score trauma criteria in elderly patients (Caterino and Cudnik). 2008;52:S52 (Research Forum abstracts)
Missed opportunities: emergency department visits before the diagnosis of child abuse (Choo et al). 2008;52:S77 (Research Forum abstracts)
**Wounds and injuries, epidemiology**
ATV accidents and the elderly: national trends and implications for emergency medicine (Walling et al). 2008;52:S156 (Research Forum abstracts)
The epidemiology of pediatric trauma in the capital city of Maputo, Mozambique (Petersburgo et al). 2008;52:S125–S126 (Research Forum abstracts)
Implementation and evaluation of an injury surveillance system in an urban emergency department in Honduras (Hahn et al). 2008; 52:S126 (Research Forum abstracts)
Variability in pediatric utilization of trauma facilities in California: 1999 to 2005 (Wang et al). 2008;52:607–19

**Wounds and injuries, mortality**
Case-fatality rate disparity for inflicted injuries of children (Castillo et al). 2008;52:S159 (Research Forum abstracts)
Scene time does not impact mortality in trauma patients (Cudnik et al). 2008;52:S95–S96 (Research Forum abstracts)
**Wounds and injuries, prevention & control**
DIAL: Decreasing Injuries from ALcohol (Mello et al). 2008;52:S158–S159 (Research Forum abstracts)
Is it cost effective to distribute educational videos of injury prevention in the emergency department? (Nibhanipudi). 2008;52:S151 (Research Forum abstracts)
Role of emergency physician in injury prevention and control for adult and pediatric patients (American College of Emergency Physicians). 2008;52:594–5 (Policy statements)

## Z

**Ziprasidone**
Study in the emergency department of atypical tranquilizer efficiency (Folkert et al). 2008;52:S80 (Research Forum abstracts)

# Author Index
# July–December 2008

July, pp. 1–92; August, pp. 93–192, S1–S40; September, pp. 193–312; October, pp. 313–482, S41–S172; November, pp. 483–598; December, pp. 599–842.

## A


Abbas J (*see* Sinha et al). 2008;52:S57 (Research Forum abstracts)
Abbo E (*see* Thomas et al). 2008;52:S131 (Research Forum abstracts)
Abdous B (*see* Moore et al). 2008;52:356–64
Abell B (*see* Shokoohi et al). 2008;52:104–7 (Case report)
Abo BN (*see* Wang et al). 2008;52:256–62
Abousamra NK Sr. *Toxoplasma gondii* antibodies and associated oxidative stress among asymptomatic blood donors. 2008;52:S138 (Research Forum abstracts)
Abouzaid M (*see* Bond et al). 2008;52:617–22
Abraham WT (*see* Neuenschwander et al). 2008; 52:S132 (Research Forum abstracts)
Abram N, Miller B, Clements E, Judge B, Jones JS. Low-dose intravenous prochlorperazine as single-agent therapy for uncomplicated nausea and vomiting in elderly patients. 2008;52:S51 (Research Forum abstracts)
Ackerman B (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Ackroyd-Stolarz S (*see* Thompson et al). 2008;52: 232–43
Adams BD (*see* Hampton et al). 2008;52:S113 (Research Forum abstracts)
Adams JG (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Adhikari S (*see* Blaivas et al). 2008;52:S126 (Research Forum abstracts)
Adhikari S (*see* Shiver et al). 2008;52:S135 (Research Forum abstracts)
Adhikari S, Blaivas M. Utility of bedside ultrasound to distinguish soft tissue abnormalities from joint effusions in emergency departments. 2008;52:S168 (Research Forum abstracts)
Adhikari S, Emergency Ultrasound Education. Emergency medicine residents' attitudes regarding ultrasound-guided central venous catheterization. 2008;52:S128 (Research Forum abstracts)
Adhikari S, Emergency Ultrasound Education. Emergency medicine residents' perceptions of ultrasound education. 2008;52:S150 (Research Forum abstracts)
Adini B, Goldberg A, Cohen R, Bar-Dayan Y. Relationship between standards of procedures for pandemic flu and level of hospital performance in simulated drills. 2008;52:223–9
Ads AM (*see* Irvin et al). 2008;52:S166 (Research Forum abstracts)
Afarian H (*see* Chinnock et al). 2008;52:268–73 (Brief Research Report)
Afessa B (*see* Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Aggarwal M (*see* Totten et al). 2008;52:S102 (Research Forum abstracts)
Aghera A (*see* Friedman et al). 2008;52:399–406
Agnelly L (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Aguilera P, Lopez C, Altamirano R, Astudillo S, Mardonez JM, Bellolio MF. Door-to-electrocardiogram times in non-differentiated chest pain in an academic emergency department in Chile. 2008;52:S116 (Research Forum abstracts)
Ahn H (*see* Sohn et al). 2008;52:S158 (Research Forum abstracts)
Ahn J (*see* Farley et al). 2008;52:S101 (Research Forum abstracts)
Ahn J (*see* Sohn et al). 2008;52:S158 (Research Forum abstracts)
Aiken J (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Akerman M (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Akerman M (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Akerman M (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts);
Akhtar S (*see* Henderson et al). 2008;52:S164 (Research Forum abstracts)
Aldag JC (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Aldag JC (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Alders V (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Ali J (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Ali J, Hafner JW Jr, Weith CV, Ham DS, Baek J, Plunk MR, Thompson LE, Schmidt KJ, Aldag JC. Comparison of two validated risk stratification scores in predicting outcomes of chest pain evaluation unit patients. 2008;52: S91 (Research Forum abstracts)
Ali Z (*see* Padela et al). 2008;52:S167 (Research Forum abstracts)
Allegra JR (*see* Cochrane et al). 2008;52:S102 (Research Forum abstracts)
Allegra JR (*see* Cochrane et al). 2008;52:S103 (Research Forum abstracts)
Allegra JR (*see* McCarthy et al). 2008;52:S166 (Research Forum abstracts)
Allegra JR (*see* Porter et al). 2008;52:S124 (Research Forum abstracts)
Allen CH, Etzwiler LS, Miller MK, Harb G. Subcutaneous hydration in children using recombinant human hyaluronidase: safety and ease of use. 2008;52:S75 (Research Forum abstracts)
Allen TL (*see* Jones et al). 2008;52:S86 (Research Forum abstracts)
Allen TL, Snow GL, Bledsoe JR, Briggs BJ, Hulse NC, Ferraro JP, Post HB, Clemmer TP, Morris AH, Haug PJ. Receiver operating characteristic curves for systemic inflammatory response syndrome criteria in patients with documented severe sepsis and septic shock. 2008;52:S72 (Research Forum abstracts)
Allin D (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Alonso G (*see* Ferre et al). 2008;52:S139 (Research Forum abstracts)
Alpern ER. The Hospital for Sick Children manual of pediatric trauma. 2008;52:769–70 (Book and Media Reviews)
Altamimi S (*see* Qazi et al). 2008;52:S44 (Research Forum abstracts)
Altamirano R (*see* Aguilera et al). 2008;52:S116 (Research Forum abstracts)
Althoff S, Holstege CP. Adolescent male with eye pain. 2008;52:572 (Images in Emergency Medicine)
Althoff SO, Sudhir A, Woods W. Creating an inexpensive and durable ultrasound phantom for simulation of central venous catheterization. 2008;52:S147 (Research Forum abstracts)
Alwell K (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Amato C (*see* Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
Amato C (*see* Fiesseler et al). 2008;52:S142 (Research Forum abstracts)
Amato C (*see* Kairam et al). 2008;52:S73 (Research Forum abstracts)
Anderson A, Tollefson B, Coleman R, Johnson J, Summers RL. Emergency department removal of football helmets from atheletes with suspected cervical spine fractures: a comparative study of guideline-recommended techniques using a cadaveric model. 2008;52: S125 (Research Forum abstracts)
Anderson AT (*see* Millen et al). 2008;52:S121 (Research Forum abstracts)
Anderson E (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Anderson M (*see* Tekwani et al). 2008;52:S105 (Research Forum abstracts)
Anderson S (*see* Kass-Shamoun et al). 2008;52: S155 (Research Forum abstracts)
Anderson S (*see* Medado et al). 2008;52:S137 (Research Forum abstracts)
Anderson S (*see* Robinson et al). 2008;52:S138 (Research Forum abstracts)
Anderson W (*see* Bastani et al). 2008;52:S86 (Research Forum abstracts)
Andrews J (*see* Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Angelidis M (*see* Ball et al). 2008;52:496 (Images in Emergency Medicine)
Angus DC (*see* Huang et al). 2008;52:48–60
Angus DC (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Antman EM. The specialty of emergency medicine: needed now more than ever before. 2008;52:317–9 (Editorial)
Antman EM (*see* Pollack et al). 2008;52:344–55 (Special Contribution)
Apocada A (*see* Mehta et al). 2008;52:S144 (Research Forum abstracts)

Apple FS (*see* Delavari et al). 2008;52:S47 (Research Forum abstracts)
Arcement A (*see* Caro et al). 2008;52:S66 (Research Forum abstracts)
Arendts G (*see* Fineberg et al). 2008;52:35–40
Arendts G (*see* Fineberg and Arendts). 2008;52:478 (Correspondence reply)
Arias J (*see* Borron et al). 2008;52:S96 (Research Forum abstracts)
Arias J (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Arntz H-R (*see* Müller et al). 2008;52:658–64
Aronsky D (*see* Hoot et al). 2008;52:116–25
Aronsky D (*see* Hoot and Aronsky). 2008;52:126–36 (Review article)
Arora S, Awrey J, Carden A, Hatch LD. Comparing bedside ultrasound to palpation in identification of spinal landmarks. 2008;52:S127 (Research Forum abstracts)
Arora S, Long T. Describing the test characteristics of the urine dip in identifying renal insufficiency in diabetic patients. 2008;52:S93 (Research Forum abstracts)
Arora S, Long T, Henderson SO. Comparing beta-hydroxybutyrate testing to urine dip for identifying diabetic ketoacidosis at triage. 2008;52:S93 (Research Forum abstracts)
Arroyo L (*see* Ballard et al). 2008;52:643–50
Arthur C (*see* Berk et al). 2008;52:497–501
Arul E (*see* Chan et al). 2008;52:S133 (Research Forum abstracts)
Asaro P (*see* Vega et al). 2008;52:S123 (Research Forum abstracts)
Asher L, Muelleman R, Maloney A, Schmid K. Assessing stage of change in female victims of intimate partner violence in an emergency department patient population. 2008;52:S63 (Research Forum abstracts)
Asher S (*see* White and Asher). 2008;52:191 (Book and Media Reviews)
Asher S, White N. Airway management in emergencies. 2008;52:191–2 (Book and Media Reviews)
Ashok M (*see* Zhu et al). 2008;52:S42 (Research Forum abstracts)
Asimos AW (*see* Turner-Lawrence et al). 2008;52:S98 (Research Forum abstracts)
Asimos AW, Rosamond WD, Price MF, Johnson A, Felix AC, Tegeler CH, Rose KM, Murphy CV. Ability of the ABCD2 score to predict early stroke and DWI positive MRI in admitted transient ischemic attack patients without a history of prior stroke. 2008;52:S98 (Research Forum abstracts)
Asplin BR (*see* Gordon et al). 2008;52:504–11
Aston J, Dines M, Caraman E, Ballester M, McCarthy M, Olson JE. Brain edema as a predictor of clinical outcome in traumatic brain injury. 2008;52:S108 (Research Forum abstracts)
Astudillo S (*see* Aguilera et al). 2008;52:S116 (Research Forum abstracts)
Atkinson K, Rossman L, Jones JS, Wynn B. The epidemiology of sexual revictimization in adolescent and adult women. 2008;52:S172 (Research Forum abstracts)
Avegno J (*see* Duffy et al). 2008;52:S149 (Research Forum abstracts)
Awrey J (*see* Arora et al). 2008;52:S127 (Research Forum abstracts)

## B

Babcock C (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Babcock CA (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Babcock CA (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Babcock J (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Bacchetti P (*see* Weber et al). 2008;52:108–15
Bacon-Baguley T (*see* Rogers et al). 2008;52:S63 (Research Forum abstracts)
Baek J (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Baek J (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Bahl A, Tadros A, Treyster A, Raio C, Francis D, Nelson M, Akerman M, Zimmerman M, Liu Y. Assessment of emergency medicine resident competency in interpretation of right upper quadrant and focused abdominal sonography for trauma ultrasound scans. 2008;52:S146 (Research Forum abstracts)
Baird J (*see* Mello et al). 2008;52:S158 (Research Forum abstracts)
Baird J (*see* Ward et al). 2008;52:S159 (Research Forum abstracts)
Bajaj L (*see* Langston et al). 2008;52:30–4
Baker S (*see* Ladde et al). 2008;52:S76 (Research Forum abstracts)
Bakshy A (*see* Jagoda et al). 2008;52:714–48 (Clinical Policy)
Bales JL, Poag H, Castle DJ, Betten DP. Variation in carbon monoxide levels produced from backpacking stoves in tents related to fuel type and tent style. 2008;52:S141 (Research Forum abstracts)
Ball V, Devita D, Angelidis M. Infant with vomiting and weight loss. 2008;52:496 (Images in Emergency Medicine)
Ballard DW, Reed ME, Wang H, Arroyo L, Benedetti N, Hsu J. Influence of patient costs and requests on emergency physician decisionmaking. 2008;52:643–50
Ballester JM (*see* Ten Eyck et al). 2008;52:S49 (Research Forum abstracts)
Ballester M (*see* Aston et al). 2008;52:S108 (Research Forum abstracts)
Balon J (*see* Miller et al). 2008;52:483–91
Baorto E (*see* Kairam et al). 2008;52:S73 (Research Forum abstracts)
Barata I (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Barata I, Gong J, Suppiah A, Kapoor M, Shekher M, Siciliano G, Firestone B, Ward MF, Sama AE, Raio C. The utility of bedside ultrasonography in identifying fractures in the emergency department. 2008;52:S60 (Research Forum abstracts)
Barbato G (*see* Gai et al). 2008;52:S120 (Research Forum abstracts)
Bar-Dayan Y (*see* Adini et al). 2008;52:223–9
Bardua DJ (*see* Thompson et al). 2008;52:232–43
Barker LT (*see* Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
Barker LT (*see* Matlock et al). 2008;52:S67 (Research Forum abstracts)
Barlas D, Mirakhor J. Using body mass index to predict the adequacy of cervical spine radiography in trauma patients. 2008;52:S123 (Research Forum abstracts)
Barney R (*see* Kellum et al). 2008;52:244–52
Barry JD (*see* Brown and Barry). 2008;52:S102 (Research Forum abstracts)
Barthold CL (*see* Wadman et al). 2008;52:S115 (Research Forum abstracts)
Barton C, Hemphill J III, Ramanujam P, Fortman J. Prospective validation of a novel method for assessment of secondary brain insults in the emergency department in acute hemorrhagic stroke. 2008;52:S99 (Research Forum abstracts)
Bastani A, Anderson W, Spiro O. How long before patients lose their patience? 2008;52:S86 (Research Forum abstracts)
Batista R (*see* Shah et al). 2008;52:S113 (Research Forum abstracts)
Battista S (*see* Gai et al). 2008;52:S120 (Research Forum abstracts)
Baty G (*see* Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Baty G (*see* Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
Baty G, Polan D, Nichols WL, Kochert E, Bollinger M, Reed J III, Sierzenski PR. Emergency physicians more accurately identify the potentially critical, posterior vessel wall needle-tip location by using a long-axis orientation of the ultrasound transducer. 2008;52:S127 (Research Forum abstracts)
Baud FJ (*see* Borron et al). 2008;52:S193 (Research Forum abstracts)
Baud FJ (*see* Laforge et al). 2008;52:S36 (Research Forum abstracts)
Bauer C (*see* Borron et al). 2008;52:S96 (Research Forum abstracts)
Bauer C (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Bauknight WM (*see* Jones et al). 2008;52:S140 (Research Forum abstracts)
Baxt WG (*see* Chang et al). 2008;52:S140 (Research Forum abstracts)
Bazarian JJ (*see* Jagoda et al). 2008;52:714–48 (Clinical Policy)
Beam D (*see* Richman et al). 2008;52:S45 (Research Forum abstracts)
Beautrais AL (*see* Larkin and Beautrais). 2008;52:S79 (Research Forum abstracts)
Bebarta VS. Balad's green doors. 2008;52:304–5 (Change of Shift)
Becker J (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Beeson M (*see* Burnette et al). 2008;52:S68 (Research Forum abstracts)
Beeson MS (*see* Thomas et al). 2008;52:e1–e17 (Special Contribution)
Begaz T, Decker MC, Lerner EB. No relationship between clinical efficiency and teaching evaluations for emergency medicine faculty. 2008;52:S68 (Research Forum abstracts)
Behnam M, Tillotson R, Davis S. Violence in the emergency department: a national survey of emergency medicine resident and attending physicians. 2008;52:S172 (Research Forum abstracts)
Bell MR (*see* Nestler et al). 2008;52:S91 (Research Forum abstracts)
Bell MR (*see* Nestler et al). 2008;52:S133 (Research Forum abstracts)
Bellino M (*see* Kellum et al). 2008;52:244–52
Bellolio M (*see* Stead et al). 2008;52:S162 (Research Forum abstracts)
Bellolio M (*see* Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)

Bellolio MF (*see* Aguilera et al). 2008;52:S116 (Research Forum abstracts)
Bellolio MF (*see* Enduri et al). 2008;52:S134 (Research Forum abstracts)
Bellolio MF (*see* Hoff et al). 2008;52:S161 (Research Forum abstracts)
Bellolio MF (*see* Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Bellolio MF (*see* Serrano et al). 2008;52:S132 (Research Forum abstracts)
Bellolio MF, Suravaram S, Enduri S, Bhagra A, Brown RD, Decker WW, Stead LG. Predictors of an increased risk of death following transient ischemic attack. 2008;52:S161 (Research Forum abstracts)
Bellolio MF, Suravaram S, Gilmore RM, Enduri S, Bhagra A, Brown RD, Decker WW, Stead LG. Hyperglycemia as a predictor of death in patients with transient ischemic attack and no prior history of diabetes mellitus. 2008;52:S100 (Research Forum abstracts)
Benaknin JE (*see* Geeting and Benaknin). 2008;52:338 (Images in Emergency Medicine)
Bender B, Friedman B, Davitt M, Esses D, Gallagher E. Metoclopramide in the emergency department: a randomized factorial design study to determine the influence of dose and diphenhydramine on akathisia. 2008;52:S78 (Research Forum abstracts)
Benedetti N (*see* Ballard et al). 2008;52:643–50
Benenson RS, Manteghi T, Brockman D, Kusmiesz AL. Are the new community-acquired pneumonia guidelines applicable to a community hospital pneumonia population? 2008;52:S53 (Research Forum abstracts)
Ben Hellal A (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Bennett J, Brewer K, Patterson LA. Resident accuracy in locating the common femoral vein in normal weight *versus* obese patients. 2008;52:S148 (Research Forum abstracts)
Bentley SK, Seethala R, Weingart SD. Ultrasound-guided axillary vein approach to the subclavian vein for central venous access. 2008;52:475–6 (Correspondence)
Berger A (*see* Gupta et al). 2008;52:S60 (Research Forum abstracts)
Berger E. Ghostwriters, data manipulation and dollar diplomacy: how drug companies pull the strings in clinical research. 2008;52:137–9 (News and Perspective)
Berger E. McCain and Obama on emergency care: the candidates' approach to emergency care. 2008;52:265–7 (News and Perspective)
Berger E. The patient-centered medical home: a solution to "hamster health care" or a drain on emergency care? 2008;52:655–7 (News and Perspective)
Berger T (*see* Green et al). 2008;52:S72 (Research Forum abstracts)
Berger T (*see* Green et al). 2008;52:S86 (Research Forum abstracts)
Berger T, Green JP, Garg N, Bhar A, Radeos MS. Factors predictive of 28-day in-patient mortality among adult emergency department patients admitted for suspected infection. 2008;52:S54 (Research Forum abstracts)
Bergeron É (*see* Moore et al). 2008;52:356–64
Berk WA, Welch RD, Levy PD, Jones JT, Arthur C, Kuhn GJ, King JJ, Bock BF, Sweeny PJ. The effect of clinical experience on the error rate of emergency physicians. 2008;52:497–501
Berkoff DJ (*see* Lavonas et al). 2008;52:S141 (Research Forum abstracts)
Bernhisel K (*see* Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
Bernhisel K (*see* Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Bernstein B (*see* Friedman et al). 2008;52:696–704
Bernstein JA (*see* Raja et al). 2008;52:S54 (Research Forum abstracts)
Berwald N (*see* Johnson and Berwald). 2008;52:294–7 (Rational Clinical Examination Abstract)
Betten DP (*see* Bales et al). 2008;52:S141 (Research Forum abstracts)
Bey T (*see* Codreanu et al). 2008;52:S130 (Research Forum abstracts)
Bhagra A (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Bhagra A (*see* Bellolio et al). 2008;52:S161 (Research Forum abstracts)
Bhagra A (*see* Enduri et al). 2008;52:S134 (Research Forum abstracts)
Bhagra A (*see* Stead et al). 2008;52:S162 (Research Forum abstracts)
Bhagra A (*see* Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)
Bhar A (*see* Berger et al). 2008;52:S54 (Research Forum abstracts)
Bhatt DL (*see* Pottenger et al). 2008;52:677–85 (Concepts)
Bhoi S (*see* Gupta et al). 2008;52:S103 (Research Forum abstracts)
Bijur P (*see* Birnbaum et al). 2008;52:151–9
Bijur P (*see* Friedman et al). 2008;52:399–406
Bijur PE (*see* Friedman et al). 2008;52:696–704
Binder LS (*see* Thomas et al). 2008;52:e1–e17 (Special contribution)
Biondi-Zoccai G (*see* De Luca et al). 2008;52:665–76 (Review article)
Bird E (*see* Siegel et al). 2008;52:S85 (Research Forum abstracts)
Birnbaum A, Esses D, Bijur P, Wollowitz A, Gallagher EJ. Failure to validate the San Francisco Syncope Rule in an independent emergency department population. 2008;52:151–9
Biros MH (*see* Miner et al). 2008;52:S122 (Research Forum abstracts)
Bisaga A, Paquette K, Sabatini L, Lovell EO. A prevalence study of methicillin-resistant *Staphylococcus aureus* colonization in emergency department health care workers. 2008;52:525–8 (Brief research report)
Bizek G, Castillo E, Vilke G, Chan T. Characteristics and rates of rewarming of emergency department patients with moderate to severe accidental hypothermia. 2008;52:S104 (Research Forum abstracts)
Blackburn K (*see* Kuehl et al). 2008;52:S74 (Research Forum abstracts)
Blackstock U (*see* Sinert and Blackstock). 2008;52:563–6 (Systematic review abstract)
Blaivas M. Discordance between pulse detection and emergent echocardiography findings in adult cardiopulmonary arrest patients. 2008;52:S128 (Research Forum abstracts)
Blaivas M. Inadequate needle thoracostomy rate of the chest in the out-of-hospital setting for presumed pneumothorax, as documented on ultrasound. 2008;52:S145 (Research Forum abstracts)
Blaivas M (*see* Adhikari and Blaivas). 2008;52:S168 (Research Forum abstracts)
Blaivas M (*see* Shiver et al). 2008;52:S135 (Research Forum abstracts)
Blaivas M, Adhikari S, Shiver S, Lyon M. Transfer of real-time ultrasound video of FAST examinations from victims at a disaster scene via a commercially available video cell phone. 2008;52:S126 (Research Forum abstracts)
Blanc PG (*see* Camargo et al). 2008;52:S46 (Research Forum abstracts)
Blank FS (*see* Capraro et al). 2008;52:S138 (Research Forum abstracts)
Blank FS (*see* Capraro et al). 2008;52:S157 (Research Forum abstracts)
Blankenship R (*see* Tomich and Blankenship). 2008;52:202 (Images in Emergency Medicine)
Bledsoe J, Bossart P, Bernhisel K, Sugerman PA-C S, Madsen T. Emergency department observation unit admission as an alternative to inpatient admission for trauma activation patients. 2008;52:S124 (Research Forum abstracts)
Bledsoe J, Bossart P, Madsen T. Rates of positive stress testing among chest pain patients in an emergency department observation unit. 2008;52:S135 (Research Forum abstracts)
Bledsoe J, Bossart P, Sugerman PA-C S, Bernhisel K, Cheng M, Mataoa T, Madsen T. Appropriately screened geriatric chest pain patients may be appropriate for an emergency department observation unit. 2008;52:S155 (Research Forum abstracts)
Bledsoe JR (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Bloch RB (*see* Good and Bloch). 2008;52:337 (Images in Emergency Medicine)
Block SD (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
Blum FC (*see* Ginde et al). 2008;52:S87 (Research Forum abstracts)
Blum J, Freeman K, Dart RC. Inconsistent conflict of interest policies across peer-reviewed biomedical journals. 2008;52:S82 (Research Forum abstracts)
Blumenthal D (*see* Patel et al). 2008;52:S44 (Research Forum abstracts)
Blumenthal D (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Bock BF (*see* Berk et al). 2008;52:497–501
Bockewitz EG (*see* Matlock et al). 2008;52:S67 (Research Forum abstracts)
Bockewitz EG, Barker LT, Hafner JW Jr, Dewar JD, Matlock D. The role of high-fidelity computerized human patient simulation in cardiopulmonary resuscitation training of medical providers. 2008;52:S50 (Research Forum abstracts)
Boggust AJ (*see* Decker et al). 2008;52:322–8
Bohan SJ (*see* Schuur et al). 2008;52:S130 (Research Forum abstracts)
Boie ET (*see* Decker et al). 2008;52:322–8
Boie ET (*see* Nestler et al). 2008;52:S91 (Research Forum abstracts)
Boie ET (*see* Nestler et al). 2008;52:S133 (Research Forum abstracts)
Boie ET (*see* Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)
Bollinger M (*see* Baty et al). 2008;S127 (Research Forum abstracts)
Bollinger M (*see* Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Bollinger M (*see* Sierzenski et al). 2008;52:S170 (Research Forum abstracts)

Bond GR, Pièche S, Sonicki Z, Gamaluddin H, El Guindi M, Sakr M, El Seddawy A, Abouzaid M, Youssef A, The WHO EMRO Pediatric Insecticide Study Group. A clinical decision aid for triage of children younger than 5 years and with organophosphate or carbamate insecticide exposure in developing countries. 2008;52: 617–22
Bonz JW (*see* Manson et al). 2008;52:S170 (Research Forum abstracts)
Borczuk P (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Borg K (*see* Kuklentz et al). 2008;52:S79 (Research Forum abstracts)
Borg KT (*see* Scott et al). 2008;52:S150 (Research Forum abstracts)
Borron S, Arias J, Sanchez M, Bauer C. Hemodynamics following intraosseous administration of hydroxocobalamin in the goat. 2008;52:S96 (Research Forum abstracts)
Borron S, Arias J, Sanchez M, Bauer C, Hass P, Philbeck T, Lawson W, Gordon D, Fernandez M, Mendez D. Intraosseous line placement by hazardous materials responders and receivers for hydroxocobalamin administration. 2008; 52:S97 (Research Forum abstracts)
Borron SW (*see* Laforge et al). 2008;52:S136 (Research Forum abstracts)
Borron SW, Baud FJ, Mégarbane F. Influence of cyanide and carbon monoxide poisoning severity on vital signs and plasma lactate concentrations: implications for the unique characteristics of the cyanide toxidrome. 2008; 52:S93 (Research Forum abstracts)
Bossart P (*see* Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
Bossart P (*see* Bledsoe et al). 2008;52:S135 (Research Forum abstracts)
Bossart P (*see* Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Bosson N (*see* Capp et al). 2008;52:S145 (Research Forum abstracts)
Boudreaux ED (*see* Patel et al). 2008;52:S44 (Research Forum abstracts)
Bourgeois FT, Shannon MW, Stack AM. "Left without being seen": a national profile of children who leave the emergency department before evaluation. 2008;52:599–605
Bourne C (*see* House et al). 2008;52:S92 (Research Forum abstracts)
Bowers RC, Moore JD, Parrent T, Britt LL, Santrock DA Jr, Steinke DT. The utility of Crotalidae Polyvalent Immune Fab (CroFab®) maintenance dosing in treatment of copperhead envenomation. 2008;52:S141 (Research Forum abstracts)
Boyd JS, Clyne B, Reinert SE, Zink BJ. Emergency medicine career choice: a profile of factors and influences from the 2005–2006 AAMC Graduation Questionnaire. 2008;52:S67 (Research Forum abstracts)
Boyd M (*see* Jeanmonod et al). 2008;52:S110 (Research Forum abstracts)
Bozeman WP (*see* Winslow et al). 2008;52:93–7 (Brief Research Report)
Brady WJ (*see* Pearson et al). 2008;52:S94 (Research Forum abstracts)
Brandt J (*see* Müller et al). 2008;52:658–64
Branecki CE (*see* Wadman et al). 2008;52:S115 (Research Forum abstracts)
Braxton C (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Brenner S (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Brewer K (*see* Bennett et al). 2008;52:S148 (Research Forum abstracts)
Brewer K (*see* Dawson et al). 2008;52:S71 (Research Forum abstracts)
Brewer K (*see* House et al). 2008;52:S92 (Research Forum abstracts)
Brewer KL (*see* Fish et al). 2008;52:S140 (Research Forum abstracts)
Brewer KL (*see* Meggs et al). 2008;52:S140 (Research Forum abstracts)
Briggs BJ (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Bright L (*see* Sinert and Bright). 2008;52:557–62 (Systematic review abstract)
Brimacombe MB (*see* Chan et al). 2008;52:S161 (Research Forum abstracts)
Britt LL (*see* Bowers et al). 2008;52:S141 (Research Forum abstracts)
Brizendine EJ (*see* Chisholm et al). 2008;52:383–9
Brockman D (*see* Benenson et al). 2008;52:S53 (Research Forum abstracts)
Broder JS. Comments on "Sensitivity of Noncontrast Cranial Computed Tomography for the Emergency Department Diagnosis of Subarachnoid Hemorrhage", 2008;52:767–8 (Correspondence)
Broder JS, Uppal A, Finnegan B, Meyer J. A randomized controlled trial of two online methods for interpretation of computed tomography of the head. 2008;52:S67 (Research Forum abstracts)
Broderick J (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Brooks CB (*see* Schwarz et al). 2008;52:476–7 (Correspondence)
Brooks DE (*see* Greene et al). 2008;52:86–7 (Correspondence)
Broselow J (*see* Luten and Broselow). 2008;52: 477–8 (Correspondence)
Brottman G (*see* Kletti et al). 2008;52:S45 (Research Forum abstracts)
Brown A (*see* De Leon et al). 2008;52:S62 (Research Forum abstracts)
Brown D (*see* Soremekun et al). 2008;52:S81 (Research Forum abstracts)
Brown DJ, Barry JD. Brief physician intervention did not alter cessation rates in smokers presenting to the emergency department. 2008; 52:S102 (Research Forum abstracts)
Brown J (*see* Rae et al). 2008;52:S111 (Research Forum abstracts)
Brown JC (*see* Hills et al). 2008;52:623–5 (Case Report)
Brown M (*see* Jones et al). 2008;52:S106 (Research Forum abstracts)
Brown P (*see* Cochrane et al). 2008;52:S102 (Research Forum abstracts)
Brown RD (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Brown RD (*see* Bellolio et al). 2008;52:S161 (Research Forum abstracts)
Brown RD (*see* Enduri et al). 2008;52:S134 (Research Forum abstracts)
Brown S (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Brownstein D (*see* Hills et al). 2008;52:623–5 (Case Report)
Brownstein JS, Mandl KD. Pediatric population size is associated with geographic patterns of acute respiratory infections among adults. 2008;52:63–8
Bruce Z (*see* Scott et al). 2008;52:S123 (Research Forum abstracts)
Brunett PH (*see* Thomas et al). 2008;52:e1–e17 (Special Contribution)
Bruns JJ Jr (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Bryant-Penland J (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Buchanan J (*see* Moreira et al). 2008;52:S141 (Research Forum abstracts)
Buckley NA (*see* Isbister et al). 2008;52:87–8 (Correspondence reply)
Buckley TP (*see* Pearson et al). 2008;52:S94 (Research Forum abstracts)
Bullard D (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Burgess P (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Burk K (*see* Robinson et al). 2008;52:S144 (Research Forum abstracts)
Burnette K, Beeson M, Ramundo M, Stevenson M. Implementation of a Web-based educational tool for residents rotating in the pediatric emergency department. 2008;52:S68 (Research Forum abstracts)
Burns P (*see* Drigalla et al). 2008;52:S114 (Research Forum abstracts)
Burnside P (*see* Mitchell et al). 2008;52:S157 (Research Forum abstracts)
Burr M (*see* Matloff et al). 2008;52:S81 (Research Forum abstracts)
Burrow JS (*see* Cline et al). 2008;52:S136 (Research Forum abstracts)
Burstein JL. Smoke and shadows: measuring hospital disaster preparedness. 2008;52:230–1 (Editorial)
Bush C (*see* Madsen et al). 2008;52:S63 (Research Forum abstracts)
Butler J (*see* Chinnock et al). 2008;52:268–73 (Brief Research Report)
Byrd C (*see* Miner et al). 2008;52:S57 (Research Forum abstracts)
Byyny R (*see* Paulson et al). 2008;52:S107 (Research Forum abstracts)

## C

Cairns CB (*see* Glickman et al). 2008;52:S120 (Research Forum abstracts)
Cairns CB (*see* Kim et al). 2008;52:S94 (Research Forum abstracts)
Cairns CB (*see* Phillips et al). 2008;52:S94 (Research Forum abstracts)
Cairns CB (*see* Phillips et al). 2008;52:S124 (Research Forum abstracts)
Caldito G (*see* Mahler et al). 2008;52:S109 (Research Forum abstracts)
Calhoun DJ, Sessums CW, Lyon M. Effectiveness of a 6-hour *versus* a 9-hour rule out protocol for the evaluation of low to moderate risk chest pain patients in an observation unit. 2008;52: S118 (Research Forum abstracts)
Callaham ML. Journal performance report for 2007. 2008;52:193–4 (Journal Performance Report)
Callaham ML. On turning 40. 2008;52:313 (Editorial)
Callaham ML (*see* Weber et al). 2008;52:108–15
Callaway CW. Comments on "Sensitivity of Noncontrast Cranial Computed Tomography for the Emergency Department Diagnosis of Subarachnoid Hemorrhage", 2008;52:768 (Correspondence reply)

Camargo CA Jr (*see* Ginde et al). 2008;52:S87 (Research Forum abstracts)
Camargo CA Jr (*see* Millen et al). 2008;52:S121 (Research Forum abstracts)
Camargo CA Jr (*see* Patel et al). 2008;52:S44 (Research Forum abstracts)
Camargo CA Jr (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Camargo CA Jr (*see* Waseem et al). 2008;52:S42 (Research Forum abstracts)
Camargo CA Jr (*see* Weed et al). 2008;52:S155 (Research Forum abstracts)
Camargo CA Jr, Ginde AA, Blanc PG, Tsai C. Improved emergency department management of acute exacerbation of chronic obstructive pulmonary disease. 2008;52:S46 (Research Forum abstracts)
Camp T, Kontos MC, Kurz MC. The impact of out-of-hospital activation of the cardiac catheterization team on door-to-balloon time for patients presenting with ST-segment-elevation myocardial infarction. 2008;52:S97 (Research Forum abstracts)
Campagne D, Platts-Mills T, Hendey G, Chinnock B, Snowden B. Glidescope® videolaryngoscopy *versus* direct laryngoscopy for emergency department intubations. 2008; 52:S113 (Research Forum abstracts)
Campbell C (*see* Friedman et al). 2008;52:399–406
Camp-Rogers TR (*see* DeVerna et al). 2008;52: S117 (Research Forum abstracts)
Canning J (*see* Farley et al). 2008;52:S101 (Research Forum abstracts)
Cannon CM (*see* Garcia et al). 2008;52:S59 (Research Forum abstracts)
Cannon CM, Marzluf K, Hastings M, Cleek C, Nazir N, Simpson SQ, Allin D, Braxton C, Moncure M. Lactate levels predict in-hospital mortality in transferred patients with severe sepsis or septic shock. 2008;52:S70 (Research Forum abstracts)
Cannon EH (*see* Suffoletto et al). 2008;52:529–33 (Brief research report)
Cantineau J (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Cantrill SV (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Capodanno P, Lettieri B, Marfella R. Adult male with bloody diarrhea. 2008;52:765 (Images in Emergency Medicine)
Capp R, Bosson N, Noble VE, Lamhaut L, Marx JS, Liteplo A, Carli P. Can physicians who work in the out-of-hospital system accurately interpret chest ultrasound images for pneumothorax and pulmonary edema following focused training? 2008;52:S145 (Research Forum abstracts)
Capp R, Murray A, Noble VE, Steele D, Liteplo A. The dynamics of B-lines: a useful tool in the evaluation of pulmonary fluid status as fluid shifts occur in the body. 2008;52:S61 (Research Forum abstracts)
Capraro GA, Nathanson BH, Jasienowski S, Reiser M, Blank FS. Can the heat of localized soft tissue infections be quantified non-invasively using an infrared thermography camera? 2008; 52:S157 (Research Forum abstracts)
Capraro GA, Reiser M, Jasienowski S, Blank FS. Tissue oxygenation in soft tissue infections. 2008;52:S138 (Research Forum abstracts)
Capriccioso RP. Awakening Hippocrates. 2008;52: 91 (Book and Media Reviews)
Caraman E (*see* Aston et al). 2008;52:S108 (Research Forum abstracts)
Carden A (*see* Arora et al). 2008;52:S127 (Research Forum abstracts)
Carli P (*see* Capp et al). 2008;52:S145 (Research Forum abstracts)
Carlson A (*see* Kletti et al). 2008;52:S45 (Research Forum abstracts)
Carmody BJ. A novel approach to transmission of the out-of-hospital EKG in patients with ST segment elevation myocardial infarction. 2008; 52:183–4 (Correspondence)
Carmody K (*see* Manson et al). 2008;52:S170 (Research Forum abstracts)
Caro DA, Arcement A, Kleiner D, Godwin SA, Kalynych C. Remediation trends associated with learning styles in an emergency medicine residency. 2008;52:S66 (Research Forum abstracts)
Carpenter CR. Does this patient have dimentia? 2008;52:554–6 (Rational clinical examination abstract)
Carpenter CR, Lewis LM, Caterino JM, Wilber ST, Scheatzle MD, Fiorello AB. Emergency physician geriatric education: an update of the 1992 Geriatric Task Force Survey. Has anything changed? 2008;52:S156 (Research Forum abstracts)
Carson DS (*see* Scott et al). 2008;52:S150 (Research Forum abstracts)
Carter MA (*see* Thomas et al). 2008;52:e1–e17 (Special contribution)
Casale G (*see* Tran et al). 2008;52:S64 (Research Forum abstracts)
Casey P (*see* Kessler et al). 2008;52:S121 (Research Forum abstracts)
Casper C (*see* Kim et al). 2008;52:S122 (Research Forum abstracts)
Casteel C (*see* Williams et al). 2008;52:211–22 (Review Article)
Castillo E (*see* Bizek et al). 2008;52:S154 (Research Forum abstracts)
Castillo E (*see* Ramanujam et al). 2008;52:S104 (Research Forum abstracts)
Castillo EM (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Castillo EM (*see* Vilke et al). 2008;52:S160 (Research Forum abstracts)
Castillo EM (*see* Vilke et al). 2008;52:85–6 (Correspondence Reply)
Castillo EM, Kuelbs CL, Cox SA, Lindsay SP, Chadwick DL. Case-fatality rate disparity for inflicted injuries of children. 2008;52:S159 (Research Forum abstracts)
Castle DJ (*see* Bales et al). 2008;52:S141 (Research Forum abstracts)
Caterino JM (*see* Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Caterino JM (*see* Weed et al). 2008;52:S155 (Research Forum abstracts)
Caterino JM, Cudnik MT. Identification of appropriate Glasgow Coma Score trauma criteria in elderly patients. 2008;52:S52 (Research Forum abstracts)
Cazenave C (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Cearnal L. Emergency physicians highlight "army-wide emergency medical care deficiency" in training of flight medics. 2008;52:522–4 (News and Perspective)
Cearnal L. The maple leaf model: what Canada can tell American emergency physicians about practice with universal coverage. 2008;52:19–21 (News and Perspective)
Cederquist A (*see* De Leon et al). 2008;52:S62 (Research Forum abstracts)
Centers for Disease Control and Prevention. Emergence of fluoroquinolone-resistant *Neisseria meningitidis*—Minnesota and North Dakota, 2007–2008. 2008;52:286–8 (CDC Update)
Centers for Disease Control and Prevention. Human rabies—Minnesota, 2007. 2008;52: 537–9 (CDC Update)
Cha K (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Chadwick DL (*see* Castillo et al). 2008;52:S159 (Research Forum abstracts)
Chan K, Ong ME, Arul E, Wong AS, Venkataraman A, Chua TS, Lim S. Improving door-to-balloon time: emergency department activation of primary coronary intervention for ST-segment elevation myocardial infarction: a pilot study. 2008;52:S133 (Research Forum abstracts)
Chan T (*see* Bizek et al). 2008;52:S104 (Research Forum abstracts)
Chan TC (*see* Vilke et al). 2008;52:85–6 (Correspondence Reply)
Chan TC (*see* Vilke et al). 2008;52:S160 (Research Forum abstracts)
Chan TC, Killeen JP, Vilke GM, Guss DA, Jones K, Marshall J, Moore T, Castillo EM. Impact of mandated nurse-patient ratios on emergency department crowding. 2008;52:S44 (Research Forum abstracts)
Chan YC (*see* Fung et al). 2008;52:88–9 (Correspondence)
Chan Y-FY (*see* Jagoda and Chan). 2008;52:S3–S6
Chan YY, Richardson LD, Zaets SB, Nagurka R, Brimacombe MB, Levine SR. Stroke education in the emergency department waiting room. 2008;52:S161 (Research Forum abstracts)
Chandra A (*see* Kim et al). 2008;52:S94 (Research Forum abstracts)
Chandra A (*see* Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Chandra A (*see* Limkakeng et al). 2008;52:S134 (Research Forum abstracts)
Chang AM, Perrone J, Shofer FS, McCusker CM, Litt HI, Baxt WG, Hollander JE. Coronary computed tomography for rapid discharge of low risk patients with cocaine-associated chest pain. 2008;52:S140 (Research Forum abstracts)
Chang E (*see* Friedman et al). 2008;52:399–406
Chang H (*see* Cochrane et al). 2008;52:S103 (Research Forum abstracts)
Chang J, Hwang J, Moore C. Bedside emergency physician determination of cardiac output in severe sepsis. 2008;52:S129 (Research Forum abstracts)
Chapman C (*see* Fosnocht et al). 2008;52:S164 (Research Forum abstracts)
Char D (*see* Vega et al). 2008;52:S123 (Research Forum abstracts)
Charles M (*see* Flaherty and Charles). 2008;52: S145 (Research Forum abstracts)
Charles M (*see* Wehner et al). 2008;52:S46 (Research Forum abstracts)
Chekijian SA (*see* Safdar et al). 2008;52:S116 (Research Forum abstracts)

Chen AY (*see* Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Chen C-C (*see* Hou et al). 2008;52:306 (Images in Emergency Medicine)
Chen J (*see* Cochrane et al). 2008;52:S103 (Research Forum abstracts)
Chen J (*see* Nelson et al). 2008;52:S61 (Research Forum abstracts)
Cheng L, Man SS. Pilot study: implementation and evaluation of an adult diabetic ketoacidosis treatment protocol. 2008;52:S136 (Research Forum abstracts)
Cheng M (*see* Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Chinnock B (*see* Campagne et al). 2008;52:S113 (Research Forum abstracts)
Chinnock B, Afarian H, Minnigan H, Butler J, Hendey GW. Physician clinical impression does not rule out spontaneous bacterial peritonitis in patients undergoing emergency department paracentesis. 2008;52:268–73 (Brief research report)
Chinnock B, Khaletskiy A, Kuo K, Hendey GW. Ultrasound-guided reduction of distal forearm fractures by emergency physicians. 2008;52: S170 (Research Forum abstracts)
Chipley J (*see* Singer et al). 2008;52:41–7
Chiricolo G (*see* Nelson et al). 2008;52:S61 (Research Forum abstracts)
Chisena EN (*see* Singer et al). 2008;52:41–7
Chisholm CD (*see* Thomas et al). 2008;52:e1–e17 (Special contribution);
Chisholm CD, Weaver CS, Whenmouth LF, Giles B, Brizendine EJ. A comparison of observed *versus* documented physician assessment and treatment of pain: the physician record does not reflect the reality. 2008;52:383–9
Cho H, Ko Y, Kim S, Lee S, Kwon O. Effects of hypothermia on short-term memory and hippocampal cell proliferation following transient hypoxia-ischemia injury in rats. 2008; 52:S65 (Research Forum abstracts)
Cho J (*see* Choa et al). 2008;52:S105 (Research Forum abstracts)
Choa M (*see* Chung et al). 2008;52:S139 (Research Forum abstracts)
Choa M, Chung H, Cho J, Choi Y, Kim S. Animation-instructed CPR program as reminder tool in achieving effective CPR performance. 2008;52:S105 (Research Forum abstracts)
Choe J (*see* Kim et al). 2008;52:S144 (Research Forum abstracts)
Chohan JK (*see* Singer et al). 2008;52:689–95
Choi H, Kim H, Kim O, Park K, Cha K, Kim S, Lee K, Hwang S. The risk factors for mortality in organophosphate poisoning. 2008;52:S142 (Research Forum abstracts)
Choi H, Kim K, Kim C, Kim M, Kim W, Im T, Kang H. Analysis of endotracheal intubation performed using video laryngoscope by emergency physicians at six teaching hospitals. 2008;52:S115 (Research Forum abstracts)
Choi J (*see* Garcia et al). 2008;52:S165 (Research Forum abstracts)
Choi J (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Choi S (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Choi Y (*see* Choa et al). 2008;52:S105 (Research Forum abstracts)
Chong C-F (*see* Hou et al). 2008;52:306 (Images in Emergency Medicine)
Choo EK, Nicholaidis C, Lowe RA. Emergency department visits prior to the diagnosis of intimate partner violence. 2008;52:S62 (Research Forum abstracts)
Choo EK, Spiro D, Lowe RA. Missed opportunities: emergency department visits before the diagnosis of child abuse. 2008;52: S77 (Research Forum abstracts)
Chou M-C (*see* Huang et al). 2008;52:492 (Images in Emergency Medicine)
Chowdry UH (*see* Hoffman et al). 2008;52:S166 (Research Forum abstracts)
Christensen EF (*see* Høyer et al). 2008;52:512–4 (Case report)
Christiano-Smith D (*see* Thundiyil et al). 2008;52: S103 (Research Forum abstracts)
Chua TS (*see* Chan et al). 2008;52:S133 (Research Forum abstracts)
Chudnofsky CR (*see* Deitch et al). 2008;52:1–8
Chun B (*see* Moon et al). 2008;52:S58 (Research Forum abstracts)
Chun P (*see* Gupta et al). 2008;52:S60 (Research Forum abstracts)
Chun T (*see* Garcia et al). 2008;52:S165 (Research Forum abstracts)
Chung H (*see* Choa et al). 2008;52:S105 (Research Forum abstracts)
Chung T, Lee J, Kim S, Choa M. Can the exact mortality in emergency department patients with infection be assumed from serum lactate level? 2008;52:S139 (Research Forum abstracts)
Cindrich L (*see* Irvin et al). 2008;52:S59 (Research Forum abstracts)
Ciranni M (*see* Ngo et al). 2008;52:541–7
Claremont H (*see* Jones et al). 2008;52:S140 (Research Forum abstracts)
Clark M (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Clark S (*see* Waseem et al). 2008;52:S42 (Research Forum abstracts)
Cleek C (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Clements E (*see* Abram et al). 2008;52:S51 (Research Forum abstracts)
Clements E (*see* Goldberg et al). 2008;52:S76 (Research Forum abstracts)
Clemmer TP (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Click LA (*see* Petersburgo et al). 2008;52:S125 (Research Forum abstracts)
Cline DM, Gonzalez-Engle J, Burrow JS, White BD, Plonk T. Clinical factors predicting spinal cord compression on STAT MRI of the spine in non-trauma patients. 2008;52:S136 (Research Forum abstracts)
Clinton J (*see* Miner et al). 2008;52:S57 (Research Forum abstracts)
Clinton J (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Clyne B (*see* Boyd et al). 2008;52:S67 (Research Forum abstracts)
Coba V, Henry Ford Hospital Sepsis Collaborative Group. An emergency department-based institutional sepsis collaborative improves mortality. 2008;52:S59 (Research Forum abstracts)
Cochrane DG, Allegra JR, Brown P, Halasz S, Godall C. Improvement in performance of N-gram classifiers with frequent updates. 2008; 52:S102 (Research Forum abstracts)
Cochrane DG, Allegra JR, McCarthy C, Luk J, Chang H, Chen J. The utility of patient chief complaint and ICD 9 classifiers for the influenza sub-syndrome. 2008;52:S103 (Research Forum abstracts)
Codreanu T, Koenig KL, Bey T. Implementation of a novel "see and treat" system reduces emergency department crowding. 2008;52: S130 (Research Forum abstracts)
Cohen D, Lyon M, Mohseni M, Johnson RP. Frequency of abdominal pain as the presenting complaint in pulmonary embolism. 2008;52: S137 (Research Forum abstracts)
Cohen R (*see* Adini et al). 2008;52:223–9
Colby DC (*see* Weber et al). 2008;52:108–15
Coleman R (*see* Anderson et al). 2008;52:S125 (Research Forum abstracts)
Collins SP (*see* Raja et al). 2008;52:S54 (Research Forum abstracts)
Compton S (*see* Swor et al). 2008;52:S106 (Research Forum abstracts)
Connolly J (*see* Lozner et al). 2008;52:S164 (Research Forum abstracts)
Conrad SA (*see* Mahler et al). 2008;52:S109 (Research Forum abstracts)
Conrad SA (*see* Mahler et al). 2008;52:S147 (Research Forum abstracts)
Coon TP (*see* Sutherland et al). 2008;52:339–43 (Best Available Evidence)
Cooney RR (*see* Venkat et al). 2008;52:274–85 (Review article)
Corbella X (*see* Ferre et al). 2008;52:S139 (Research Forum abstracts)
Cordi HP, Levick N. Comparative analysis of EMS components of state strategic highway safety plans. 2008;52:S154 (Research Forum abstracts)
Cornici P, Mencl F, Obeius M, Southern A. Effect of leg and body positioning on femoral vein accessibility. 2008;52:S83 (Research Forum abstracts)
Costantino TG. 2008;52:182 (Images in Emergency Medicine); (*see* Truong and Costantino). (*see* Vates et al). 2008;52:S128 (Research Forum abstracts)
Costello H (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Costello HH (*see* Lazio et al). 2008;52:S163 (Research Forum abstracts)
Couk J (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Courtney C (*see* Meggs et al). 2008;52:S140 (Research Forum abstracts)
Courtney D (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Courtney D (*see* Richman et al). 2008;52:S45 (Research Forum abstracts)
Courtney DM (*see* Lazio et al). 2008;52:S163 (Research Forum abstracts)
Courtney DM (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Cox ED (*see* Mehta et al). 2008;52:S144 (Research Forum abstracts)
Cox SA (*see* Castillo et al). 2008;52:S159 (Research Forum abstracts)
Crawford J (*see* Otero et al). 2008;52:S105 (Research Forum abstracts)
Crowe C, Kulstad CE, Mistry C, Kulstad EB. Outcome prediction using the Mortality in Emergency Department Sepsis (MEDS) score in patients treated with early goal-directed therapy. 2008;52:S58 (Research Forum abstracts)

Crumpacker J (*see* Vilke et al). 2008;52:S160 (Research Forum abstracts)
Cucchiara B, Ross M. Transient ischemic attack: risk stratification and treatment. 2008;52:S27–S39
Cudnik MT (*see* Caterino and Cudnik). 2008;52:S52 (Research Forum abstracts)
Cudnik MT, Newgard CD, Sayre MR, White LJ. Scene time does not impact mortality in trauma patients. 2008;52:S95 (Research Forum abstracts)
Cudnik MT, Peacock W, Diercks DB, Rowe MT, Chen AY. Out-of-hospital ECGs may shorten emergency department length of stay, but do not improve the process of care in non-ST-elevation myocardial infarction patients. 2008;52:S47 (Research Forum abstracts)
Curry G (*see* Thomas et al). 2008;52:S131 (Research Forum abstracts)
Cutler N (*see* Han et al). 2008;52:S51 (Research Forum abstracts)

## D

Dabulis S (*see* Juliano et al). 2008;52:143–7
Dabulis S (*see* Sauter et al). 2008;52:S60 (Research Forum abstracts)
Dabulis SA (*see* Juliano et al). 2008;52:S169 (Research Forum abstracts)
Dahl J (*see* Sasson et al). 2008;52:S154 (Research Forum abstracts)
Dalmedo C (*see* Singer et al). 2008;52:689–95
D'Amore J, Gong J, Siciliano G, Firestone B, Drumheller B, Patel S, Ward MF, Akerman M, Slesinger T, Sama A. RAPIDD MEDS study: risks associated with and predictive in identifying delayed decompensation and mortality in emergency department sepsis. 2008;52:S71 (Research Forum abstracts)
D'Amore JZ, Gong J, Drumheller B, Drucker J, Patel SJ, Akerman M, Macedo J, Lutz J, Ward MF, Sama AE. The prevalence and prognostic value of hyperglycemia among sepsis patients in the emergency department. 2008;52:S53 (Research Forum abstracts)
Daoud EG (*see* Neuenschwander et al). 2008;52:S132 (Research Forum abstracts)
Dart RC (*see* Blum et al). 2008;52:S82 (Research Forum abstracts)
Darula K (*see* Siegel et al). 2008;52:S85 (Research Forum abstracts)
Dattilo PB, Nordin C, Hailpern SM. Beta-blockers following cocaine use: a reappraisal. 2008;52:89–90 (Correspondence reply)
Davidson SJ (*see* Spektor et al). 2008;52:S87 (Research Forum abstracts)
Davis D, Fong T, Lawrence B, Vilke G. Psychosocial variables influence the decision to call 9–1-1 in emergency department patients with abdominal pain. 2008;52:S71 (Research Forum abstracts)
Davis S (*see* Behnam et al). 2008;52:S172 (Research Forum abstracts)
Davis S (*see* Walling et al). 2008;52:S156 (Research Forum abstracts)
Davitt M (*see* Bender et al). 2008;52:S78 (Research Forum abstracts)
Dawes DM (*see* Ho et al). 2008;52:S62 (Research Forum abstracts)
Dawes DM, Ho JD, Miner JR. The effect of a cross-chest electronic control device exposure on breathing. 2008;52:S65 (Research Forum abstracts)
Dawson BC, Gough J, Brewer K. EMS "no transports": an evaluation of emergency department presentations and admission rates following patient initiated "no transports", 2008;52:S71 (Research Forum abstracts)
DCLHb Traumatic Hemorrhagic Shock Study Group & the European HOST Investigators (*see* Sloan et al). 2008;52:S107 (Research Forum abstracts)
DCLHb Traumatic Hemorrhagic Shock Study Group & the European HOST Investigators (*see* Sloan et al). 52:S109 (Research Forum abstracts)
DCLHb Traumatic Hemorrhagic Shock Study Group & the European HOST Investigators (*see* Sloan et al). 52:S143 (Research Forum abstracts)
Dean AJ (*see* Fields et al). 2008;52:S148 (Research Forum abstracts)
Dean AJ (*see* Lee et al). 2008;52:S128 (Research Forum abstracts)
Dean AJ (*see* Panebianco et al). 2008;52:S61 (Research Forum abstracts)
DeBlieux P (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
de Boer M (*see* Hiller et al). 2008;52:S72 (Research Forum abstracts)
Decker MC (*see* Begaz et al). 2008;52:S68 (Research Forum abstracts)
Decker W (*see* Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Decker W (*see* Serrano et al). 2008;52:S132 (Research Forum abstracts)
Decker WW (*see* Bellolio et al). 2008;52:407–36 (Clinical policy)
Decker WW (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Decker WW (*see* Bellolio et al).2008;52:S161 (Research Forum abstracts)
Decker WW (*see* Enduri et al). 2008;52:S134 (Research Forum abstracts)
Decker WW (*see* Nestler et al). 2008;52:S91 (Research Forum abstracts)
Decker WW (*see* Nestler et al). 2008;52:S133 (Research Forum abstracts)
Decker WW (*see* Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Decker WW (*see* Stead et al). 2008;52:S162 (Research Forum abstracts)
Decker WW (*see* Vaidyanathan et al). 08;52:S98 (Research Forum abstracts)
Decker WW, Smars PA, Vaidyanathan L, Goyal DG, Boie ET, Stead LG, Packer DL, Meloy TD, Boggust AJ, Haro LH, Laudon DA, Lobl JK, Sadosty AT, Schears RM, Schiebel NE, Hodge DO, Shen W-K. A prospective, randomized trial of an emergency department observation unit for acute onset atrial fibrillation. 2008;52:322–8
Deitch K, Chudnofsky CR, Dominici P. The utility of supplemental oxygen during emergency department procedural sedation with propofol: a randomized, controlled trial. 2008;52:1–8
De la Torre J, Eckstein M. Occult pneumothorax and hemothorax in major trauma patients. 2008;52:S97 (Research Forum abstracts)
Delavari P, Smith SW, Apple FS. Rapid rule out of myocardial infarction with high sensitivity newer generation cardiac troponin. 2008;52:S47 (Research Forum abstracts)
De Leon YW, Brown A, Cederquist A, Jones JS, Rossman L. Sexual assault victims: who gets lost to follow-up? 2008;52:S62 (Research Forum abstracts)
De Luca G, Biondi-Zoccai G, Marino P. Transferring patients with ST-segment elevation myocardial infarction for mechanical reperfusion: a meta-regression analysis of randomized trials. 2008;52:665–76 (Review article)
Delude RL (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Denver Emergency Department HIV Testing Study Group (*see* Sankoff et al). 2008;52:S101 (Research Forum abstracts)
Desai R (*see* Gupta et al). 2008;52:S103 (Research Forum abstracts)
Desai S (*see* Hedayati et al). 2008;52:S112 (Research Forum abstracts)
DeStefano S (*see* Kairam et al). 2008;52:S142 (Research Forum abstracts)
Destefano S (*see* Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
DeVerna CJ, Ketchum JM, Camp-Rogers TR, Smith SW, Leffler JN, Strickland S, Leuthauser AD, Babcock C, Kurz MC. Electrocardiographic determination of culprit artery occlusion in acute inferior myocardial infarction. 2008;52:S117 (Research Forum abstracts)
Devita D (*see* Ball et al). 2008;52:496 (Images in Emergency Medicine)
Dewar JD (*see* Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
Dewar JD (*see* Matlock et al). 2008;52:S67 (Research Forum abstracts)
Dhawan N (*see* Gupta et al). 2008;52:S103 (Research Forum abstracts)
Dickinson G (*see* Rowe et al). 2008;52:S48 (Research Forum abstracts)
Diercks DB (*see* Pottenger et al). 2008;52:677–85 (Concepts)
Diercks DB (*see* Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Dierks TW (*see* Wadman et al). 2008;52:S115 (Research Forum abstracts)
Dines M (*see* Aston et al). 2008;52:S108 (Research Forum abstracts)
Dittus RS (*see* Han et al). 2008;52:S51 (Research Forum abstracts)
Doherty J (*see* Watts et al). 2008;52:S52 (Research Forum abstracts)
Dolan BJ (*see* Smith and Dolan). 2008;52:S76 (Research Forum abstracts)
Dominici P (*see* Deitch et al). 2008;52:1–8
Donaldson GW (*see* Fosnocht et al). 2008;52:S164 (Research Forum abstracts)
Donelan C (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Donham BP, Gibler WB. Eye drainage and pain. 2008;52:11 (Images in Emergency Medicine)
Donlan SM, Venkatesh A, Pang PS, Mercer LM, Tanabe P, Courtney D, Engel K, Duval-Arnould J, Gisondi MA, Makoul G, Adams JG. The effect of wait times and emergency department length of stay on patient perception of medical team communication. 2008;52:S111 (Research Forum abstracts)
D'Onofrio G (*see* Safdar et al). 2008;52:S116 (Research Forum abstracts)
Doshi P (*see* Garcia et al). 2008;52:S59 (Research Forum abstracts)

Doyle J (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)
Dozier EJ, Geary DC, Dula D. Trauma team activation does not improve functional status on discharge nor length of emergency department stays when controlled for injury severity scores. 2008;52:S143 (Research Forum abstracts)
Drake W (*see* Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Drigalla D (*see* Matloff et al). 2008;52:S81 (Research Forum abstracts)
Drigalla D, Burns P, Rush C, Kjar D, Stallard T. Intubation with direct and GlideScope® laryngoscopes in teaching airway management to medical students. 2008;52:S114 (Research Forum abstracts)
Drucker J (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Drumheller B (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Drumheller B (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Dua N (*see* Friedman et al). 2008;52:399–406
Dubbaka A (*see* Waseem and Dubbaka). 2008;52:S165 (Research Forum abstracts)
Dubon M (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Ducharme J (*see* Sargeant et al). 2008;52:575–6 (Correspondence)
Duemling KE (*see* Irvin et al). 2008;52:S166 (Research Forum abstracts)
Duenas T (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Duffull SB (*see* Isbister et al). 2008;52:87–8 (Correspondence Reply)
Duffy J (*see* Sargeant et al). 2008;52:575–6 (Correspondence)
Duffy T Jr, Sibley DE, Avegno J, Dunbar LM. Undergraduate medical education as affected by Hurricane Katrina. 2008;52:S149 (Research Forum abstracts)
Dula D (*see* Dozier et al). 2008;52:S143 (Research Forum abstracts)
Dunbar JA, Sheahan B, Kobayashi L. Hospital code-cart equipment quality improvement in response to simulated resuscitation program findings. 2008;52:S84 (Research Forum abstracts)
Dunbar L (*see* Manausa et al). 2008;52:S149 (Research Forum abstracts)
Dunbar LM (*see* Duffy et al). 2008;52:S149 (Research Forum abstracts)
Dunbar LM (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Dunford J (*see* Ramanujam et al). 2008;52:S154 (Research Forum abstracts)
Dunne RB, Klausner H, Rudoni R. A survey of emergency department radiology coverage and contemporaneous billing practices. 2008;52:S119 (Research Forum abstracts)
Durie C (*see* Matthews et al). 2008;52:S153 (Research Forum abstracts)
Durst L (*see* Ferguson et al). 2008;52:S131 (Research Forum abstracts)
Duval-Arnould J (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Dyer K (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)

## E

Easter JS, Villarin A, Fisher J. Higher severity of illness in pediatric patients presenting at night and by ambulance. 2008;52:S165 (Research Forum abstracts)
Eberhardt M, Goldman E, Stankewicz H, Melanson S. Helmet use may affect severity of injuries sustained in motorcycle accidents. 2008;52:S109 (Research Forum abstracts)
Eckman MH (*see* Raja et al). 2008;52:S54 (Research Forum abstracts)
Eckstein M. Impact of new CPR/Advanced Cardiac Life Support guidelines on outcome from out-of-hospital cardiac arrest. 2008;52:S69 (Research Forum abstracts)
Eckstein M (*see* De la Torre and Eckstein). 2008;52:S97 (Research Forum abstracts)
Edlow JA, Panagos PD, Godwin SA, Thomas TL, Decker WW, for the American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Critical Issues in the Evaluation and Management of Adult Patients Presenting to the Emergency Department With Acute Headache. Clinical Policy: critical issues in the evaluation and management of adult patients presenting to the emergency department with acute headache. 2008;52:407–36 (Clinical policy)
Eika B (*see* Høyer et al). 2008;52:512–4 (Case Report)
Eilbert W (*see* Halvorson and Eilbert). 2008;52:307 (Images in Emergency Medicine)
El Guindi M (*see* Bond et al). 2008;52:617–22
Ellender TJ, Fiege AB, Skinner JC, Guzman O. Evaluation of early therapy in severe sepsis and septic shock: a retrospective review of protocolized care content on clinical practice. 2008;52:S85 (Research Forum abstracts)
El Seddawy A (*see* Bond et al). 2008;52:617–22
Ely EW (*see* Han et al). 2008;52:S51 (Research Forum abstracts)
Emergency Ultrasound Education (*see* Adhikari and Emergency Ultrasound Education). 2008;52:S128 (Research Forum abstracts)
Emergency Ultrasound Education (*see* Adhikari and Emergency Ultrasound Education).2008;52:S150 (Research Forum abstracts)
Émond M (*see* Moore et al). 2008;52:356–64
Enduri S (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Enduri S (*see* Bellolio et al). 2008;52:S161 (Research Forum abstracts)
Enduri S (*see* Hoff et al). 2008;52:S161 (Research Forum abstracts)
Enduri S (*see* Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Enduri S (*see* Stead et al). 2008;52:S162 (Research Forum abstracts)
Enduri S, Suravaram S, Bellolio MF, Bhagra A, Brown RD, Decker WW, Stead LG. Prolonged QTc as a predictor of death one year following transient ischemic attack. 2008;52:S134 (Research Forum abstracts)
Engel K (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
English J (*see* Naunheim et al). 2008;52:S92 (Research Forum abstracts)
Erickson C (*see* Paulson et al). 2008;52:S107 (Research Forum abstracts)
Escano J (*see* Sutherland et al). 2008;52:339–43 (Best Available Evidence)
Eskin B (*see* McCarthy et al). 2008;52:S166 (Research Forum abstracts)
Espinola JA (*see* Ginde et al). 2008;52:S87 (Research Forum abstracts)
Espinola JA (*see* Weed et al). 2008;52:S155 (Research Forum abstracts)
Esses D (*see* Birnbaum et al). 2008;52:151–9
Esses D (*see* Bender et al). 2008;52:S78 (Research Forum abstracts)
Esses D (*see* Friedman et al). 2008;52:S78 (Research Forum abstracts)
Esses D (*see* Friedman et al). 2008;52:399–406
Esses D (*see* Friedman et al). 2008;52:696–704
Etzwiler LS (*see* Allen et al). 2008;52:S75 (Research Forum abstracts)
Euerle B (*see* Witting et al). 2008;52:S127 (Research Forum abstracts)
Ewy GA (*see* Kellum et al). 2008;52:244–52

## F

Fairbanks RJ (*see* Wang et al). 2008;52:256–62
Fairbanks RJ, Wears RL. Hazards with medical devices: the role of design. 2008;52:519–21 (Editorial)
Falk J (*see* Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
Fang P (*see* Millen et al). 2008;52:S121 (Research Forum abstracts)
Farahani C (*see* Lobel et al). 2008;52:S96 (Research Forum abstracts)
Farber AM, Talkad A, Jackson M, Jahnel J, Hevesy G, Robinson C. The effectiveness of emergency medical service and emergency physician use of the F.A.S.T. exam and activation of a dedicated stroke pager to reduce times to CT scanning and tPA intervention in acute cerebral thrombosis. 2008;52:S100 (Research Forum abstracts)
Farley H (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Farley H, Canning J, Ahn J, Lake A, Reed J III. Absence of racial disparities in emergency department analgesia administration. 2008;52:S101 (Research Forum abstracts)
Farley H, Lagerlund A, Lake A, Knox E, Reed J III. Emergency department bed utilization practices affect efficiency measures. 2008;52:S112 (Research Forum abstracts)
Farley H, Lucas R, Reed J III. Hourly patient arrivals predict the number of patients who leave without being seen. 2008;52:S131 (Research Forum abstracts)
Farris SR, Klausner HA. Does use of an ultrasensitive troponin assay improve mortality? 2008;52:S134 (Research Forum abstracts)
Farsi D Sr, Mofidi M Sr. Bedside echocardiography role in discharge of patients with low risk unstable angina. 2008;52:S116 (Research Forum abstracts)
Feldman J (*see* McGrath et al). 2008;52:S73 (Research Forum abstracts)
Feldman JA (*see* Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Felix AC (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Fendrick AM (*see* Meurer et al). 2008;52:S100 (Research Forum abstracts)
Ferguson E, Pillow T, Graber M, Durst L, Walter J. An alternate site of care program in an urban emergency department. 2008;52:S131 (Research Forum abstracts)

Ferguson JD (*see* Garza et al). 2008;52:S108 (Research Forum abstracts)
Fernandez M (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Fernandez WG. Commentary: don't just stand there . . . stir things up!, 2008;52:750–2 (NHTSA Notes)
Ferraris S (*see* Wehner et al). 2008;52:S46 (Research Forum abstracts)
Ferraris V (*see* Wehner et al). 2008;52:S46 (Research Forum abstracts)
Ferraro JP (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Ferre C, Llopis F, Jacob J, Juan A, Alonso G, Corbella X, Salazar A. Management and outcome of patients over 75 with pneumonia: report of 149 consecutive cases in an emergency department short stay unit. 2008; 52:S139 (Research Forum abstracts)
Fiege AB (*see* Ellender et al). 2008;52:S85 (Research Forum abstracts)
Fields JM (*see* Lee et al). 2008;52:S128 (Research Forum abstracts)
Fields JM, Lee PA, Jenq KY, Mark DG, Panebianco NL, Dean AJ. Gestalt visual estimation of inferior vena cava collapse index maintains reliable agreement with traditional quantitative measurements. 2008;52:S148 (Research Forum abstracts)
Fiesseler F (*see* Kairam et al). 2008;52:S142 (Research Forum abstracts)
Fiesseler F, Kairam N, Salo D, Riggs R, Reedman L, Destefano S, Amato C. Are carboxyhemoglobin levels required in asymptomatic patients whose carbon monoxide detector alarms? 2008;52:S94 (Research Forum abstracts)
Figueroa-Castaneda D, Goldsmith D, Suarez A, Ristova S, Martin G, Otero R. Who's watching the vent? Morbidity associated with mechanically ventilated patients in the emergency department. 2008;52:S113 (Research Forum abstracts)
Filbin NB (*see* Sloan et al). 2008;52:S109 (Research Forum abstracts)
Fineberg L, Arendts G, Fineberg SL. Standardization of product concentration in emergency dosing: a response to Fineberg and Arendt. 2008;52:478 (Correspondence reply)
Fineberg S, Arendts G. Comparison of two methods of pediatric resuscitation and critical care management. 2008;52:35–40
Fineberg SL (*see* Fineberg et al). 2008;52:478 (Correspondence reply)
Finnegan B (*see* Broder et al). 2008;52:S67 (Research Forum abstracts)
Finnell J II (*see* Riutta et al). 2008;52:S135 (Research Forum abstracts)
Fiorello AB (*see* Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Firestone B (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Firestone B (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Firestone B (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Fish LR, O'Rourke D, Lust R, Brewer KL, Hack JB, Meggs WJ. Cardiovascular effects of intravenous rattlesnake envenomations. 2008; 52:S140 (Research Forum abstracts)
Fisher J (*see* Easter et al). 2008;52:S165 (Research Forum abstracts)
Fisher J (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
Fisher TL (*see* Kim et al). 2008;52:S122 (Research Forum abstracts)
Fitch M (*see* Nicks et al). 2008;52:S119 (Research Forum abstracts)
Flaherty M (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Flaherty SK, Charles M. Mountain biking: an evolving mechanism of injury. 2008;52:S145 (Research Forum abstracts)
Flansbaum D (*see* Levitan et al). 2008;52:S160 (Research Forum abstracts)
Flora SD. How to lose your voice. 2008;52:80–1 (Change of Shift)
Flottemesch TJ (*see* Gordon et al). 2008;52:504–11
Fly C (*see* Lyon et al). 2008;52:S147 (Research Forum abstracts)
Flynn G. The "Fad" turns 40: ACEP celebrates 4 decades of service. 2008;52:373–8 (News and Perspective)
Flynn K (*see* Irvin et al). 2008;52:S104 (Research Forum abstracts)
Fojtik J (*see* Griswold-Theodorson et al). 2008;52: S169 (Research Forum abstracts)
Foley M (*see* Sinert and Foley). 2008;52:76–9 (Rational clinical examination abstract)
Folkert GD, Nikraven S, Michael M. Study in the emergency department of atypical tranquilizer efficiency. 2008;52:S80 (Research Forum abstracts)
Fong T (*see* Davis et al). 2008;52:S71 (Research Forum abstracts)
Fontenot C (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Ford MM, Weise A, Stokes-Buzzelli S, Martin G, Yang J. Analysis of the Community Resources for Emergency Department Overuse (CREDO) initiative for emergency department frequent users. 2008;52:S80 (Research Forum abstracts)
Forman J (*see* Sasson et al). 2008;52:S69 (Research Forum abstracts)
Forrow L (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
Fortman J (*see* Barton et al). 2008;52:S99 (Research Forum abstracts)
Fosnocht DE, Chapman C, Donaldson GW. Pain intensity for emergency department patients following discharge. 2008;52:S164 (Research Forum abstracts)
Fosnocht DE, Swanson ER. Arrival and discharge pain intensity in the emergency department. 2008;52:S163 (Research Forum abstracts)
Fournies P (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Fowler RL, Pierce A, Nazeer S, Philbeck TE, Miller LJ. 1,199 case series: powered intraosseous insertion provides safe and effective vascular access for emergency patients. 2008;52:S152 (Research Forum abstracts)
Fox N (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Francis D (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Fredette JM (*see* Panebianco et al). 2008;52:S61 (Research Forum abstracts)
Freeman D (*see* Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Freeman K (*see* Blum et al). 2008;52:S82 (Research Forum abstracts)
Friedman B (*see* Bender et al). 2008;52:S78 (Research Forum abstracts)
Friedman BW, Esses D, Solorzano C, Dua N, Greenwald P, Radulescu R, Chang E, Hochberg M, Campbell C, Aghera A, Valentin T, Paternoster J, Bijur P, Lipton RB, Gallagher EJ. A randomized controlled trial of prochlorperazine *versus* metoclopramide for treatment of acute migraine. 2008;52:399–406
Friedman BW, Hochberg ML, Esses D, Grosberg BM, Rothberg D, Bernstein B, Bijur PE, Lipton RB, Gallagher EJ. Recurrence of primary headache disorders after emergency department discharge: frequency and predictors of poor pain and functional outcomes. 2008; 52:696–704
Friedman BW, Kapoor A, Friedman MS, Hochberg ML, Rowe BH. The relative efficacy of meperidine for the treatment of acute migraine: a meta-analysis of randomized controlled trials. 2008;52:705–13
Friedman MS (*see* Friedman et al). 2008;52:705–13
Fromm C, Likourezos A, Haines L, Tsai B, Marquart E. Comparison of blood gas *versus* conventional laboratory results for hematocrit, potassium, and creatinine. 2008;52:S66 (Research Forum abstracts)
Fu R (*see* Norton and Fu). 2008;52:S137 (Research Forum abstracts)
Fuhrman C (*see* Hill and Fuhrman). 2008;52:309–10 (Correspondence)
Fuller C (*see* Kuehl et al). 2008;52:S74 (Research Forum abstracts)
Fung SCA, Chan YC, Lau FL. Beta-blockers are associated with reduced risk of myocardial infarction after cocaine use. 2008;52:88–9 (Correspondence)
Furie KL (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)

## G

Gadd CS (*see* Hoot et al). 2008;52:116–25
Gaddis GM, Woods T, Patel S. Efficacy impacts of an evidence-based algorithmic approach to the treatment, matched to presumed underlying cause of nausea and vomiting, in the emergency department. 2008;52:S78 (Research Forum abstracts)
Gagliano N, Passarello B, Johnson S, Fox N, Resurreccion D, Moore C, Woods P, Pirrung J, Laskowsi Jones L. Implementation of a team training program for trauma care: the BETTER (Bringing Enhanced Team Training to the Emergency Room) initiative. 2008;52: S107 (Research Forum abstracts)
Gai V, Battista S, Moiraghi C, Genta G, Barbato G, Levi R. Assessment of emergency department crowding in a large referral north Italian hospital. 2008;52:S120 (Research Forum abstracts)
Gaines BA (*see* Lovallo et al). 2008;52:S78 (Research Forum abstracts)
Gajic O (*see* Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Gallagher E (*see* Bender et al). 2008;52:S78 (Research Forum abstracts)
Gallagher EJ (*see* Birnbaum et al). 2008;52:151–9;
Gallagher EJ (*see* Friedman et al). 2008;52:399–406;

Gallagher EJ (*see* Friedman et al). 2008;52:696–704;
Galli RL (*see* Jones et al). 2008;52:S144 (Research Forum abstracts)
Galuska M (*see* Walker et al). 2008;52:S90 (Research Forum abstracts)
Gamaluddin H (*see* Bond et al). 2008;52:617–22
Gamiel J (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Gamiel J (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Ganti S (*see* Gupta et al). 2008;52:S77 (Research Forum abstracts)
Garcia AJ, Doshi P, Otero RM, Cannon CM, Rivers EP. Early sepsis management: a meta-analysis of published studies. 2008;52:S59 (Research Forum abstracts)
Garcia E, Likourezos A, Choi J, Chun T, Yang J, Liu W. Chinese American pediatric parents' emergency department utilization and needs assessment. 2008;52:S165 (Research Forum abstracts)
Garg N (*see* Berger et al). 2008;52:S54 (Research Forum abstracts)
Garg N (*see* Green et al). 2008;52:S72 (Research Forum abstracts)
Garg N (*see* Green et al). 2008;52:S86 (Research Forum abstracts)
Garg N (*see* Gupta et al). 2008;52:S77 (Research Forum abstracts)
Garg N (*see* Ladner et al). 2008;52:S119 (Research Forum abstracts)
Garner CL Jr (*see* Mitchell et al). 2008;52:S157 (Research Forum abstracts)
Garra G (*see* Singer et al).2008;52:689–95
Garra G (*see* Singer et al). 2008;52:S95 (Research Forum abstracts)
Garrett J (*see* Jones et al). 2008;52:S106 (Research Forum abstracts)
Garza A (*see* Gratton et al). 2008;52:S97 (Research Forum abstracts)
Garza D, Sungar G, Johnston T, Rolston B, Ferguson JD, Matheson G. Thoracoabdominal trauma in the National Football League: a twenty-eight year review. 2008;52:S108 (Research Forum abstracts)
Gasworth L (*see* Wright et al). 2008;52:S125 (Research Forum abstracts)
Gates K (*see* Muniz and Gates). 2008;52:S77 (Research Forum abstracts)
Gean AD (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Geary DC (*see* Dozier et al). 2008;52:S143 (Research Forum abstracts)
Geeting GK, Benaknin JE. Right eye swelling. 2008;52:338 (Images in Emergency Medicine)
Geissbuhler A (*see* Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Geissbuhler A (*see* Rutschmann et al). 2008;52:S167 (Research Forum abstracts)
Gendreau M. Career satisfaction in emergency medicine and burnout: all is not well. 2008;52:577 (Correspondence)
Genta G (*see* Gai et al). 2008;52:S120 (Research Forum abstracts)
Gentry R (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Gerardo CJ (*see* Lavonas et al). 2008;52:S141 (Research Forum abstracts)
Gerber T (*see* Szymanski et al). 2008;52:S91 (Research Forum abstracts)
Gerhardt RT (*see* Goebel et al). 2008;52:S92 (Research Forum abstracts)
Gerhardt RT, Matthews JM, Sullivan SG. The effect of systemic antibiotic prophylaxis and wound irrigation on penetrating combat wounds in a "return-to-duty" population. 2008;52:S108 (Research Forum abstracts)
Geyer BC, Kilbourne J, Lenz D, Soreq H, Mor TS. Advanced bioscavengers for the emergency treatment of nerve agent/pesticide poisoning. 2008;52:S142 (Research Forum abstracts)
Ghajar J (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Ghanbari S, Richard O, Ben Hellal A, Nguyen A, Moro J, Cazenave C, Fournies P, Cantineau J, Lambert Y. Development and validation of a sedation scale for out-of-hospital intensive care. 2008;52:S81 (Research Forum abstracts)
Gibler WB (*see* Donham and Gibler). 2008;52:11 (Images in Emergency Medicine)
Gifford G (*see* Padurean et al). 2008;52:S152 (Research Forum abstracts)
Gilbert M (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Giles B (*see* Chisholm et al). 2008;52:383–9
Gill J (*see* Wright et al). 2008;52:S125 (Research Forum abstracts)
Gilmore RM (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Gilmore RM (*see* Stead et al). 2008;52:S162 (Research Forum abstracts)
Gilmore RM (*see* Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)
Ginde AA (*see* Camargo et al). 2008;52:S46 (Research Forum abstracts)
Ginde AA (*see* Millen et al). 2008;52:S121 (Research Forum abstracts)
Ginde AA (*see* Prutzman et al). 2008;52:S88 (Research Forum abstracts)
Ginde AA (*see* Spalding et al). 2008;52:S46 (Research Forum abstracts)
Ginde AA, Espinola JA, Sullivan AF, Blum FC, Camargo CA Jr. Use of physician assistants and nurse practitioners in United States emergency departments, 1993–2005: implications for the emergency physician workforce. 2008;52:S87 (Research Forum abstracts)
Giordano P (*see* Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
Gisondi MA (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Gittinger MJ (*see* Wilson et al). 2008;52:S89 (Research Forum abstracts)
Glauser J (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Glickman S (*see* Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Glickman S (*see* Limkakeng et al). 2008;52:S134 (Research Forum abstracts)
Glickman SW (*see* Kim et al). 2008;52:S124 (Research Forum abstracts)
Glickman SW (*see* Phillips et al). 2008;52:S94 (Research Forum abstracts)
Glickman SW, Krubert C, Koppenhaver J, Phillips S, Kim ET, Preston RJ, Cairns CB. Increases in central venous catheterization among community emergency department visits from 2004–2008. 2008;52:S120 (Research Forum abstracts)
Godall C (*see* Cochrane et al). 2008;52:S102 (Research Forum abstracts)
Godwin SA (*see* Edlow et al). 2008;52:407–36 (Clinical policy)
Godwin SA (*see* Caro et al). 2008;52:S66 (Research Forum abstracts)
Goebel PJ, Williams J, Gerhardt RT. Predicting outcomes and severity of illness in emergency department patients with suspected infection: a novel use of the D-dimer. 2008;52:S92 (Research Forum abstracts)
Gogela CA, Lange CM, Heard K. Misuse of non-prescription analgesics by emergency department patients. 2008;52:S74 (Research Forum abstracts)
Goldberg A (*see* Adini et al). 2008;52:223–9
Goldberg DJ, Miller B, Clements E, Judge B, Jones JS. Safety and effectiveness of intravenous prochlorperazine for intractable vomiting in children with gastroenteritis. 2008;52:S76 (Research Forum abstracts)
Goldfarb S (*see* Landman and Goldfarb). 2008;52:308–9 (Correspondence)
Goldfinger J (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Goldman E (*see* Eberhardt et al). 2008;52:S109 (Research Forum abstracts)
Goldschlager NF (*see* Tabas et al). 2008;52:329–36
Goldsmith D (*see* Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)
Goldsmith D (*see* Otero et al). 2008;52:S105 (Research Forum abstracts)
Gong J (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Gong J (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Gong J (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Gong J (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Gonzales R (*see* Stein et al). 2008;52:S169 (Research Forum abstracts)
Gonzalez MG (*see* Hampton et al). 2008;52:S113 (Research Forum abstracts)
Gonzalez-Engle J (*see* Cline et al). 2008;52:S136 (Research Forum abstracts)
Good KS, Bloch RB. Proptosis of left eye. 2008;52:337 (Images in Emergency Medicine)
Gordon BD, Flottemesch TJ, Asplin BR. Accuracy of staff-initiated emergency department tracking system timestamps in identifying actual event times. 2008;52:504–11
Gordon D (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Gordon JA (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Gorlin A. Himalayan house call. 2008;52:457 (Change of Shift)
Goss F (*see* Villarin and Goss). 2008;52:S56 (Research Forum abstracts)
Gough J (*see* Dawson et al). 2008;52:S71 (Research Forum abstracts)
Govani RS (*see* Hoffman et al). 2008;52:S73 (Research Forum abstracts)
Goyal DG (*see* Decker et al). 2008;52:322–8
Goyal DG.(*see* Johnson et al). 2008;52:185–6 (Correspondence reply)
Goyal N (*see* Malhotra et al). 2008;52:S55 (Research Forum abstracts)
Graber M (*see* Ferguson et al). 2008;52:S131 (Research Forum abstracts)
Granquist EJ (*see* Mark and Granquist). 2008;52:368–72 (Best Available Evidence)
Grant GA (*see* Phillips et al). 2008;52:S124 (Research Forum abstracts)

Gratton M, Garza A, Salomone J III, Shearer J. Ambulance staging for potentially dangerous scenes: another hidden component of response time. 2008;52:S97 (Research Forum abstracts)
Grauman E (*see* Saleh et al). 2008;52:616 (Images in Emergency Medicine)
Gravitz C (*see* Paulson et al). 2008;52:S107 (Research Forum abstracts)
Green JP (*see* Berger et al). 2008;52:S54 (Research Forum abstracts)
Green JP, Berger T, Garg N, Wright RR, Radeos MS. Likelihood ratios for SIRS criteria predict neither candidacy for early goal-directed therapy nor in-patient mortality in adult emergency department patients with suspected infection. 2008;52:S72 (Research Forum abstracts)
Green JP, Garg N, Kraszewski B, Berger T, Gupta S. Should adult emergency department patients with suspicion for sepsis be screened for occult hypoperfusion at triage? 2008;52:S86 (Research Forum abstracts)
Green SM, Krauss B. Barriers to propofol use in emergency medicine. 2008;52:392–8 (Concepts)
Green SM, Krauss B. Supplemental oxygen during propofol sedation: yes or no? 2008;52:9–10 (Editorial)
Green W (*see* Marinelli et al). 2008;52:S171 (Research Forum abstracts)
Greenberger S (*see* Thundiyil et al). 2008;52:S103 (Research Forum abstracts)
Greene J. Nonprofit hospitals come under public fire for huge war chests, tony improvement projects. 2008;52:140–2 (News and Perspective)
Greene J. Post 9/11 federal disaster funds: where did the $7 billion trickle down? 2008;52:263–5 (News and Perspective)
Greene J. Violence in the ED: no quick fixes for pervasive threat. 2008;52:17–9 (News and Perspective)
Greene SC, Brooks DE, LoVecchio F. Effect of activated charcoal on citalopram-induced QT prolongation. 2008;52:86–7 (Correspondence)
Greene V (*see* Limkakeng et al). 2008;52:S134 (Research Forum abstracts)
Greenwald P (*see* Friedman et al). 2008;52:399–406
Griffen D, Nallamothu N, Sherrick A, Zuck V, Lam W, Thompson J, Weller-Summers M, Gentry R, Mangold G, Turner L. Comparison of the hospital cost and emergency department length of stay of 64-multislice computed tomography coronary angiography *versus* stress echocardiography for evaluation of patients with low probability of acute coronary syndrome. 2008;52:S88 (Research Forum abstracts)
Griffey RT, Sodickson AD. Cumulative radiation exposure and cancer risk estimates in emergency patients undergoing repeat or multiple CT imaging. 2008;52:S157 (Research Forum abstracts)
Griffin B (*see* Tekwani et al). 2008;52:S105 (Research Forum abstracts)
Grimes B (*see* Weber et al). 2008;52:108–15
Griswold-Theodorson S, Hannan H, Handly N, Fojtik J, Pugh B, Saks M, Wagner D. Improving patient safety using ultrasound guidance during internal jugular central venous catheter placement by novice practitioners. 2008;52:S169 (Research Forum abstracts)
Grosberg BM (*see* Friedman et al). 2008;52:696–704
Grosgurin O, Rutschmann O, Plojoux J, Keller P, Niquille M, Nkoulou R, Sarasin FP. Out-of-hospital emergency physician activation of interventional cardiology team reduces door-to-balloon time in ST-elevation myocardial infarction. 2008;52:S90 (Research Forum abstracts)
Gruzden C (*see* Stone et al). 2008;52:S119 (Research Forum abstracts)
Gunaga S, Kella V, Walker J, Nedzlek C, Pensler M. Implementation of a sepsis quality initiative in a community hospital and its impact on morbidity and mortality in septic shock. 2008;52:S55 (Research Forum abstracts)
Gupta N (*see* Singer et al). 2008;52:41–7
Gupta S (*see* Green et al). 2008;52:S86 (Research Forum abstracts)
Gupta S, Berger A, Wright S, Chun P. The reliability of abscess detection by bedside ultrasound in the emergency department. 2008;52:S60 (Research Forum abstracts)
Gupta S, Ganti S, Garg N, Ryan J. The correlation of serum lactate and ketone levels to the anion gap and serum bicarbonate in acutely dehydrated children. 2008;52:S77 (Research Forum abstracts)
Gupta S, Walline J. The education of and utilization of diagnostic and therapeutic procedures by emergency physicians in Beijing, China. 2008;52:S68 (Research Forum abstracts)
Gupta V, Dhawan N, Saeed O, Bhoi S, Desai R, Verma S. Impact of health education video intervention on patient knowledge in emergency department waiting area of a developing nation: a pilot study. 2008;52:S103 (Research Forum abstracts)
Guss DA. Fever and painful rash. 2008;52:83 (Images in Emergency Medicine)
Guss DA (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Gutovitz S, Papa L, Jimenez E, Falk J, Wieman L, Giordano P. Protein C as an early biomarker to distinguish pneumonia from sepsis. 2008;52:S53 (Research Forum abstracts)
Guzman O (*see* Ellender et al). 2008;52:S85 (Research Forum abstracts)
Gwon H (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)

## H

Hack JB (*see* Fish et al). 2008;52:S140 (Research Forum abstracts)
Hafner J (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Hafner JW Jr (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Hafner JW Jr (*see* Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
Hafner JW Jr (*see* Matlock et al). 2008;52:S67 (Research Forum abstracts)
Hafner JW Jr (*see* Roberts et al). 2008;52:S100 (Research Forum abstracts)
Hafner JW Jr (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Hahn B (*see* Saleh et al). 2008;52:616 (Images in Emergency Medicine)
Hahn B (*see* Weizberg et al). 2008;52:764 (Images in Emergency Medicine)
Hahn B, Kass D, McCarroll N. Elderly woman with eye pain. 2008;52:474 (Images in Emergency Medicine)
Hahn I (*see* Hoffman et al). 2008;52:S73 (Research Forum abstracts)
Hahn J (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Hahn S, Goldfinger J, Sharon J, Kwaan N, Robbins N, Babcock J, Marcewicz L, Kamrath J, Selman F, Pineda L. Implementation and evaluation of an injury surveillance system in an urban emergency department in Honduras. 2008;52:S126 (Research Forum abstracts)
Hailpern SM (*see* Dattilo et al). 2008;52:89–90 (Correspondence Reply)
Haines L (*see* Fromm et al). 2008;52:S66 (Research Forum abstracts)
Halasz S (*see* Cochrane et al). 2008;52:S102 (Research Forum abstracts)
Hall DG (*see* Irvin et al). 2008;52:S59 (Research Forum abstracts)
Halpern EJ (*see* Takakuwa et al). 2008;52:S80 (Research Forum abstracts)
Halvorson K, Eilbert W. Child with bilious emesis and bloody stool. 2008;52:307 (Images in Emergency Medicine)
Ham DS (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Ham DS (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Hampton MS, Gonzalez MG, Adams BD. A comparative study of endotracheal intubation by Airtraq, Glidescope® Ranger and direct laryngoscopy in a closed space environment. 2008;52:S113 (Research Forum abstracts)
Han JH (*see* Heavrin et al). 2008;52:S42 (Research Forum abstracts)
Han JH, Cutler N, Zimmerman EE, Schnelle J, Morandi A, Storrow AB, Dittus RS, Ely EW. Delirium risk factors in the older emergency department patient. 2008;52:S51 (Research Forum abstracts)
Handel DA, McConnell K. The financial impact of ambulance diversion on inpatient hospital revenues. 2008;52:S87 (Research Forum abstracts)
Handly N (*see* Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)
Hannan H (*see* Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)
Hanson G (*see* Padurean et al). 2008;52:S152 (Research Forum abstracts)
Haque N (*see* Kass-Shamoun et al). 2008;52:S155 (Research Forum abstracts)
Haque N (*see* Medado et al). 2008;52:S137 (Research Forum abstracts)
Haque N (*see* Robinson et al). 2008;52:S138 (Research Forum abstracts)
Harb G (*see* Allen et al). 2008;52:S75 (Research Forum abstracts)
Hardy L (*see* Nelson et al). 2008;52:S122 (Research Forum abstracts)
Haro LH (*see* Decker et al). 2008;52:322–8
Haro LH (*see* Decker et al). 2008;52:S91 (Research Forum abstracts)
Haro LH (*see* Nestler et al). 2008;52:S133 (Research Forum abstracts)
Harrington L (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)
Hart D (*see* Reardon et al). 2008;52:S114 (Research Forum abstracts)
Hart K (*see* Kulstad et al). 2008;52:S85 (Research Forum abstracts)

Hass P (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Hastings M (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Hatamabady HR. Causes of length of stay in a typical crowded emergency department of a teaching hospital in Tehran Capital City. 2008;52:S131 (Research Forum abstracts)
Hatch L (*see* McClung et al). 2008;52:S162 (Research Forum abstracts)
Hatch LD (*see* Arora et al). 2008;52:S127 (Research Forum abstracts)
Hatch LD (*see* Henderson et al). 2008;52:S106 (Research Forum abstracts)
Haug PJ (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Haukoos J (*see* Paulson et al). 2008;52:S107 (Research Forum abstracts)
Haukoos JS. Advanced modeling strategies in emergency medicine research: is the pendulum swinging? 2008;52:365–7 (Editorial)
Haun G (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Haydel M (*see* Manausa et al). 2008;52:S149 (Research Forum abstracts)
Hayward A (*see* Mullen et al). 2008;52:S104 (Research Forum abstracts)
Hazan A (*see* Shah et al). 2008;52:S113 (Research Forum abstracts)
Haze D (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Heard K (*see* Gogela et al). 2008;52:S74 (Research Forum abstracts)
Heard K (*see* Moreira et al). 2008;52:S141 (Research Forum abstracts)
Heavrin BS (*see* Santen et al). 2008;52:S49 (Research Forum abstracts)
Heavrin BS, Han JH, Storrow AB, Zhou C, Lowe RA. Medicaid disenrollment increases emergency department utilization among the uninsured. 2008;52:S42 (Research Forum abstracts)
Heavrin BS, Richling R, Hemphill R. Do ambulatory trauma patients have serious injuries? 2008;52:S143 (Research Forum abstracts)
Hebert D (*see* Poitras et al). 2008;52:S95 (Research Forum abstracts)
Hedayati T, Desai S, Henderson SO. The effect of implementation of an observation unit on emergency department wait time to initial physician evaluation, emergency department length of stay, emergency department boarding times, and percentage of patients who left without being seen. 2008;52:S112 (Research Forum abstracts)
Heffner A (*see* Juliano et al). 2008;52:143–7
Heffner A. (*see* Jones et al). 2008;52:S106 (Research Forum abstracts)
Heidelberger CP (*see* Venkat et al). 2008;52:274–85 (Review article)
Heilbrunn BR, Weinstein E, Walthall JDH. Adolescent with rash and cough. 2008;52:606 (Images in Emergency Medicine)
Helling TS (*see* Miller et al). 2008;52:483–91
Helm E (*see* Irvin et al). 2008;52:S59 (Research Forum abstracts)
Helmkamp J (*see* Walling et al). 2008;52:S156 (Research Forum abstracts)
Hemphill J III (*see* Barton et al). 2008;52:S99 (Research Forum abstracts)
Hemphill R (*see* Heavrin et al). 2008;52:S143 (Research Forum abstracts)
Hemphill RR (*see* Santen et al). 2008;52:S49 (Research Forum abstracts)
Henderson K, Akhtar S, Sandoval M, Siddiqui S, Todd K, Wirtner A. Femoral nerve block for pain management of hip fractures in the emergency department: preliminary results of a randomized, controlled trial. 2008;52:S164 (Research Forum abstracts)
Henderson SO (*see* Arora et al). 2008;52:S93 (Research Forum abstracts)
Henderson SO (*see* Hedayati et al). 2008;52:S112 (Research Forum abstracts)
Henderson SO (*see* Kimball et al). 2008;52:S83 (Research Forum abstracts)
Henderson SO (*see* McClung et al). 2008;52:S162 (Research Forum abstracts)
Henderson SO, Hatch LD, O'Shea R. Differential survival from in-hospital cardiac arrests: days vs nights and weekends. 2008;52:S106 (Research Forum abstracts)
Henderson SO, Knight M. The utility of serial peak flow measurements in the acute asthmatic being treated in the emergency department. 2008;52:S45 (Research Forum abstracts)
Hendey G (*see* Campagne et al). 2008;52:S113 (Research Forum abstracts)
Hendey GW. (*see* Chinnock et al). 2008;52:268–73 (Brief research report)
Hendey GW (*see* Chinnock et al). 2008;52:S170 (Research Forum abstracts)
Henry Ford Hospital Sepsis Collaborative Group (*see* Coba and Henry Ford Hospital Sepsis Collaborative Group). 2008;52:S59 (Research Forum abstracts)
Henry MC (*see* Viccellio et al). 2008;52:S43 (Research Forum abstracts)
Hepps TS (*see* Roslund et al). 2008;52:22–9
Herasevich V (*see* Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Hernandez J (*see* Kline et al). 2008;52:S47 (Research Forum abstracts)
Hess M (*see* Nassiry et al). 2008;52:S48 (Research Forum abstracts)
Hevesy G (*see* Farber et al). 2008;52:S100 (Research Forum abstracts)
Hickner J (*see* Kim et al). 2008;52:S122 (Research Forum abstracts)
Hidalgo IP (*see* Jahnes et al). 2008;52:S82 (Research Forum abstracts)
Hiestand BC (*see* Neuenschwander et al). 2008;52:S132 (Research Forum abstracts)
Higgins A (*see* Rae et al). 2008;52:S111 (Research Forum abstracts)
Hill C (*see* Reardon et al). 2008;52:S114 (Research Forum abstracts)
Hill R Jr, Fuhrman C. Presence of family members during resuscitation. 2008;52:309–10 (Correspondence)
Hiller K, Winegard B, de Boer M, Wooden H, Patanwala S. Influenza vaccination in the emergency department. 2008;52:S72 (Research Forum abstracts)
Hilliard M (*see* Sample and Hilliard). 2008;52:S166 (Research Forum abstracts)
Hills RW, Brown JC, Brownstein D. Barotrauma: a complication of positive pressure for nasal foreign body removal in a pediatric patient. 2008;52:623–5 (Case report)
Hinshaw JW (*see* Winslow et al). 2008;52:93–7 (Brief research report)
Hite D, Mullen N. Effects of intranasal oxymetazoline on the pediatric population aged 1 to 12 months: an interim analysis. 2008;52:S165 (Research Forum abstracts)
Ho JD (*see* Dawes et al). 2008;52:S65 (Research Forum abstracts)
Ho JD, Dawes DM, Reardon RF, Lapine AL, Miner JR. Echocardiographic determination of cardiac rhythm during trans-thoracic wireless conducted electrical weapon exposure. 2008;52:S62 (Research Forum abstracts)
Hochberg M (*see* Friedman et al). 2008;52:399–406
Hochberg ML (*see* Friedman et al). 2008;52:696–704
Hochberg ML (*see* Friedman et al). 2008;52:705–13
Hodge DO (*see* Decker et al). 2008;52:322–8
Hoeker G (*see* Wilson et al). 2008;52:S89 (Research Forum abstracts)
Hoff A (*see* Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Hoff A, Schutterle KR, Enduri S, Bellolio MF, Suravaram S, Decker WW, Stead LG. Impact of age, sex, and history of anticoagulation on early mortality following hemorrhagic stroke. 2008;52:S161 (Research Forum abstracts)
Hoffman LH (*see* Wadman et al). 2008;52:S115 (Research Forum abstracts)
Hoffman RJ, Chowdry UH, Lipovic D. Correlation between calculated venous blood gas bicarbonate and measured serum bicarbonate in children with dehydration from gastroenteritis. 2008;52:S166 (Research Forum abstracts)
Hoffman RJ, Govani RS, Hahn I. Can a therapeutic serum ketamine concentration be achieved by nebulization? 2008;52:S73 (Research Forum abstracts)
Hoffman RS, Kirrane BM, Marcus SM, for the Clenbuterol Study Investigators. A descriptive study of an outbreak of clenbuterol-containing heroin. 2008;52:548–53
Hogan CJ (*see* Nassiry et al). 2008;52:S48 (Research Forum abstracts)
Hogan KA (*see* Safdar et al). 2008;52:S116 (Research Forum abstracts)
Hogan TM. Barriers to depression screening and referral in emergency department elders. 2008;52:S52 (Research Forum abstracts)
Hogan TM. Depression screening and referral in emergency department elders. 2008;52:S51 (Research Forum abstracts)
Holcomb JB (*see* Mehta et al). 2008;52:S144 (Research Forum abstracts)
Hollander JE (*see* Chang et al). 2008;52:S140 (Research Forum abstracts)
Hollander JE (*see* Pollack et al). 2008;52:344–55 (Special contribution)
Holmes A (*see* Shokoohi et al). 2008;52:104–7 (Case report)
Holmes L (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Holstege CP (*see* Althoff and Holstege). 2008;52:572 (Images in Emergency Medicine)
Hom J, Sinert R. Is fluid therapy associated with cerebral edema in children with diabetic ketoacidosis? 2008;52:69–75 (Critically appraised topic)
Hoot NR, Aronsky D. Systematic review of emergency department crowding: causes, effects, and solutions. 2008;52:126–36 (Review article)

Hoot NR, LeBlanc LJ, Jones I, Levin SR, Zhou C, Gadd CS, Aronsky D. Forecasting emergency department crowding: a discrete event simulation. 2008;52:116–25
Hou S-W, Chen C-C, Chong C-F, Wang T-L, Su Y-C. Shortness of breath and chest pain in two females. 2008;52:306 (Images in Emergency Medicine)
Houdijk W, MacDonald K. High imprecision of a point-of-care D-dimer test limits its utility for reliable exclusion of venous thromboembolism. 2008;52:S65 (Research Forum abstracts)
Houry D (*see* Petersburgo et al). 2008;52:S125 (Research Forum abstracts)
House J, Bourne C, Brewer K, Seymour H. Location of the appendix in the gravid patient. 2008;52:S92 (Research Forum abstracts)
Howard PK (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Howard R (*see* Sattarian et al). 2008;52:S132 (Research Forum abstracts)
Høyer CS, Christensen EF, Eika B. Adverse design of defibrillators: turning off the machine when trying to shock. 2008;52:512–4 (Case report)
Hsia RY, Shen Y. Trauma centers: what are the risk factors for closure? 2008;52:S43 (Research Forum abstracts)
Hsieh C-F (*see* Huang et al). 2008;52:492 (Images in Emergency Medicine)
Hsieh W (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Hsieh Y (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Hsieh Y (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Hsu J (*see* Ballard et al). 2008;52:643–50
Huang DT, Angus DC, Pugh NA, Kellum JA, Weissfeld LA, Delude RL, Struck J, Rosengart MR, Yealy DM. Proadrenomedullin in emergency department patients with community-acquired pneumonia. 2008;52:S41 (Research Forum abstracts)
Huang DT, Weissfeld LA, Kellum JA, Yealy DM, Kong L, Martino M, Angus DC. Risk prediction with procalcitonin and clinical rules in community-acquired pneumonia. 2008;52:48–60
Huang W-T, Lin H-J, Li Y-S, Chou M-C, Hsieh C-F. Man with progressive dyspnea. 2008;52:492 (Images in Emergency Medicine)
Huang YC (*see* Wong et al). 2008;52:S142 (Research Forum abstracts)
Hubler JR (*see* Roberts et al). 2008;52:S100 (Research Forum abstracts)
Hughes K (*see* Wright et al). 2008;52:S125 (Research Forum abstracts)
Hughes MJ (*see* Winslow et al). 2008;52:93–7 (Brief research report)
Hughes MJ (*see* Wright et al). 2008;52:S125 (Research Forum abstracts)
Hughes P (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)
Hugli O (*see* Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Hugli O (*see* Rutschmann et al). 2008;52:S167 (Research Forum abstracts)
Hui SJ (*see* McClung and Hui). 2008;52:S99 (Research Forum abstracts)
Hulse NC (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Hummel JD (*see* Neuenschwander et al). 2008;52:S132 (Research Forum abstracts)
Humphries R, Wright C. Identifying the etiology of pediatric ATV injuries using a detailed survey of patients and parents. 2008;52:S160 (Research Forum abstracts)
Hunt KA (*see* Weber et al). 2008;52:108–15
Hurley KF (*see* Sargeant et al). 2008;52:575–6 (Correspondence)
Hutson HR (*see* Strote and Hutson). 2008;52:84–5 (Correspondence)
Hwang J (*see* Chang et al). 2008;52:S129 (Research Forum abstracts)
Hwang S (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Hypes S (*see* Matthews et al). 2008;52:S153 (Research Forum abstracts)

## I

Iglesias E (*see* Thomas et al). 2008;52:S131 (Research Forum abstracts)
Ilkhanipour K (*see* Suffoletto et al). 2008;52:529–33 (Brief research report)
Im T (*see* Choi et al). 2008;52:S115 (Research Forum abstracts)
Innes K (*see* McGrath et al). 2008;52:S73 (Research Forum abstracts)
Irvin CB, Cindrich L, Helm E, Hall DG, Sills R. Unwitnessed infant cardiac arrests: is attempted resuscitation futile? 2008;52:S59 (Research Forum abstracts)
Irvin CB, Duemling KE, Oberg T, Ads AM. Scene Glasgow Coma Scale scores can help predict mortality in pediatric blunt trauma. 2008;52:S166 (Research Forum abstracts)
Irvin CB, Flynn K, Nowak B, Moore M, Vretta C. Emergency department chlamydia screening through partnership with the public health department. 2008;52:S104 (Research Forum abstracts)
Isbister GK, Stokes B, Buckley NA, Duffull SB. Effect of activated charcoal on citalopram-induced QT prolongation. 2008;52:87–8 (Correspondence reply)
Ives C (*see* Kimball et al). 2008;52:S83 (Research Forum abstracts)

## J

Jackson M (*see* Farber et al). 2008;52:S100 (Research Forum abstracts)
Jacob J (*see* Ferre et al). 2008;52:S139 (Research Forum abstracts)
Jacobs B (*see* Sattarian et al). 2008;52:S132 (Research Forum abstracts)
Jacobs I (*see* Rippey et al). 2008;52:446–52 (Brief research report)
Jacobus L (*see* Lindsell et al). 2008;52:S66 (Research Forum abstracts)
Jagoda A, Chan Y-FY. Transient ischemic attack overview: defining the challenges for improving outcomes. 2008;52:S3–S6
Jagoda AS, Bazarian JJ, Bruns JJ Jr, Cantrill SV, Gean AD, Howard PK, Ghajar J, Riggio S, Wright DW, Wears RL, Bakshy A, Burgess P, Wald MM, Whitson RR. Clinical policy: neuroimaging and decisionmaking in adult mild traumatic brain injury in the acute setting. 2008;52:714–48 (Clinical policy)
Jahnel J (*see* Farber et al). 2008;52:S100 (Research Forum abstracts)
Jahnes K, Taira BR, Hidalgo IP, Silver MT, Mathaikutty B, Singer AJ. Effect of sex on funding in emergency medicine literature. 2008;52:S82 (Research Forum abstracts)
James T (*see* Scott et al). 2008;52:S123 (Research Forum abstracts)
Jamshidi S, Kandiah P, Singhal AB, Resnick JB, Furie KL, Borczuk P, Parry BA, Lev M, Koroshetz WJ, Nagurney JT. Clinical predictors of significant findings on head computed tomographic angiography. 2008;52:S158 (Research Forum abstracts)
Janssen PM (*see* Torres et al). 2008;52:S65 (Research Forum abstracts)
Jasani N (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Jasienowski S (*see* Capraro et al). 2008;52:S138 (Research Forum abstracts)
Jasienowski S (*see* Capraro et al). 2008;52:S157 (Research Forum abstracts)
Jauch EC (*see* Messé and Jauch). 2008;52:S17–S26
Jay GD (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Jeanmonod R, Tomassi M. Dedicated shift wrap-up time does not improve resident sign-out burden. 2008;52:S168 (Research Forum abstracts)
Jeanmonod R, Triner W, Boyd M, Lowenthal M. Interruptions occurring during clinical practice in the emergency department. 2008;52:S110 (Research Forum abstracts)
Jehle D (*see* McCorkle et al). 2008;52:S146 (Research Forum abstracts)
Jenouri IM (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Jenq KY (*see* Fields et al). 2008;52:S128 (Research Forum abstracts)
Jenq KY (*see* Lee et al). 2008;52:S148 (Research Forum abstracts)
Jeong Y (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Jernigan JA. Methicillin-resistant *Staphylococcus aureus* colonization among health care personnel in the emergency department: what does it tell us? 2008;52:534–6 (Editorial)
Jha V (*see* Roback and Jha). 2008;52:479 (Book and Media Reviews)
Jimenez E (*see* Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
Jo I (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Jo Y (*see* Kim et al). 2008;52:S106 (Research Forum abstracts)
Jo Y (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Jo YH (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Johnson A (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Johnson CJ (*see* Scott et al). 2008;52:S150 (Research Forum abstracts)
Johnson E, Berwald N. Diagnostic utility of physical examination, history, and laboratory evaluation in emergency department patients with vaginal complaints. 2008;52:294–7 (Rational clinical examination abstract)
Johnson J (*see* Anderson et al). 2008;52:S125 (Research Forum abstracts)
Johnson RL, Sadosty AT, Weaver AL, Goyal DG. In response to "To sit or not to sit", 2008;52:185–6 (Correspondence reply)
Johnson RP (*see* Cohen et al). 2008;52:S137 (Research Forum abstracts)
Johnson S (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Johnston T (*see* Garza et al). 2008;52:S108 (Research Forum abstracts)

Jones A, Bauknight WM, Claremont H, Kline JA. End expiratory carbon dioxide concentrations to predict blood lactate concentration and lactate clearance in emergency department patients with sepsis. 2008;52:S140 (Research Forum abstracts)
Jones A, Brown M, Trezciak S, Shapiro N, Garrett J, Heffner A, Kline J. The effect of a quantitative resuscitation strategy on mortality in patients with sepsis: a meta-analysis. 2008; 52:S106 (Research Forum abstracts)
Jones AE (*see* Mitchell et al). 2008;52:S157 (Research Forum abstracts)
Jones AE, Kline JA. Risk stratification of community-acquired pneumonia: what does all of this mean? 2008;52:61–2 (Editorial)
Jones I (*see* Hoot et al). 2008;52:116–25
Jones J (*see* Phillips et al). 2008;52:766–7 (Correspondence)
Jones JS (*see* Abram et al). 2008;52:S51 (Research Forum abstracts)
Jones JS (*see* Atkinson et al). 2008;52:S172 (Research Forum abstracts)
Jones JS (*see* De Leon et al). 2008;52:S62 (Research Forum abstracts)
Jones JS (*see* Goldberg et al). 2008;52:S76 (Research Forum abstracts)
Jones JS (*see* Madsen et al). 2008;52:S63 (Research Forum abstracts)
Jones JS (*see* Rogers et al). 2008;52:S63 (Research Forum abstracts)
Jones JS (*see* Stears et al). 2008;52:S64 (Research Forum abstracts)
Jones JT (*see* Berk et al). 2008;52:497–501
Jones K (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Jones MS (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Jones N (*see* Robinson et al). 2008;52:S144 (Research Forum abstracts)
Jones RS, Galli RL, Orledge J, Summers RL. What is the impact of obesity on the relative risk of cervical spine injury in blunt trauma patients? 2008;52:S144 (Research Forum abstracts)
Jones SS, Allen TL, Seger CJ, Welch SJ. Higher patient-to-nurse ratios adversely affect core-measure and service outcomes in the emergency department. 2008;52:S86 (Research Forum abstracts)
Jouriles N. Work hard. Have fun. Overachieve. 2008;52:314–6 (Editorial)
Joyner S (*see* Kontos et al). 2008;52:S117 (Research Forum abstracts)
Joyner S (*see* Kurz et al). 2008;52:S134 (Research Forum abstracts)
Juan A (*see* Ferre et al). 2008;52:S139 (Research Forum abstracts)
Judge B (*see* Abram et al). 2008;52:S51 (Research Forum abstracts)
Judge B (*see* Goldberg et al). 2008;52:S76 (Research Forum abstracts)
Juliano M (*see* Sauter et al). 2008;52:S60 (Research Forum abstracts)
Juliano M, Dabulis S, Heffner A. Characteristics of women with fetal loss in symptomatic first trimester pregnancies with documented fetal cardiac activity. 2008;52:143–7
Juliano ML, Platt G, Dabulis SA. Fetal loss in symptomatic first trimester pregnancies with documented intrauterine gestation prior to the appearance of a fetal pole. 2008;52:S169 (Research Forum abstracts)
Jung S (*see* Kim et al). 2008;52:S106 (Research Forum abstracts)

## K

Kabrhel C (*see* Richman et al). 2008;52:S45 (Research Forum abstracts)
Kaden A (*see* Robinson et al). 2008;52:S144 (Research Forum abstracts)
Kador H (*see* Totten et al). 2008;52:S102 (Research Forum abstracts)
Kairam N (*see* Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
Kairam N, Fiesseler F, Riggs R, Reedman L, DeStefano S, Amato C, Salo D. Only a minority of intentional carbon monoxide poisoned patients receive hyperbaric oxygen therapy. 2008;52:S142 (Research Forum abstracts)
Kairam N, Silverman M, Salo DF, Baorto E, Amato C. Methicillin-resistant *Staphylococcus aureus* rates in a suburban community hospital pediatric emergency department. 2008;52:S73 (Research Forum abstracts)
Kaji AH, Langford V, Lewis RJ. Assessing hospital disaster preparedness: a comparison of an on-site survey, directly observed drill performance, and video analysis of teamwork. 2008;52:195–201
Kaji AH, Lewis RJ. Assessment of the reliability of the Johns Hopkins/Agency for Healthcare Research and Quality hospital disaster drill evaluation tool. 2008;52:204–10
Kalynych C (*see* Caro et al). 2008;52:S66 (Research Forum abstracts)
Kamrath J (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Kandiah P (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Kang H (*see* Choi et al). 2008;52:S115 (Research Forum abstracts)
Kansagra SM (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Kapoor A (*see* Friedman et al). 2008;52:705–13
Kapoor M (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Karras DJ (*see* Ufberg and Karras). 2008;52:539–40 (CDC Update)
Kashyap R, Herasevich V, Afessa B, Gajic O, Stead L, Decker W, Smith V. Computerized recruiting for clinical research in the emergency department. 2008;52:S55 (Research Forum abstracts)
Kass D (*see* Hahn et al). 2008;52:474 (Images in Emergency Medicine)
Kass Shamoun R (*see* Medado et al). 2008;52:S137 (Research Forum abstracts)
Kass-Shamoun R, Anderson S, Robinson D, Medado P, Haque N, Zervos MJ, O'Neil BJ. Nursing home-acquired pneumonia: demographics, outcomes and antibiotic usage. 2008;52:S155 (Research Forum abstracts)
Kaucky C (*see* Sikka et al). 2008;52:S110 (Research Forum abstracts)
Kaushal R (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Keilhauer FA (*see* Kellum et al). 2008;52:244–52
Keith D (*see* Wasden et al). 2008;52:S159 (Research Forum abstracts)
Kelen GD (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Kelen GD (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Kelen GD (*see* Morton et al). 2008;52:S150 (Research Forum abstracts)
Kella V (*see* Gunaga et al). 2008;52:S55 (Research Forum abstracts)
Kellermann AL (*see* Pentz et al). 2008;52:574–5 (Correspondence reply)
Keller P (*see* Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Kelley K (*see* Kulstad et al). 2008;52:S86 (Research Forum abstracts)
Kellum JA (*see* Huang et al). 2008;52:48–60
Kellum JA (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Kellum MJ, Kennedy KW, Barney R, Keilhauer FA, Bellino M, Zuercher M, Ewy GA. Cardiocerebral resuscitation improves neurologically intact survival of patients with out-of-hospital cardiac arrest. 2008;52:244–52
Kelly JJ (*see* Pines and Kelly). 2008;52:S130 (Research Forum abstracts)
Kennedy KW (*see* Kellum et al). 2008;52:244–52
Kennedy R (*see* McNaughton et al). 2008;52:S75 (Research Forum abstracts)
Kerber KA (*see* Meurer et al). 2008;52:S100 (Research Forum abstracts)
Kerns W II (*see* Westfall and Kerns). 2008;52:e1 (Images in Emergency Medicine)
Kerns WP III (*see* Lavonas et al). 2008;52:S141 (Research Forum abstracts)
Kessler C, Casey P, Tenner A. Predicting patterns of patients in VA emergency department populations. 2008;52:S121 (Research Forum abstracts)
Kessler CS (*see* Unterman et al). 2008;52:S167 (Research Forum abstracts)
Ketchum JM (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Keyes CE (*see* Petersburgo et al). 2008;52:S125 (Research Forum abstracts)
Khaletskiy A (*see* Chinnock et al). 2008;52:S170 (Research Forum abstracts)
Kilbourne J (*see* Geyer et al). 2008;52:S142 (Research Forum abstracts)
Kilgannon H (*see* Patel et al). 2008;52:S44 (Research Forum abstracts)
Killeen JP (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Killeen JP (*see* Vilke et al). 2008;52:S160 (Research Forum abstracts)
Kim C (*see* Choi et al). 2008;52:S115 (Research Forum abstracts)
Kim C, Lee K, Choe J, Kim S, Lee S, Oh J. High serum S100B levels in patients with acute bone fractures without cerebral injuries. 2008;52: S144 (Research Forum abstracts)
Kim ET (*see* Glickman et al). 2008;52:S120 (Research Forum abstracts)
Kim ET, Glickman SW, Phillips S, Kraft M, Limkakeng A, Chandra A, Cairns CB. Delays and high costs associated with emergency physician variation in diagnostic approaches to venous thromboembolism. 2008;52:S94 (Research Forum abstracts)
Kim H (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Kim H. Clinical characteristics and mortality rate of geriatric dapsone intoxication. 2008;52: S156 (Research Forum abstracts)
Kim H. Diagnostic value of heart-type fatty acid-binding proteins (h-FABP) patients with hyperacute myocardial infarction. 2008;52:S94 (Research Forum abstracts)

Kim J, Kwon W, Jo Y, Jung S, Suh G. Outcome prediction of postresuscitation patients during therapeutic hypothermia. 2008;52:S106 (Research Forum abstracts)
Kim JS, Casper C, Hickner J, Fisher TL, Smith S. Barriers to follow-up for emergency department patients receiving primary care referrals. 2008;52:S122 (Research Forum abstracts)
Kim K (*see* Choi et al). 2008;52:S115 (Research Forum abstracts)
Kim K (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Kim K (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Kim K, Rhee J, Jo Y, Kim T, Lee J, Kim K, Suh G, Lee H, Lee W, Kim M. The quantitative point-of-care test of heart-type fatty acid-binding protein for the early diagnosis of acute myocardial infarction. 2008;52:S117 (Research Forum abstracts)
Kim KS, Kim K, Jo YH, Lee CC, Kim TY, Rhee JE, Suh GJ, Lee SW, Singer AJ. Contrast-induced nephropathy in emergency department patients receiving abdominal contrast-enhanced computed tomography. 2008;52:S136 (Research Forum abstracts)
Kim M (*see* Choi et al). 2008;52:S115 (Research Forum abstracts)
Kim M (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Kim O (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Kim S (*see* Cho et al). 2008;52:S65 (Research Forum abstracts)
Kim S (*see* Choa et al). 2008;52:S105 (Research Forum abstracts)
Kim S (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Kim S (*see* Chung et al). 2008;52:S139 (Research Forum abstracts)
Kim S (*see* Kim et al). 2008;52:S144 (Research Forum abstracts)
Kim S (*see* Oh and Kim). 2008;52:S129 (Research Forum abstracts)
Kim S (*see* Peck and Kim). 2008;52:S88 (Research Forum abstracts)
Kim T (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Kim TY (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Kim W (*see* Choi et al). 2008;52:S115 (Research Forum abstracts)
Kim W (*see* Kim and Kim). 2008;52:S48 (Research Forum abstracts)
Kim W (*see* Kim and Kim). 2008;52:S116 (Research Forum abstracts)
Kim W (*see* Yeo et al). 2008;52:S99 (Research Forum abstracts)
Kim W (*see* Yoon and Kim). 2008;52:S157 (Research Forum abstracts)
Kim WY, Kim W. A comparison of ultrasonic cardiac output monitor and echocardiography in measuring stroke volume in healthy male volunteers. 2008;52:S48 (Research Forum abstracts)
Kim WY, Kim W. Normal ST-segment elevation and electrocardiographic patterns in right-sided chest leads (V3R, V4R) in young adult Koreans. 2008;52:S116 (Research Forum abstracts)
Kimball D, Ives C, Henderson SO. Rapid sequence intubation from the patients' perspective. 2008;52:S83 (Research Forum abstracts)
Kingeter A (*see* Robinson et al). 2008;52:S144 (Research Forum abstracts)
King JJ (*see* Berk et al). 2008;52:497–501
Kirchick HJ (*see* Padurean et al). 2008;52:S152 (Research Forum abstracts)
Kirrane BM (*see* Hoffman et al). 2008;52:548–53
Kirsch TD (*see* Morton et al). 2008;52:S150 (Research Forum abstracts)
Kissela B (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Kitt TM (*see* Rowe et al). 2008;52:S48 (Research Forum abstracts)
Kjar D (*see* Drigalla et al). 2008;52:S114 (Research Forum abstracts)
Klapperich CM (*see* Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Klausner H (*see* Dunne et al). 2008;52:S119 (Research Forum abstracts)
Klausner HA (*see* Farris and Klausner). 2008;52:S134 (Research Forum abstracts)
Klausner HA (*see* Paxton et al). 2008;52:S58 (Research Forum abstracts)
Kleindorfer D (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Kleiner D (*see* Caro et al). 2008;52:S66 (Research Forum abstracts)
Kletti CA, Carlson A, Sherry C, Brottman G. A program for asthma education in the emergency department. 2008;52:S45 (Research Forum abstracts)
Kleuser LP (*see* Richards et al). 2008;52:686–8 (Case report)
Kline J (*see* Jones et al). 2008;52:S106 (Research Forum abstracts)
Kline JA (*see* Jones and Kline). 2008;52:61–2 (Editorial)
Kline JA (*see* Jones et al). 2008;52:S140 (Research Forum abstracts)
Kline JA (*see* Mitchell et al). 2008;52:S157 (Research Forum abstracts)
Kline JA (*see* Richman et al). 2008;52:S45 (Research Forum abstracts)
Kline JA, Hernandez J, Zeitouni R. Randomized trial of pretest probability to reduce unnecessary resource use and imaging of low-risk chest pain patients. 2008;52:S47 (Research Forum abstracts)
Kline JA, O'Malley PM, Tayal VS, Snead GR, Mitchell AM. Emergency clinician–performed compression ultrasonography for deep venous thrombosis of the lower extremity. 2008;52:437–45
Kluger J (*see* Richards et al). 2008;52:686–8 (Case report)
Knight M (*see* Henderson and Knight). 2008;52:S45 (Research Forum abstracts)
Knoll JM, Milk JT, Palumbo JM, Strony RS. The cost of emergency department treatment of community-acquired methicillin-resistant *Staphylococcus aureus* skin infections. 2008;52:S69 (Research Forum abstracts)
Knox E (*see* Farley et al). 2008;52:S112 (Research Forum abstracts)
Knox E (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Knuth TE (*see* Paxton et al). 2008;52:S58 (Research Forum abstracts)
Ko Y (*see* Cho et al). 2008;52:S65 (Research Forum abstracts)
Kobayashi L (*see* Dunbar et al). 2008;52:S84 (Research Forum abstracts)
Kobayashi L (*see* Siegel et al). 2008;52:S85 (Research Forum abstracts)
Kobayashi L, Shapiro MJ, Haze D, Jenouri IM, Lindquist DG, Sutton EM, Jones MS, Marcotte S, Martin P, Jay GD. Preliminary analysis of in-hospital cardiopulmonary resuscitation simulation (SimCode) training program. 2008;52:S83 (Research Forum abstracts)
Kochert E (*see* Baty et al). 2008;52:S127 (Research Forum abstracts)
Kochert E (*see* Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Kochert E (*see* Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
Koenig KL (*see* Codreanu et al). 2008;52:S130 (Research Forum abstracts)
Koenigsberg MD (*see* Sloan et al). 2008;52:S107 (Research Forum abstracts)
Koenigsberg MD (*see* Sloan et al). 2008;52:S109 (Research Forum abstracts
Koenigsberg MD (*see* Sloan et al). 2008;52:S143 (Research Forum abstracts)
Kohn N (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Kolkhorst F (*see* Vilke et al). 2008;52:85–6 (Correspondence reply)
Kong L (*see* Huang et al). 2008;52:48–60
Kontos MC (*see* Camp et al). 2008;52:S97 (Research Forum abstracts)
Kontos MC (*see* Kurz et al). 2008;52:S134 (Research Forum abstracts)
Kontos MC, Kurz MC, Roberts CS, Joyner S, Kreisa L, Ornato JP, Vetrovec GW. Emergency physician-initiated primary percutaneous coronary intervention via a single group page is associated with reduced interval times in ST-elevation myocardial infarction patients. 2008;52:S117 (Research Forum abstracts)
Koppenhaver J (*see* Glickman et al). 2008;52:S120 (Research Forum abstracts)
Koroshetz WJ (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Koscove EM. Physiological effects of the Taser. 2008;52:85 (Correspondence)
Kossovsky M (*see* Rutschmann et al). 2008;52:S167 (Research Forum abstracts)
Kotlyar S (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Kovacic D (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Kowalenko T (*see* Millikan and Kowalenko). 2008;52:597 (Book and Media Reviews)
Kraft M (*see* Kim et al). 2008;52:S94 (Research Forum abstracts)
Krashaur M (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Krass D (*see* Sasson et al). 2008;52:S69 (Research Forum abstracts)
Kraszewski B (*see* Green et al). 2008;52:S86 (Research Forum abstracts)
Kraus CK, Shahan JB, Hsieh Y, Rothman RE, Oliver A, Gamiel J, Laeyendecker O, Quinn TC, Kelen GD. Seroprevalence of HSV-2 infection among an urban emergency department patient population. 2008;52:S54 (Research Forum abstracts)

Kraus CK, Shahan JB, Rothman RE, Hsieh Y, Laeyendecker O, Oliver A, Gamiel J, Quinn TC, Kelen GD. Twenty years experience with HIV testing among emergency department patients at the Johns Hopkins Hospital. 2008; 52:S41 (Research Forum abstracts)
Krause R (*see* Sinha et al). 2008;52:S57 (Research Forum abstracts)
Krauss B (*see* Green and Krauss). 2008;52:9–10 (Editorial)
Krauss B (*see* Green and Krauss). 2008;52:392–8 (Concepts)
Kreisa L (*see* Kontos et al). 2008;52:S117 (Research Forum abstracts)
Kreisa L (*see* Kurz et al). 2008;52:S134 (Research Forum abstracts)
Krubert C (*see* Glickman et al). 2008;52:S120 (Research Forum abstracts)
Kruse B (*see* Szymanski et al). 2008;52:S91 (Research Forum abstracts)
Kuehl K, Yanchick J, Magelli M, Rovati S, Fuller C, Blackburn K. Time to resolution of pain from minor soft tissue injury with diclofenac epolamine topical patch. 2008;52:S74 (Research Forum abstracts)
Kuelbs CL (*see* Castillo et al). 2008;52:S159 (Research Forum abstracts)
Kuhn GJ (*see* Berk et al). 2008;52:497–501
Kuklentz A, Miles S, Stewart S, Borg K. Is there a rapid and effective tool to differentiate between hazardous drinkers and alcohol-dependent patients in the emergency department? 2008; 52:S79 (Research Forum abstracts)
Kulstad CE (*see* Crowe et al). 2008;52:S58 (Research Forum abstracts)
Kulstad CE (*see* Tekwani et al). 2008;52:S105 (Research Forum abstracts)
Kulstad E (*see* Sikka et al). 2008;52:S110 (Research Forum abstracts)
Kulstad E (*see* Watts et al). 2008;52:S52 (Research Forum abstracts)
Kulstad E, Kelley K, Rzechula K. Effect of crowding on time to percutaneous coronary intervention for acute myocardial infarction. 2008;52:S86 (Research Forum abstracts)
Kulstad E, Waghchoure S, Hart K. Occupancy rate and EDWIN score both correlate significantly with number of patients leaving the emergency department without being seen. 2008;52:S85 (Research Forum abstracts)
Kulstad EB (*see* Crowe et al). 2008;52:S58 (Research Forum abstracts)
Kuntz-Duriseti K (*see* Wang et al). 2008;52:607–15
Kuo K (*see* Chinnock et al). 2008;52:S170 (Research Forum abstracts)
Kurz MC (*see* Camp et al). 2008;52:S97 (Research Forum abstracts)
Kurz MC (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Kurz MC (*see* Kontos et al). 2008;52:S117 (Research Forum abstracts)
Kurz MC, Kontos MC, Roberts CS, Joyner S, Kreisa L, Ornato JP, Vetrovec GW. What is the frequency of inappropriate emergency department catheterization laboratory activation for patients with potential ST-segment elevation myocardial infarction? 2008; 52:S134 (Research Forum abstracts)
Kusmiesz A (*see* Walker et al). 2008;52:S90 (Research Forum abstracts)
Kusmiesz AL (*see* Benenson et al). 2008;52:S53 (Research Forum abstracts)
Kwaan N (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Kwon O (*see* Cho et al). 2008;52:S65 (Research Forum abstracts)
Kwon W (*see* Kim et al). 2008;52:S106 (Research Forum abstracts)
Kwong B (*see* Shah et al). 2008;52:S113 (Research Forum abstracts)
Kyrillou E (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)

## L

Lada Walker P (*see* McGrath et al). 2008;52:S73 (Research Forum abstracts)
Ladde JG, Rodgers N, Baker S, Papa L. A novel incision and drainage technique in the treatment of skin abscesses in a pediatric emergency department. 2008;52:S76 (Research Forum abstracts)
Ladner HE, Garg N, Ryan JG, Sixsmith DM. Language interpretation service preferences among non-English speaking patients. 2008; 52:S119 (Research Forum abstracts)
Laeyendecker O (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Laeyendecker O (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Laforge M, Borron SW, Baud FJ. Effect of hydroxocobalamin on measurement of plasma lactate concentration: an in vitro study. 2008; 52:S136 (Research Forum abstracts)
Lagerlund A (*see* Farley et al). 2008;52:S112 (Research Forum abstracts)
Lake A (*see* Farley et al). 2008;52:S101 (Research Forum abstracts)
Lake A (*see* Farley et al). 2008;52:S112 (Research Forum abstracts)
Lam W (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Lamba S (*see* Scott et al). 2008;52:S123 (Research Forum abstracts)
Lambert Y (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Lamhaut L (*see* Capp et al). 2008;52:S145 (Research Forum abstracts)
Landman A, Goldfarb S. Magnetic resonance-induced thermal burn. 2008;52:308–9 (Correspondence)
Lane G (*see* Szymanski et al). 2008;52:S91 (Research Forum abstracts)
Lange CM (*see* Gogela et al). 2008;52:S74 (Research Forum abstracts)
Langford V (*see* Kaji et al). 2008;52:195–201; (*see* Kaji et al). 2008;
Langston WT, Wathen JE, Roback MG, Bajaj L. Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial. 2008;52:30–4
Lapine AL (*see* Ho et al). 2008;52:S62 (Research Forum abstracts)
Lapointe J (*see* Poitras et al). 2008;52:S95 (Research Forum abstracts)
Larkin GL, Beautrais AL. Trends in United States emergency department visits for suicide attempts. 2008;52:S79 (Research Forum abstracts)
Larson EJ (*see* Scott et al). 2008;52:S150 (Research Forum abstracts)
Laskowitz DT (*see* Phillips et al). 2008;52:S124 (Research Forum abstracts)
Laskowsi Jones L (*see* Gagliano et al). 2008;52: S107 (Research Forum abstracts)
Laskowski Jones L (*see* Massucci et al). 2008;52: S111 (Research Forum abstracts)
Latimer J (*see* Thundiyil et al). 2008;52:S103 (Research Forum abstracts)
Latouf K (*see* Nelson et al). 2008;52:S122 (Research Forum abstracts)
Lau FL (*see* Fung et al). 2008;52:88–9 (Correspondence
Laudon DA (*see* Decker et al). 2008;52:322–8
Laurita KR (*see* Wilson et al). 2008;52:S89 (Research Forum abstracts)
Lavery R (*see* Semenovskaya and Lavery). 2008;52: S50 (Research Forum abstracts)
Lavoie A (*see* Moore et al). 2008;52:356–64
Lavonas EJ, Kerns WP III, Gerardo CJ, Richardson W, Whitlow K, Berkoff DJ. Long-term limb function outcomes following copperhead snakebite. 2008;52:S141 (Research Forum abstracts)
Lawner B (*see* Witting et al). 2008;52:S127 (Research Forum abstracts)
Lawrence B (*see* Davis et al). 2008;52:S71 (Research Forum abstracts)
Lawson W (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Lazio M (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Lazio MP, Costello HH, Courtney DM, Martinovich Z, Myers R, Zosel A, Tanabe P. Disparities in pain management: a comparison of time to analgesic for emergency department patients with sickle cell disease and renal colic. 2008;52:S163 (Research Forum abstracts)
Leal B (*see* Lyon et al). 2008;52:S169 (Research Forum abstracts)
LeBlanc LJ (*see* Hoot et al). 2008;52:116–25
Lee C. Comparison of pain scale on manual reduction technique in patients with elbow subluxation. 2008;52:S108 (Research Forum abstracts)
Lee CC (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Lee H (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Lee J (*see* Chung et al). 2008;52:S139 (Research Forum abstracts)
Lee J (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Lee J. The effectiveness of Emergency Department Information System® to detect acute respiratory syndrome. 2008;52:S70 (Research Forum abstracts)
Lee K (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Lee K (*see* Kim et al). 2008;52:S144 (Research Forum abstracts)
Lee K-I, Wang C-P. Throat pain. 2008;52:98 (Images in Emergency Medicine)
Lee PA (*see* Fields et al). 2008;52:S148 (Research Forum abstracts)
Lee PA, Fields JM, Jenq KY, Mark DG, Panebianco NL, Dean AJ. Gestalt estimation of inferior vena cava collapse index between different emergency sonographers is reliable and accurate. 2008;52:S128 (Research Forum abstracts)
Lee R (*see* McConnell et al). 2008;52:635–42
Lee S (*see* Cho et al). 2008;52:S65 (Research Forum abstracts)
Lee S (*see* Kim et al). 2008;52:S144 (Research Forum abstracts)

Lee SW (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Lee W (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Leffler JN (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Lemery J. Lesions on foot. 2008;52:82 (Images in Emergency Medicine)
Lenz D (*see* Geyer et al). 2008;52:S142 (Research Forum abstracts)
Lerner EB (*see* Begaz et al). 2008;52:S68 (Research Forum abstracts)
Lesnick J (*see* Santen et al). 2008;52:S49 (Research Forum abstracts)
Lester C (*see* Mahler et al). 2008;52:S147 (Research Forum abstracts)
Lettieri B (*see* Capodanno et al). 2008;52:765 (Images in Emergency Medicine)
Leuthauser AD (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Lev M (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Levick N (*see* Cordi and Levick). 2008;52:S154 (Research Forum abstracts)
Levi R (*see* Gai et al). 2008;52:S120 (Research Forum abstracts)
Levin SR (*see* Hoot et al). 2008;52:116–25
Levine SR (*see* Chan et al). 2008;52:S161 (Research Forum abstracts)
Levitan R, Mills L, Flansbaum D, Mills T. Epidemiology in patients with facial fractures. 2008;52:S160 (Research Forum abstracts)
Levy PD (*see* Berk et al). 2008;52:497–501
Lewandowski CA, Rao CPV, Silver B. Transient ischemic attack: definitions and clinical presentations. 2008;52:S7–S16
Lewis LM (*see* Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Lewis RJ (*see* Kaji et al). 2008;52:195–201
Lewis RJ (*see* Kaji and Lewis). 200852:204–10
Li W (*see* Zhu et al). 2008;52:S42 (Research Forum abstracts)
Li Y (*see* Tran et al). 2008;52:S64 (Research Forum abstracts)
Li Y, Tran TP, Muelleman RL, Schultz HD. Diabetes enhances activation of hyperpolarization-activated cyclic nucleotide-gated channels in aortic baroreceptor neurons: involvement of angiotensin II. 2008;52:S64 (Research Forum abstracts)
Li Y-S (*see* Huang et al). 2008;52:492 (Images in Emergency Medicine)
Liang BA, Zivin JA. Empirical characteristics of litigation involving tissue plasminogen activator and ischemic stroke. 2008;52:160–4 (Brief Research Report)
Liberman M (*see* Moore et al). 2008;52:356–64
Lightsey SH Jr (*see* Mayhue et al). 2008;52:S153 (Research Forum abstracts)
Likourezos A (*see* Fromm et al). 2008;52:S66 (Research Forum abstracts)
Likourezos A (*see* Garcia et al). 2008;52:S165 (Research Forum abstracts)
Likourezos A (*see* Lobel et al). 2008;52:S96 (Research Forum abstracts)
Likourezos A (*see* Spektor et al). 2008;52:S87 (Research Forum abstracts)
Lim G (*see* Sukarom and Lim). 2008;52:S126 (Research Forum abstracts)
Lim S (*see* Chan et al). 2008;52:S133 (Research Forum abstracts)
Limkakeng A (*see* Kim et al). 2008;52:S94 (Research Forum abstracts)
Limkakeng AT Jr, Glickman S, Greene V, Chandra A. Incidence and impact of renal dysfunction on acute coronary syndrome in chest pain observation unit patients. 2008;52:S134 (Research Forum abstracts)
Limkakeng AT Jr, Saraswat A, Glickman S, Molinar G, Drake W, Freeman D, Chandra A. Blood pressure response in hypertensive emergency department patients with a history of end organ disease. 2008;52:S89 (Research Forum abstracts)
Lin H-J (*see* Huang et al). 2008;52:492 (Images in Emergency Medicine)
Lindquist DG (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Lindsay SP (*see* Castillo et al). 2008;52:S159 (Research Forum abstracts)
Lindsell C (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Lindsell CJ (*see* Moak and Lindsell). 2008;52:S62 (Research Forum abstracts)
Lindsell CJ (*see* Raja et al). 2008;52:S54 (Research Forum abstracts)
Lindsell CJ, Raab D, Sperling M, Jacobus L, Ryan RJ. A time-and-motion study of the processes required to obtain cardiac biomarker assays using both central laboratory and point-of-care testing. 2008;52:S66 (Research Forum abstracts)
Lipovic D (*see* Hoffman et al). 2008;52:S166 (Research Forum abstracts)
Lipton RB (*see* Friedman et al). 2008;52:399–406;
Lipton RB. (*see* Friedman et al). 2008;52:696–704
Liteplo A (*see* Capp et al). 2008;52:S61 (Research Forum abstracts)
Liteplo A (*see* Capp et al). 2008;52:S145 (Research Forum abstracts)
Liteplo A (*see* Soremekun et al). 2008;52:S81 (Research Forum abstracts)
Litt HI (*see* Chang et al). 2008;52:S140 (Research Forum abstracts)
Liu CH (*see* Wong et al). 2008;52:S142 (Research Forum abstracts)
Liu W (*see* Garcia et al). 2008;52:S165 (Research Forum abstracts)
Liu Y (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Llopis F (*see* Ferre et al). 2008;52:S139 (Research Forum abstracts)
Llovera I, Ward MF, Gong J, Firestone B, Dubon M, Sama A, Kohn N, Barata I. Motivated-to-quit smokers are interested in smoking cessation interventions. 2008;52:S121 (Research Forum abstracts)
Lobel D, Likourezos A, Farahani C, Podolsky S. Successful implementation of an etomidate-facilitated endotracheal intubation protocol in an urban ground transport ambulance system. 2008;52:S96 (Research Forum abstracts)
Lobl JK (*see* Decker et al). 2008;52:322–8
Lomax RNA (*see* Mullen et al). 2008;52:S104 (Research Forum abstracts)
Long T (*see* Arora and Long). 2008;52:S93 (Research Forum abstracts)
Long T (*see* Arora et al). 2008;52:S93 (Research Forum abstracts)
Longabaugh R (*see* Mello et al). 2008;52:S158 (Research Forum abstracts)
Lopez C (*see* Aguilera et al). 2008;52:S116 (Research Forum abstracts)
Lovallo AC, Gaines BA, Zuckerbraun NS. Presentation and outcome of adnexal torsion in pediatric patients: a 15-year retrospective review. 2008;52:S78 (Research Forum abstracts)
LoVecchio F (*see* Greene et al). 2008;52:86–7 (Correspondence)
Lovell E (*see* Nelson et al). 2008;52:S122 (Research Forum abstracts)
Lovell EO (*see* Bisaga et al). 2008;52:525–8 (Brief research report)
Lovell EO (*see* Tekwani et al). 2008;52:S105 (Research Forum abstracts)
Lovinger D (*see* Thomas et al). 2008;52:S131 (Research Forum abstracts)
Lowe RA (*see* Choo et al). 2008;52:S62 (Research Forum abstracts)
Lowe RA (*see* Choo et al). 2008;52:S77 (Research Forum abstracts)
Lowe RA (*see* Heavrin et al). 2008;52:S42 (Research Forum abstracts)
Lowe RA, McConnell KJ, Vogt ME, Smith JA. Impact of Medicaid cutbacks on emergency department use: the Oregon experience. 2008;52:626–34
Lowenstein SR (*see* Spalding et al). 2008;52:S80 (Research Forum abstracts)
Lowenthal M (*see* Jeanmonod et al). 2008;52:S110 (Research Forum abstracts)
Lozner A, Connolly J, Millen J, Shaltis P, Reisner A, Thomas SH. How frequently do patients want their pain assessed? 2008;52:S164 (Research Forum abstracts)
Lucas R (*see* Farley et al). 2008;52:S131 (Research Forum abstracts)
Lucia V (*see* Swor et al). 2008;52:S106 (Research Forum abstracts)
Luk J (*see* Cochrane et al). 2008;52:S103 (Research Forum abstracts)
Lund B (*see* Padurean et al). 2008;52:S152 (Research Forum abstracts)
Lust R (*see* Fish et al). 2008;52:S140 (Research Forum abstracts)
Luten RC, Broselow J. Standardization of product concentration in emergency dosing: a response to Fineberg and Arendt. 2008;52:477–8 (Correspondence)
Lutz J (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Lyon M (*see* Blaivas et al). 2008;52:S126 (Research Forum abstracts)
Lyon M (*see* Calhoun et al). 2008;52:S118 (Research Forum abstracts)
Lyon M (*see* Cohen et al). 2008;52:S137 (Research Forum abstracts)
Lyon M (*see* Shiver et al). 2008;52:S135 (Research Forum abstracts)
Lyon M (*see* Sinclair et al). 2008;52:S75 (Research Forum abstracts
Lyon M, Leal B, Walton P, Shiver SA. Ultrasound detection of the sliding lung sign by critical care transport providers. 2008;52:S169 (Research Forum abstracts)
Lyon M, Walton P, Fly C, Shiver SA. Feasibility of using M-mode ultrasound for the detection of pneumothorax during helicopter transport. 2008;52:S147 (Research Forum abstracts)

## M

MacDonald K (*see* Houdijk and MacDonald). 2008;52:S65 (Research Forum abstracts)

Mace SE, Holmes L, Queen J, Bullard D, Glauser J, Tallman T, Thallner E, Patel A, Haun G, Anderson E. Emergency medicine as a staffing model for medical emergency response teams. 2008;52:S168 (Research Forum abstracts)
Macedo J (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Madati PJ (*see* Neuman et al). 2008;52:473 (Images in Emergency Medicine)
Madsen S, Bush C, Jones JS, Wynn B. Comparative analysis of statutory *versus* forcible rape: findings from the National Incident-Based Reporting System. 2008;52:S63 (Research Forum abstracts)
Madsen T (*see* Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
Madsen T (*see* Bledsoe et al). 2008;52:S135 (Research Forum abstracts)
Madsen T (*see* Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Magelli M (*see* Kuehl et al). 2008;52:S74 (Research Forum abstracts)
Magid DJ (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Mahler SA, Pattani S, Standifer J, Caldito G, Conrad SA. Clinical assessment of intoxication in blunt trauma patients by emergency physicians. 2008;52:S109 (Research Forum abstracts)
Mahler SA, Thoma T. Commentary: speaking up and reaching out. 2008;52:166–7 (NHTSA Notes)
Mahler SA, Wang H, Lester C, Conrad SA. Ultrasound-guided peripheral intravenous access in the emergency department using modified Seldinger technique: a novel technique. 2008;52:S147 (Research Forum abstracts)
Mahlow P (*see* Wang et al). 2008;52:607–15
Maio RF. Conducting research on issues regarding human subjects research regulatory compliance: a responsibility of all clinical researchers. 2008;52:574 (Correspondence)
Maire S (*see* Poitras et al). 2008;52:S95 (Research Forum abstracts)
Makoul G (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Malhotra MK, Roberts D, Goyal N, Vallee PA, Nagarwala J, Rolland L, Martin GB. Transitioning from paper to electronic documentation in an urban emergency department: effect on provider efficiency. 2008;52:S55 (Research Forum abstracts)
Maloney A (*see* Asher et al). 2008;52:S63 (Research Forum abstracts)
Man SS (*see* Cheng and Man). 2008;52:S136 (Research Forum abstracts)
Manaker LW (*see* Scott et al). 2008;52:S150 (Research Forum abstracts)
Manausa R, Mills T, Haydel M, Mills L, Dunbar L. Impact of Hurricane Katrina on the medical residency training in New Orleans. 2008;52:S149 (Research Forum abstracts)
Mandell M (*see* Richman et al). 2008;52:S45 (Research Forum abstracts)
Mandl KD. *see* Brownstein and Mandl). 2008;52:63–8
Mangal B (*see* Rowe et al). 2008;52:S48 (Research Forum abstracts)
Mangold G (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Mangolds V (*see* Mullen et al). 2008;52:S104 (Research Forum abstracts)
Mangolds V (*see* Rebholz et al). 2008;52:S84 (Research Forum abstracts)
Mansbach JM (*see* Waseem et al). 2008;52:S42 (Research Forum abstracts)
Manson WC, Bonz JW, Carmody K, Osborne M, Moore C. Sonographic detection of interstitial lung fluid predicts serum B-type natriuretic peptide level. 2008;52:S170 (Research Forum abstracts)
Manteghi T (*see* Benenson et al). 2008;52:S53 (Research Forum abstracts)
Manternach S (*see* Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Manthey D (*see* Nicks et al). 2008;52:S119 (Research Forum abstracts)
Marcewicz L (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Marco CA (*see* Pfeiffer and Marco). 2008;52:S148 (Research Forum abstracts)
Marcotte S (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Marcus SM (*see* Hoffman et al). 2008;52:548–53
Mardonez JM (*see* Aguilera et al). 2008;52:S116 (Research Forum abstracts)
Marfella R (*see* Capodanno et al). 2008;52:765 (Images in Emergency Medicine)
Mariani PJ. Beta-blockers following cocaine use: a reappraisal. 2008;52:89 (Correspondence)
Marinelli L, Green W, Panacek E. What really glows: analysis of the Wood's lamp in detecting semen and saliva on human skin. 2008;52:S171 (Research Forum abstracts)
Marino P (*see* De Luca et al). 2008;52:665–76 (Review article)
Marinsek M, Zupan-Meznar A, Rovan K, Zagozen P, Pekolj-Bicanic M, Strmcnik A, Meznar M, Kovacic D. Preoxygenation in cardioversion-related procedural sedation with etomidate and low-dose midazolam. 2008;52:S46 (Research Forum abstracts)
Mark DG (*see* Fields et al). 2008;52:S148 (Research Forum abstracts)
Mark DG (*see* Lee et al). 2008;52:S128 (Research Forum abstracts)
Mark DG, Granquist EJ. Are prophylactic oral antibiotics indicated for the treatment of intraoral wounds? 2008;52:368–72 (Best Available Evidence)
Marquart E (*see* Fromm et al). 2008;52:S66 (Research Forum abstracts)
Marshall J (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Martin G (*see* Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)
Martin G (*see* Ford et al). 2008;52:S80 (Research Forum abstracts)
Martin GB (*see* Malhotra et al). 2008;52:S55 (Research Forum abstracts)
Martin P (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Martinez R. Looking back ahead. 2008;52:320–1 (Editorial)
Martin-Gill C, Mosesso VN Jr, Roth RN. Physician scene response in an emergency medicine residency program. 2008;52:S151 (Research Forum abstracts)
Martino M (*see* Huang et al). 2008;52:48–60
Martinovich Z (*see* Lazio et al). 2008;52:S163 (Research Forum abstracts)
Martinovich Z (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Marx JS (*see* Capp et al). 2008;52:S145 (Research Forum abstracts)
Marzluf K (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Massucci JL, Farley H, Laskowski Jones L, Knox E, Alders V, Toulson K, Reed J III, Sweeney T, Jasani N, Reese CL IV. Reduction in emergency department fast track length of stay. 2008;52:S111 (Research Forum abstracts)
Mataoa T (*see* Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Mathaikutty B (*see* Jahnes et al). 2008;52:S82 (Research Forum abstracts)
Matheson G (*see* Garza et al). 2008;52:S108 (Research Forum abstracts)
Matlock D (*see* Bockewitz et al). 2008;52:S50 (Research Forum abstracts)
Matlock D, Hafner JW Jr, Bockewitz EG, Barker LT, Dewar JD. "Stayin' Alive": a pilot study to test the effectiveness of a novel mental metronome in maintaining appropriate compression rates in simulated cardiac arrest scenarios. 2008;52:S67 (Research Forum abstracts)
Matloff L, Stone C, Morgan D, Drigalla D, Burr M. Does physician use of scripting in the emergency department improve patient satisfaction? 2008;52:S81 (Research Forum abstracts)
Matthews JM (*see* Gerhardt et al). 2008;52:S108 (Research Forum abstracts)
Matthews P, Durie C, Hypes S, McGinnis-Hainsworth D, Reed J III, Megargel R. Comparison of emergency department patient admission rates by mode of arrival: were emergency department transports indicated or was the public "crying wolf"? 2008;52:S153 (Research Forum abstracts)
Mayer C (*see* Shih et al). 2008;52:S152 (Research Forum abstracts)
Mayer PH (*see* Prutzman et al). 2008;52:S88 (Research Forum abstracts)
Mayer PM (*see* Spalding et al). 2008;52:S80 (Research Forum abstracts)
Mayhue FE, Lightsey SH Jr, Payton ME. Insulated sleeve effect on cold weather performance of intravenous fluid warmers. 2008;52:S153 (Research Forum abstracts)
McCarroll N (*see* Hahn et al). 2008;52:474 (Images in Emergency Medicine)
McCarter J (*see* Phillips et al). 2008;52:766–7 (Correspondence)
McCarthy C (*see* Cochrane et al). 2008;52:S103 (Research Forum abstracts)
McCarthy CM II, Eskin B, Allegra JR. The seasonality of testicular torsion. 2008;52:S166 (Research Forum abstracts)
McCarthy EP (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
McCarthy M (*see* Aston et al). 2008;52:S108 (Research Forum abstracts)
McClay J. Comparison of ten-hour and twelve-hour shifts demonstrates no difference in resident productivity. 2008;52:S151 (Research Forum abstracts)
McClung CD, Hatch L, Henderson SO. The epidemiology of stroke and transient ischemic attacks: a 10-year evaluation. 2008;52:S162 (Research Forum abstracts)
McClung CD, Hui SJ. Race and self-pay insurance status are associated with mortality and management of non-traumatic subarachnoid hemorrhage. 2008;52:S99 (Research Forum abstracts)

McConnell K (*see* Handel and McConnell). 2008; 52:S87 (Research Forum abstracts)
McConnell KJ (*see* Lowe et al). 2008;52:626–34
McConnell KJ, Newgard CD, Lee R. Changes in the cost and management of emergency department on-call coverage: evidence from a longitudinal statewide survey. 2008;52:635–42
McCorkle R, Jehle D, Suffoletto H. Normative spleen size in tall healthy athletes: implications for safe return to contact sports following infectious mononucleosis. 2008;52:S146 (Research Forum abstracts)
McCormack JE (*see* Singer et al). 2008;52:S124 (Research Forum abstracts)
McCusker CM (*see* Chang et al). 2008;52:S140 (Research Forum abstracts)
McGee DL (*see* Thomas et al). 2008;52:e1–e17 (Special contribution)
McGill J (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
McGinnis-Hainsworth D (*see* Matthews et al). 2008;52:S153 (Research Forum abstracts)
McGrath ME, Rebholz CM, Innes K, Mitchell P, Lada Walker P, Feldman J. Does implementation of a satellite pharmacy in the emergency department affect time to treatment or completeness of antibiotic treatment in sepsis patients? 2008;52:S73 (Research Forum abstracts)
McIntosh S (*see* Wasden et al). 2008;52:S159 (Research Forum abstracts)
McIntyre SL (*see* Rogers et al). 2008;52:S63 (Research Forum abstracts)
McKay MP. Commentary: emergency medical services: just the beginning of an effective system. 2008;52:454–6 (NHTSA Notes)
McKenna M. Controversy swirls around early goal-directed therapy in sepsis: pioneer defends ground-breaking approach to deadly disease. 2008;52:651–4 (News and Perspective)
McManus JG (*see* Morton et al). 2008;52:S150 (Research Forum abstracts)
McMullin N (*see* Seamonds et al). 2008;52:S96 (Research Forum abstracts)
McMullin N (*see* Seamonds et al). 2008;52:S118 (Research Forum abstracts)
McNally B (*see* Sasson et al). 2008;52:S69 (Research Forum abstracts)
McNaughton C, Zhou C, Roberts L, Storrow A, Kennedy R. A randomized controlled trial comparing injected buffered lidocaine, lidocaine cream, and no analgesia for peripheral intravenous cannula insertion. 2008; 52:S75 (Research Forum abstracts)
McQuillen KK (*see* Roslund et al). 2008;52:22–9
Medado P (*see* Kass-Shamoun et al). 2008;52:S155 (Research Forum abstracts)
Medado P (*see* Robinson et al). 2008;52:S138 (Research Forum abstracts)
Medado PB, Anderson S, Robinson D, Kass Shamoun R, Zervos MJ, Haque N, O'Neil BJ. The effect of timing and choice of antibiotic on mortality and length of stay in nursing home-acquired pneumonia. 2008;52:S137 (Research Forum abstracts)
Mégarbane F (*see* Borron et al). 2008;52:S93 (Research Forum abstracts)
Megargel R (*see* Matthews et al). 2008;52:S153 (Research Forum abstracts)
Meggs WJ (*see* Fish et al). 2008;52:S140 (Research Forum abstracts)
Meggs WJ, Courtney C, O'Rourke D, Brewer KL. Pressure-immobilization bandages for rattlesnake envenomations prevent lethal hyperkalemia from necrosis in a porcine model. 2008;52:S140 (Research Forum abstracts)
Mehta S (*see* Sikka et al). 2008;52:S110 (Research Forum abstracts)
Mehta SG, Spinella P, Cox ED, West S, Apocada A, Holcomb JB. Early identification of combat casualties who are at high risk for death from severe trauma. 2008;52:S144 (Research Forum abstracts)
Melanson S (*see* Eberhardt et al). 2008;52:S109 (Research Forum abstracts)
Melanson S (*see* Patterson et al). 2008;52:S111 (Research Forum abstracts)
Mello M (*see* Ward et al). 2008;52:S159 (Research Forum abstracts)
Mello MJ, Baird J, Nirenberg T, Longabaugh R, Woolard R. DIAL: Decreasing Injuries from ALcohol. 2008;52:S158 (Research Forum abstracts)
Meloy TD (*see* Decker et al). 2008;52:322–8
Menchine M (*see* Wiechmann and Menchine). 2008;52:S82 (Research Forum abstracts)
Mencl F (*see* Cornici et al). 2008;52:S83 (Research Forum abstracts)
Mendez D (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Mercer LM (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Mercer S (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Messé SR, Jauch EC. Transient ischemic attack: diagnostic evaluation. 2008;52:S17–S26
Meurer WJ, West BT, Fendrick AM, Kerber KA. Dizziness presentations in U.S. emergency departments, 1995–2004: doing more, getting less? 2008;52:S100 (Research Forum abstracts)
Meyer J (*see* Broder et al). 2008;52:S67 (Research Forum abstracts)
Meyer-Reed EJ, Reeve KR, Wadman MC, Muelleman RL, Tran TP. Patient expectation in a freestanding emergency department. 2008; 52:S112 (Research Forum abstracts)
Meznar M (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Michael M (*see* Folkert et al). 2008;52:S80 (Research Forum abstracts)
Michelson EA, Totten V, Shenal R. Use of a novel portable computerized EEG device in emergency department stroke patients. 2008; 52:S162 (Research Forum abstracts)
Miles S (*see* Kuklentz et al). 2008;52:S79 (Research Forum abstracts)
Milk JT (*see* Knoll et al). 2008;52:S69 (Research Forum abstracts)
Millard WB. An American form of practice: societal contexts for the rise of emergency medicine. 2008;52:379–82 (News and Perspective)
Millen J (*see* Lozner et al). 2008;52:S164 (Research Forum abstracts)
Millen JC, Ginde AA, Anderson AT, Fang P, Camargo CA Jr. Multicenter study of HPV knowledge and attitudes in emergency department patients. 2008;52:S121 (Research Forum abstracts)
Miller B (*see* Abram et al). 2008;52:S51 (Research Forum abstracts)
Miller B (*see* Goldberg et al). 2008;52:S76 (Research Forum abstracts)
Miller LJ (*see* Fowler et al). 2008;52:S152 (Research Forum abstracts)
Miller MK (*see* Allen et al). 2008;52:S75 (Research Forum abstracts)
Miller S (*see* Miller et al). 2008;52:483–91
Miller SL, Miller S, Balon J, Helling TS. Medication reconciliation in a rural trauma population. 2008;52:483–91
Millikan DJ, Kowalenko T. Essential emergency procedures. 2008;52:597 (Book and Media Reviews)
Mills L (*see* Levitan et al). 2008;52:S160 (Research Forum abstracts)
Mills L (*see* Manausa et al). 2008;52:S149 (Research Forum abstracts)
Mills T (*see* Levitan et al). 2008;52:S160 (Research Forum abstracts)
Mills T (*see* Manausa et al). 2008;52:S149 (Research Forum abstracts)
Milzman D (*see* Osborn et al). 2008;52:S123 (Research Forum abstracts)
Min Y (*see* Moon et al). 2008;52:S58 (Research Forum abstracts)
Miner JR (*see* Dawes et al). 2008;52:S65 (Research Forum abstracts)
Miner JR (*see* Ho et al). 2008;52:S62 (Research Forum abstracts)
Miner JR (*see* Reardon et al). 2008;52:S114 (Research Forum abstracts)
Miner JR (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Miner JR, Petersen G, Byrd C, Clinton J, Smith S. The relationship between near infrared spectroscopy and end tidal carbon dioxide in patients presenting with shock. 2008;52:S57 (Research Forum abstracts)
Miner JR, Walz H, Biros MH. The prevalence and characteristics of patients reporting alcohol use at an urban level 1 trauma center. 2008;52: S122 (Research Forum abstracts)
Minnigan H (*see* Chinnock et al). 2008;52:268–73 (Brief research report)
Mirakhor J (*see* Barlas and Mirakhor). 2008;52: S123 (Research Forum abstracts)
Mistry C (*see* Crowe et al). 2008;52:S58 (Research Forum abstracts)
Mitchell AM (*see* Kline et al). 2008;52:437–45
Mitchell AM, Jones AE, Burnside P, Tumlin JA, Garner CL Jr, Kline JA. The incidence of contrast nephropathy in the emergency department is higher than previous estimates. 2008;52:S157 (Research Forum abstracts)
Mitchell P (*see* McGrath et al). 2008;52:S73 (Research Forum abstracts)
Mitchell P (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)
Mitchell PM (*see* Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Mittal MK. Rash on hands. 2008;52:12 (Images in Emergency Medicine)
Moak JH, Lindsell CJ. Bedside renal ultrasound in the evaluation of emergency department patients with suspected renal colic. 2008;52: S62 (Research Forum abstracts)
Modica R (*see* Thundiyil et al). 2008;52:S103 (Research Forum abstracts)
Moellman JJ (*see* Raja et al). 2008;52:S54 (Research Forum abstracts)
Mofidi M Sr (*see* Farsi and Mofidi). 2008;52:S116 (Research Forum abstracts)
Mohanty S (*see* Stone et al). 2008;52:S119 (Research Forum abstracts)

Mohseni M. Left shoulder pain. 2008;52:203 (Images in Emergency Medicine)
Mohseni M (*see* Cohen et al). 2008;52:S137 (Research Forum abstracts)
Moiraghi C (*see* Gai et al). 2008;52:S120 (Research Forum abstracts)
Moises J (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Molinar G (*see* Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Moncure M (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Moon J (*see* Moon et al). 2008;52:S58 (Research Forum abstracts)
Moon J, Chun B, Min Y, Moon J. The effect of mild therapeutic hypothermia on asystole. 2008;52:S58 (Research Forum abstracts)
Moore C (*see* Chang et al). 2008;52:S129 (Research Forum abstracts)
Moore C (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Moore C (*see* Manson et al). 2008;52:S170 (Research Forum abstracts)
Moore C (*see* Richman et al). 2008;52:S45 (Research Forum abstracts)
Moore JD (*see* Bowers et al). 2008;52:S141 (Research Forum abstracts)
Moore L, Lavoie A, Sage N, Bergeron É, Émond M, Liberman M, Abdous B. Using information on preexisting conditions to predict mortality from traumatic injury. 2008;52:356–64
Moore M (*see* Irvin et al). 2008;52:S104 (Research Forum abstracts)
Moore T (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Mor TS (*see* Geyer et al). 2008;52:S142 (Research Forum abstracts)
Morandi A (*see* Han et al). 2008;52:S51 (Research Forum abstracts)
Moreau JF (*see* Schuur et al). 2008;52:S130 (Research Forum abstracts)
Moreira ME, Buchanan J, Heard K. Retrospective review of an implemented body stuffer protocol. 2008;52:S141 (Research Forum abstracts)
Morgan D (*see* Matloff et al). 2008;52:S81 (Research Forum abstracts)
Morley EJ, Zehtabchi S. Mannitol for traumatic brain injury: searching for the evidence. 2008; 52:298–300 (Systematic Review Abstract)
Moro J (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Morris AH (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Morton MJ, McManus JG, Kelen GD, Kirsch TD. Emergency department preparedness for pandemic influenza in the U.S.: a survey of medical directors and department chairs. 2008; 52:S150 (Research Forum abstracts)
Moscati R (*see* Sinha et al). 2008;52:S57 (Research Forum abstracts)
Mosesso VN Jr (*see* Martin-Gill et al). 2008;52: S151 (Research Forum abstracts)
Moujber M (*see* Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Mower WR. Radiation doses among blunt trauma patients: assessing risks and benefits of computed tomographic imaging. 2008;52:99–100 (Editorial)
Moyer P (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)
Muelleman R (*see* Asher et al). 2008;52:S63 (Research Forum abstracts)
Muelleman RL (*see* Li et al). 2008;52:S64 (Research Forum abstracts)
Muelleman RL (*see* Meyer-Reed et al). 2008;52: S112 (Research Forum abstracts)
Mullen M, Lomax RNA, Hayward A, Mangolds V, Przyklenk K. Use of continuous ScVO2 catheters increases ScVO2 monitoring and may improve outcome of early goal-directed therapy. 2008;52:S104 (Research Forum abstracts)
Mullen M, Quanrud S. Female with fever and sore throat. 2008;52:573 (Images in Emergency Medicine)
Mullen N (*see* Hite and Mullen). 2008;52:S165 (Research Forum abstracts)
Müller D, Schnitzer L, Brandt J, Arntz H-R. The accuracy of an out-of-hospital 12-lead ECG for the detection of ST-elevation myocardial infarction immediately after resuscitation. 2008;52:658–64
Mullins ME (*see* Schwarz et al). 2008;52:476–7 (Correspondence)
Muniz AE, Gates K. Altered mentation in children in a pediatric emergency department: what are the causes? 2008;52:S77 (Research Forum abstracts)
Murphy CV (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Murphy MF (*see* Walls and Murphy). 2008;52: 13–4 (Clinical Controversies)
Murray A (*see* Capp et al). 2008;52:S61 (Research Forum abstracts)
Murray J (*see* Patterson et al). 2008;52:S111 (Research Forum abstracts)
Myers R (*see* Lazio et al). 2008;52:S163 (Research Forum abstracts)

## N

Nagarwala J (*see* Malhotra et al). 2008;52:S55 (Research Forum abstracts)
Nagler J (*see* Neuman et al). 2008;52:473 (Images in Emergency Medicine)
Nagurka R (*see* Chan et al). 2008;52:S161 (Research Forum abstracts)
Nagurney JT (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Nallamothu N (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Nassiry AM, Hogan CJ, Ward KR, Hess M. Microcirculation is significantly altered in heart failure patients who later develop decompensated disease. 2008;52:S48 (Research Forum abstracts)
Nathanson BH (*see* Capraro et al). 2008;52:S157 (Research Forum abstracts)
Nathanson LA (*see* Schuur et al). 2008;52:S130 (Research Forum abstracts)
National Highway Traffic Safety Administration. Configurations of EMS systems: a pilot study. 2008;52:453–4 (NHTSA Notes)
National Highway Traffic Safety Administration. Seat belt use in 2007—demographic results. 2008;52:749 (NHTSA Notes)
National Highway Traffic Safety Administration. Seatbelt use in 2007—race and ethnicity results among occupants traveling with children. 2008;52:165 (NHTSA Notes)
Naunheim R, Treaster M, English J. Automated electroencephalogram device identifies abnormalities in the emergency department. 2008;52:S92 (Research Forum abstracts)
Nazeer S (*see* Fowler et al). 2008;52:S152 (Research Forum abstracts)
Nazir N (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Nazziola E. Effect of admitted patient boarder occupancy percentage on emergency department length of stay and patients leaving without treatment. 2008;52:S129 (Research Forum abstracts)
Nedzlek C (*see* Gunaga et al). 2008;52:S55 (Research Forum abstracts)
Nelson A, Hardy L, Latouf K, Lovell E. Evaluation of racial bias in emergency medicine residents and recent graduates. 2008;52:S122 (Research Forum abstracts)
Nelson M (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Nelson M, Zimmerman M, Wong K, Chiricolo G, Chen J, Raio C. Can emergency physicians utilize the Stone in gallbladder Neck (SIN) phenomenon to accurately diagnose cholecystitis? 2008;52:S61 (Research Forum abstracts)
Nestler DM, Haro LH, Stead LG, Boie ET, Decker WW, Scanlan-Hanson L, Bell MR, Ting HH. Achieving door-to-balloon times of 90 minutes or less for ST-elevation myocardial infarction: it can be done!, 2008;52:S133 (Research Forum abstracts)
Nestler DM, Haro LH, Stead LG, Boie ET, Decker WW, Scanlan-Hanson L, Bell MR, Ting HH. Association of door-to-electrocardiogram time and door-to-balloon time in patients with ST-elevation myocardial infarction. 2008;52:S91 (Research Forum abstracts)
Neuenschwander JF, Hiestand BC, Peacock WF IV, Sondrup LC, Hummel JD, Daoud EG, Abraham WT. The benefit of interrogating defibrillators by emergency department personnel. 2008;52:S132 (Research Forum abstracts)
Neuman MI, Nagler J, Madati PJ. Eye pain and double vision, 2008;52:473 (Images in Emergency Medicine)
Neuman T (*see* Vilke et al). 2008;52:85–6 (Correspondence reply)
New England Research Directors Hypothermia Study Group (*see* Rebholz et al). 2008;52:S84 (Research Forum abstracts)
Newgard CD (*see* McConnell et al). 2008;52:635–42
Newgard CD (*see* Cudnik et al). 2008;52:S95 (Research Forum abstracts)
Newman D (*see* Shah et al). 2008;52:S113 (Research Forum abstracts)
Newman DH, Becker J, Ackerman B, Hsieh W, Yang H, Kyrillou E, Krashaur M, Tse AB, Sharp VE. Can physician education improve patient use of a free rapid HIV testing program? 2008;52:S121 (Research Forum abstracts)
Ngo A, Ciranni M, Olson KR. Acute quetiapine overdose in adults: a 5-year retrospective case series. 2008;52:541–7
Nguyen A (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Nibhanipudi KV Sr. Is it cost effective to distribute educational videos of injury prevention in the emergency department? 2008;52:S151 (Research Forum abstracts)
Nicholaidis C (*see* Choo et al). 2008;52:S62 (Research Forum abstracts)

Nichols WL (*see* Baty et al). 2008;52:S127 (Research Forum abstracts)
Nichols WL (*see* Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Nichols WL (*see* Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
Nicks BA, Manthey D, Fitch M. CMS community-acquired pneumonia core measures leads to unnecessary antibiotic administration by emergency physicians. 2008;52:S119 (Research Forum abstracts)
Nikraven S (*see* Folkert et al). 2008;52:S80 (Research Forum abstracts)
Niquille M (*see* Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Nirenberg T (*see* Mello et al). 2008;52:S158 (Research Forum abstracts)
Nkoulou R (*see* Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Noble V (*see* Soremekun et al). 2008;52:S81 (Research Forum abstracts)
Noble VE (*see* Capp et al). 2008;52:S61 (Research Forum abstracts)
Noble VE (*see* Capp et al). 2008;52:S145 (Research Forum abstracts)
Nocera M (*see* Williams et al). 2008;52:211–22 (Review Article)
Nordin C (*see* Dattilo et al). 2008;52:89–90 (Correspondence reply)
Norton RL, Fu R. Emergency department crowding: factors associated with length of stay and disposition in an observation unit. 2008;52:S137 (Research Forum abstracts)
Novicoff W (*see* Pearson et al). 2008;52:S94 (Research Forum abstracts)
Nowak B (*see* Irvin et al). 2008;52:S104 (Research Forum abstracts)

## O

Oakes JL (*see* Robinson et al). 2008;52:S144 (Research Forum abstracts)
Obeius M (*see* Cornici et al). 2008;52:S83 (Research Forum abstracts)
Oberg T (*see* Irvin et al). 2008;52:S166 (Research Forum abstracts)
O'Connor RE, Sohr KD. Patients with repeat visits to the emergency department: an indictment of health care in the United States? 2008;52:S120 (Research Forum abstracts)
Odell CA (*see* Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Oh B (*see* Yeo et al). 2008;52:S99 (Research Forum abstracts)
Oh J (*see* Kim et al). 2008;52:S144 (Research Forum abstracts)
Oh S, Kim S. Is the optic nerve sheath diameter that is measured by ultrasonography useful for early detection of elevated intracranial pressure in adult patients? 2008;52:S129 (Research Forum abstracts)
Oliver A (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Oliver A (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Olson JE (*see* Aston et al). 2008;52:S108 (Research Forum abstracts)
Olson KR (*see* Ngo et al). 2008;52:541–7
O'Malley PM (see Kline et al). 2008;52:437–45
O'Malley R (*see* Stein et al). 2008;52:S152 (Research Forum abstracts)
O'Malley R (*see* Stein et al). 2008;52:S169 (Research Forum abstracts)
O'Neil BJ (*see* Kass-Shamoun et al). 2008;52:S155 (Research Forum abstracts)
O'Neil BJ (*see* Medado et al). 2008;52:S137 (Research Forum abstracts)
O'Neil BJ (*see* Rae et al). 2008;52:S111 (Research Forum abstracts)
O'Neil BJ (*see* Robinson et al). 2008;52:S138 (Research Forum abstracts)
Ong ME (*see* Chan et al). 2008;52:S133 (Research Forum abstracts)
Orjuela D (*see* Stein et al). 2008;52:S152 (Research Forum abstracts)
Orledge J (*see* Jones et al). 2008;52:S144 (Research Forum abstracts)
Ornato JP (*see* Kontos et al). 2008;52:S117 (Research Forum abstracts)
Ornato JP (*see* Kurz et al). 2008;52:S134 (Research Forum abstracts)
O'Rourke D (*see* Fish et al). 2008;52:S140 (Research Forum abstracts)
O'Rourke D (*see* Meggs et al). 2008;52:S140 (Research Forum abstracts)
O'Rourke E (*see* Siegel et al). 2008;52:S85 (Research Forum abstracts)
Ortiz S (*see* Thoelecke et al). 2008;52:S171 (Research Forum abstracts)
Osborn SR (*see* Pontius and Osborn). 2008;52:S49 (Research Forum abstracts)
Osborn SR, Templeman T, Milzman D, Soe-Lin H. Sociodemographics and mortality of HIV in Washington, D.C. 2008;52:S123 (Research Forum abstracts)
Osborne M (*see* Manson et al). 2008;52:S170 (Research Forum abstracts)
O'Shea R (*see* Henderson et al). 2008;52:S106 (Research Forum abstracts)
Otero R (*see* Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)
Otero R, Crawford J, Goldsmith D, Rivers E. Near-infrared spectroscopy in assessing perfusion status in patients with gastrointestinal complaints presenting to the emergency department. 2008;52:S105 (Research Forum abstracts)
Otero RM (*see* Garcia et al). 2008;52:S59 (Research Forum abstracts)
Overly F (*see* Siegel et al). 2008;52:S85 (Research Forum abstracts)

## P

Packer DL (*see* Decker et al). 2008;52:322–8
Padela AI, Schneider SM, Ali Z, Richardson T. Asking for a same sex, race or religion provider in the emergency department: provider and patient factors relating to accommodation. 2008;52:S167 (Research Forum abstracts)
Padurean AM, Lund B, Gifford G, Hanson G, Kirchick HJ. Analytical and clinical evaluation of four D-dimer methods. 2008;52:S152 (Research Forum abstracts)
Pagan K, Sootharothai R, Radeos MS. Risk factors for failure to follow up in a smoking cessation program among adults presenting to the emergency department with acute exacerbation of asthma or chronic obstructive pulmonary disease. 2008;52:S45 (Research Forum abstracts)
Pallin DJ (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
Palumbo JM (*see* Knoll et al). 2008;52:S69 (Research Forum abstracts)
Panacek E (*see* Marinelli et al). 2008;52:S171 (Research Forum abstracts)
Panagos PD (*see* Edlow et al). 2008;52:407–36 (Clinical policy)
Panebianco NL (*see* Fields et al). 2008;52:S148 (Research Forum abstracts)
Panebianco NL (*see* Lee et al). 2008;52:S128 (Research Forum abstracts)
Panebianco NL, Fredette JM, Szyld D, Sagalyn EB, Pines JM, Dean AJ. Ultrasound-guided peripheral IV access: patient pain, anxiety and preference. 2008;52:S61 (Research Forum abstracts)
Pang PS (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Papa L (*see* Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
Papa L (*see* Ladde et al). 2008;52:S76 (Research Forum abstracts)
Paquette K (*see* Bisaga et al). 2008;52:525–8 (Brief Research Report)
Park J. A simple prediction method of central vertigo among patients with dizziness in the emergency department. 2008;52:S137 (Research Forum abstracts)
Park K (*see* Choi et al). 2008;52:S142 (Research Forum abstracts)
Park T. Diagnostic accuracy of ST-segment elevation in lead I, aVL and anterior chest leads for proximal left anterior descending coronary artery occlusion in myocardial infarction. 2008;52:S91 (Research Forum abstracts)
Parrent T (*see* Bowers et al). 2008;52:S141 (Research Forum abstracts)
Parry BA (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Pascu O (*see* Rippey et al). 2008;52:446–52 (Brief research report)
Passarello B (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Patanwala S (*see* Hiller et al). 2008;52:S72 (Research Forum abstracts)
Patel A (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Patel E (*see* Ramanujam et al). 2008;52:S154 (Research Forum abstracts)
Patel S (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Patel S (*see* Gaddis et al). 2008;52:S78 (Research Forum abstracts)
Patel SJ (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Patel SN, Kilgannon H, Boudreaux ED, Tsai C, Sullivan AF, Blumenthal D, Camargo CA Jr. Multicenter study of cigarette smoking among patients presenting to the emergency department with acute asthma. 2008;52:S44 (Research Forum abstracts)
Paternoster J (*see* Friedman et al). 2008;52:399–406
Pattani S (*see* Mahler et al). 2008;52:S109 (Research Forum abstracts)
Patterson JW, Stockton P, Ruggles J, Murray J, Melanson S. A formal "drug seeker" policy/database does not decrease the dispensing of narcotics to drug seekers. 2008;52:S111 (Research Forum abstracts)
Patterson LA (*see* Bennett et al). 2008;52:S148 (Research Forum abstracts)
Patton JN (*see* Szymanski et al). 2008;52:S91 (Research Forum abstracts)

Paulson S, Byyny R, Erickson C, Gravitz C, Haukoos J. Predicting the need for emergent surgery in adult trauma patients: external validation of a clinical decision rule and implications for trauma triage. 2008;52:S107 (Research Forum abstracts)
Paxton JH, Knuth TE, Klausner HA. Humeral head intraosseus insertion: the preferred emergency venous access. 2008;52:S58 (Research Forum abstracts)
Payton ME (*see* Mayhue et al). 2008;52:S153 (Research Forum abstracts)
Peacock W (*see* Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Peacock W (*see* Seamonds et al). 2008;52:S96 (Research Forum abstracts)
Peacock W (*see* Seamonds et al). 2008;52:S118 (Research Forum abstracts)
Peacock WF IV (*see* Neuenschwander et al). 2008; 52:S132 (Research Forum abstracts)
Pearson JD, Novicoff W, Buckley TP, Brady WJ, Vinayak AG. Subgroup analyses of time to antibiotics in community-acquired pneumonia: correlating capacity and physician-dependent processes with outcomes. 2008;52:S94 (Research Forum abstracts)
Peck J, Kim S. Improving emergency department patient flow through optimal fast track usage. 2008;52:S88 (Research Forum abstracts)
Peebles MN (*see* Turner-Lawrence et al). 2008;52: S98 (Research Forum abstracts)
Peklo D (*see* Wright et al). 2008;52:S125 (Research Forum abstracts)
Pekolj-Bicanic M (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Pensler M (*see* Gunaga et al). 2008;52:S55 (Research Forum abstracts)
Pentz RD, Kellermann AL, Wright DW. Conducting research on issues regarding human subjects research regulatory compliance: a responsibility of all clinical researchers. 2008;52:574–5 (Correspondence reply)
Perina DG (*see* Thomas et al). 2008;52:e1–e17 (Special contribution)
Perrone J (*see* Chang et al). 2008;52:S140 (Research Forum abstracts)
Petersburgo DD, Keyes CE, Sasser SM, Click LA, Wright DW, Houry D. The epidemiology of pediatric trauma in the capital city of Maputo, Mozambique. 2008;52:S125 (Research Forum abstracts)
Petersen G (*see* Miner et al). 2008;52:S57 (Research Forum abstracts)
Petrie DA. *see* Thompson et al). 2008;52:232–43
Pfeiffer P, Marco CA. Ultrasonographic detection of intraocular foreign bodies. 2008;52:S148 (Research Forum abstracts)
Philbeck T (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Philbeck TE (*see* Fowler et al). 2008;52:S152 (Research Forum abstracts)
Philbin NB (*see* Sloan et al). 2008;52:S107 (Research Forum abstracts)
Philbin NB (*see* Sloan et al). 2008;52:S143 (Research Forum abstracts)
Phillips RS (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
Phillips S (*see* Glickman et al). 2008;52:S120 (Research Forum abstracts)
Phillips S (*see* Kim et al). 2008;52:S94 (Research Forum abstracts)
Phillips S, Glickman SW, Stanley LJ, Preston RJ, Grant GA, Laskowitz DT, Cairns CB. C-reactive protein as a serum biomarker in the evaluation of patients with minor head injury and normal mental status in the emergency department. 2008;52:S124 (Research Forum abstracts)
Phillips WJ, Jones J, McCarter J. Meperidine for acute sickle cell crisis: what is the rationale? 2008;52:766–7 (Correspondence)
Pièche S (*see* Bond et al). 2008;52:617–22
Pierce A (*see* Fowler et al). 2008;52:S152 (Research Forum abstracts)
Pierre RB, Lindsell C, Kissela B, Alwell K, Broderick J, Woo D, Flaherty M, Kleindorfer D. Emergency department stroke care is similar by race and type of hospital within a regional population. 2008;52:S161 (Research Forum abstracts)
Pillow MT (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Pillow T (*see* Ferguson et al). 2008;52:S131 (Research Forum abstracts)
Pineda L (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Pines JM (*see* Panebianco et al). 2008;52:S61 (Research Forum abstracts)
Pines JM, Kelly JJ. Emergency department crowding in the Commonwealth of Pennsylvania. 2008;52:S130 (Research Forum abstracts)
Pines JM, Schuur JD. Trends and predictors of emergency department pregnancy test use in women with symptoms of potential ectopic pregnancy (2001–2005). 2008;52:S118 (Research Forum abstracts)
Piontkowsky DM (*see* Venkat et al). 2008;52:274–85 (Review article)
Pipinos I (*see* Tran et al). 2008;52:S64 (Research Forum abstracts)
Pirrung J (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Pitrak DL (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Pitzele HZ (*see* Unterman et al). 2008;52:S167 (Research Forum abstracts)
Platt G (*see* Juliano et al). 2008;52:S169 (Research Forum abstracts)
Platts-Mills T (*see* Campagne et al). 2008;52:S113 (Research Forum abstracts)
Plojoux J (*see* Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Plonk T (*see* Cline et al). 2008;52:S136 (Research Forum abstracts)
Plunk MR (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Plunk MR (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Poag H (*see* Bales et al). 2008;52:S141 (Research Forum abstracts)
Podolsky S (*see* Lobel et al). 2008;52:S96 (Research Forum abstracts)
Poitras J, Maire S, Tanguay A, Lapointe J, Hebert D. Delays to angioplasty for patients with ST-elevation myocardial infarction are reducible by ambulance diversion based on an out-of-hospital electrocardiogram. 2008;52:S95 (Research Forum abstracts)
Polan D (*see* Baty et al). 2008;52:S127 (Research Forum abstracts)
Polan D (*see* Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
Polan DL (*see* Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Pollack CV Jr, Antman EM, Hollander JE. 2007 focused update to the ACC/AHA guidelines for the management of patients with ST-segment elevation myocardial infarction: implications for emergency department practice. 2008;52:344–55 (Special contribution)
Pontius EP, Osborn SR. Disposition time: how do residents affect emergency department length of stay? 2008;52:S49 (Research Forum abstracts)
Porter PS Jr, Salo D, Allegra JR. The epidemiology of patellar dislocations. 2008;52:S124 (Research Forum abstracts)
Post HB (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Pottenger BC, Diercks DB, Bhatt DL. Regionalization of care for ST-segment elevation myocardial infarction: is it too soon? 2008;52:677–85 (Concepts)
Prakasam S (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Preston RJ (*see* Glickman et al). 2008;52:S120 (Research Forum abstracts)
Preston RJ (*see* Phillips et al). 2008;52:S124 (Research Forum abstracts)
Price M (*see* Turner-Lawrence et al). 2008;52:S98 (Research Forum abstracts)
Price MF (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Promes SB. Emergency radiology: case studies. 2008;52:311–2 (Book and Media Reviews)
Prutzman LK, Mayer PH, Ginde AA, Yaron M. Emergency department electronic billing algorithm increases charges per patient encounter. 2008;52:S88 (Research Forum abstracts)
Pryor P (*see* Yang et al). 2008;52:S110 (Research Forum abstracts)
Przyklenk K (*see* Mullen et al). 2008;52:S104 (Research Forum abstracts)
Pugh B (*see* Griswold-Theodorson et al). 2008;52: S169 (Research Forum abstracts)
Pugh NA (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)

## Q

Qazi K, Altamimi S, Shaik S, Serrano K. Impact of a nurse-initiated asthma care protocol on mean door to first Salbutamol® (albuterol) nebulization time in pediatric emergency department patients. 2008;52:S44 (Research Forum abstracts)
Qualls M (*see* Schuur et al). 2008;52:S130 (Research Forum abstracts)
Quanrud S (*see* Mullen and Quanrud). 2008;52: 573 (Images in Emergency Medicine)
Queen J (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Quinn TC (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts
Quinn TC (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)

## R

Raab D (*see* Lindsell et al). 2008;52:S66 (Research Forum abstracts)
Radeos MS (*see* Berger et al). 2008;52:S54 (Research Forum abstracts)

Radeos MS (*see* Green et al). 2008;52:S72 (Research Forum abstracts)
Radeos MS (*see* Pagan et al). 2008;52:S45 (Research Forum abstracts)
Radeos MS (*see* Yang et al). 2008;52:S110 (Research Forum abstracts)
Radonich K (*see* Totten et al). 2008;52:S102 (Research Forum abstracts)
Radulescu R (*see* Friedman et al). 2008;52:399–406
Rae RW Jr, Wilson AG, Brown J, Higgins A, O'Neil BJ. Does providing patients with overestimates of anticipated waiting times improve perception of wait times in the emergency department? 2008;52:S111 (Research Forum abstracts)
Raio C (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Raio C (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Raio C (*see* Nelson et al). 2008;52:S61 (Research Forum abstracts)
Raja AS, Moellman JJ, Schauer DP, Eckman MH, Lindsell CJ, Bernstein JA, Collins SP. Cost-effectiveness of emergency department penicillin skin testing to guide antibiotic treatment of odontogenic infections. 2008;52:S54 (Research Forum abstracts)
Rajagopalan C (*see* Schreck and Rajagopalan). 2008;52:S115 (Research Forum abstracts)
Ramanujam P (*see* Barton et al). 2008;52:S99 (Research Forum abstracts)
Ramanujam P, Castillo E, Patel E, Vilke G, Wilson M, Dunford J. Out-of-hospital transport time intervals for acute stroke patients. 2008;52:S154 (Research Forum abstracts)
Ramirez S (*see* Thoelecke et al). 2008;52:S171 (Research Forum abstracts)
Ramos-Fernandez M (*see* Serrano-Rivera and Ramos-Fernandez). 2008;52:597–8 (Book and Media Reviews)
Ramsay C (*see* Spektor et al). 2008;52:S87 (Research Forum abstracts)
Ramundo M (*see* Burnette et al). 2008;52:S68 (Research Forum abstracts)
Rao CPV (*see* Lewandowski et al). 2008;52:S7–S16
Rao SR (*see* Sullivan et al). 2008;52:S171 (Research Forum abstracts)
Reardon R, Miner JR, Ward C, Renner J, Duenas T, Samakar K, Donelan C, McGill J, Clinton J. The intubating laryngeal mask airway is an important backup device for emergency airways. 2008;52:S115 (Research Forum abstracts)
Reardon R, Ward C, Hart D, Hill C, Miner JR. Assessment of face-mask ventilation using an airway simulation model. 2008;52:S114 (Research Forum abstracts)
Reardon RF (*see* Ho et al). 2008;52:S62 (Research Forum abstracts)
Rebholz C (*see* Temin et al). 2008;52:S153 (Research Forum abstracts)
Rebholz CM (*see* McGrath et al). 2008;52:S73 (Research Forum abstracts)
Rebholz CM, Mangolds V, New England Research Directors Hypothermia Study Group. Assessment of therapeutic hypothermia for cardiac arrest patients. 2008;52:S84 (Research Forum abstracts)
Rebholz CM, Mitchell PM, Zaniboni HA, Winn TJ, Odell CA, Klapperich CM, Feldman JA. The impact of rapid influenza testing on adult and pediatric patient management. 2008;52:S73 (Research Forum abstracts)
Reed J III (*see* Baty et al). 2008;52:S127 (Research Forum abstracts)
Reed J III (*see* Farley et al). 2008;52:S101 (Research Forum abstracts)
Reed J III (*see* Farley et al). 2008;52:S112 (Research Forum abstracts)
Reed J III (*see* Farley et al). 2008;52:S131 (Research Forum abstracts)
Reed J III (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Reed J III (*see* Matthews et al). 2008;52:S153 (Research Forum abstracts)
Reed J III (*see* Sierzenski et al). 2008;52:S50 (Research Forum abstracts)
Reed J III (*see* Sierzenski et al). 2008;52:S170 (Research Forum abstracts)
Reed ME (*see* Ballard et al). 2008;52:643–50
Reedman L (*see* Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
Reedman L (*see* Kairam et al). 2008;52:S142 (Research Forum abstracts)
Reese CL IV (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Reeve KR (*see* Meyer-Reed et al). 2008;52:S112 (Research Forum abstracts)
Reinert SE (*see* Boyd et al). 2008;52:S67 (Research Forum abstracts)
Reiser M (*see* Capraro et al). 2008;52:S138 (Research Forum abstracts)
Reiser M (*see* Capraro et al). 2008;52:S157 (Research Forum abstracts)
Reisner A (*see* Lozner et al). 2008;52:S164 (Research Forum abstracts)
Renner J (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Renwick EA (*see* Sinclair et al). 2008;52:S75 (Research Forum abstracts)
Resnick JB (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Resurreccion D (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Rhee J (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Rhee JE (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Richard O (*see* Ghanbari et al). 2008;52:S81 (Research Forum abstracts)
Richards KA, Kleuser LP, Kluger J. Fortuitous therapeutic effect of Taser shock for a patient in atrial fibrillation. 2008;52:686–8 (Case Report)
Richardson LD (*see* Chan et al). 2008;52:S161 (Research Forum abstracts)
Richardson T (*see* Padela et al). 2008;52:S167 (Research Forum abstracts)
Richardson W (*see* Lavonas et al). 2008;52:S141 (Research Forum abstracts)
Richling R (*see* Heavrin et al). 2008;52:S143 (Research Forum abstracts)
Richman P, Kabrhel C, Mandell M, Beam D, Courtney D, Moore C, Kline JA. Age differences in the clinical presentation of emergency department patients with venous thromboembolism. 2008;52:S45 (Research Forum abstracts)
Riggio S (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Riggs R (*see* Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
Riggs R (*see* Kairam et al). 2008;52:S142 (Research Forum abstracts)
Rios CL, Zehtabchi S. Septic arthritis in emergency department patients with joint pain: searching for the optimal diagnostic tool. 2008;52:567–9 (Rational clinical examination abstract)
Rippey JCR, Pascu O, Jacobs I. Abdominal compression effectively increases the size of the common femoral vein, as measured by ultrasonography. 2008;52:446–52 (Brief research report)
Ristova S (*see* Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)
Riutta A, Zenarosa R, Finnell J II. Determination of clinical criteria to rule out intracranial abnormalities in patients without evidence of trauma. 2008;52:S135 (Research Forum abstracts)
River G (*see* Stein et al). 2008;52:S169 (Research Forum abstracts)
Rivers E (*see* Otero et al). 2008;52:S105 (Research Forum abstracts)
Rivers EP (*see* Garcia et al). 2008;52:S59 (Research Forum abstracts)
Roback MG (*see* Langston et al). 2008;52:30–4
Roback MG, Jha V. Textbook of pediatric emergency procedures, 2nd edition. 2008;52:479 (Book and Media Reviews)
Robbins N (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Roberts CS (*see* Kontos et al). 2008;52:S117 (Research Forum abstracts)
Roberts CS (*see* Kurz et al). 2008;52:S134 (Research Forum abstracts)
Roberts D (*see* Malhotra et al). 2008;52:S55 (Research Forum abstracts)
Roberts JS, Hafner JW Jr, Hubler JR, Sullivan DJ. Quality indicators of headache evaluation and treatment in U.S. emergency department patients. 2008;52:S100 (Research Forum abstracts)
Roberts L (*see* McNaughton et al). 2008;52:S75 (Research Forum abstracts)
Roberts M (*see* Robinson et al). 2008;52:S144 (Research Forum abstracts)
Robinson C (*see* Farber et al). 2008;52:S100 (Research Forum abstracts)
Robinson D (*see* Kass-Shamoun et al). 2008;52:S155 (Research Forum abstracts)
Robinson D (*see* Medado et al). 2008;52:S137 (Research Forum abstracts)
Robinson D, Medado P, Anderson S, Haque N, Zervos MJ, O'Neil BJ. Early predictors of mortality and length of stay in emergency department nursing home-acquired pneumonia. 2008;52:S138 (Research Forum abstracts)
Robinson DJ, Oakes JL, Jones N, Burk K, Kingeter A, Kaden A, Roberts M. Incidental pneumothorax found after blunt abdominal trauma. 2008;52:S144 (Research Forum abstracts)
Rodgers N (*see* Ladde et al). 2008;52:S76 (Research Forum abstracts)
Rodriguez RM (*see* Tabas et al). 2008;52:329–36
Rogers AJ, McIntyre SL, Rossman L, Bacon-Baguley T, Jones JS. The forensic rape examination: is colposcopy really necessary? 2008;52:S63 (Research Forum abstracts)

Rogers M (*see* Sasson et al). 2008;52:S154 (Research Forum abstracts)
Rolland L (*see* Malhotra et al). 2008;52:S55 (Research Forum abstracts)
Rolston B (*see* Garza et al). 2008;52:S108 (Research Forum abstracts)
Romane LD. In response to "To sit or not to sit", 2008;52:185 (Correspondence)
Rosamond WD (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Rose KM (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Rosenbaum DS (*see* Wilson et al). 2008;52:S89 (Research Forum abstracts)
Rosenberg T (*see* Weizberg et al). 2008;52:764 (Images in Emergency Medicine)
Rosengart MR (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Roslund G, Hepps TS, McQuillen KK. The role of oral ondansetron in children with vomiting as a result of acute gastritis/gastroenteritis who have failed oral rehydration therapy: a randomized controlled trial. 2008;52:22–9
Ross M (*see* Cucchiara and Ross). 2008;52:S27–S39
Rossman L (*see* Atkinson et al). 2008;52:S172 (Research Forum abstracts)
Rossman L (*see* De Leon et al). 2008;52:S62 (Research Forum abstracts)
Rossman L (*see* Rogers et al). 2008;52:S63 (Research Forum abstracts)
Rossman L (*see* Stears et al). 2008;52:S64 (Research Forum abstracts)
Roth RN (*see* Martin-Gill et al). 2008;52:S151 (Research Forum abstracts)
Rothberg D (*see* Friedman et al). 2008;52:696–704
Rothman RE (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Rothman RE (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Rovan K (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Rovati S (*see* Kuehl et al). 2008;52:S74 (Research Forum abstracts)
Rowe BH (*see* Friedman et al). 2008;52:705–13
Rowe BH, Dickinson G, Mangal B, Kitt TM. The conversion of recent-onset atrial fibrillation to sinus rhythm with vernakalant hydrochloride injection: the influence of patients' medical history and baseline characteristics. 2008;52:S48 (Research Forum abstracts)
Rowe MT (*see* Cudnik et al). 2008;52:S47 (Research Forum abstracts)
Rudoni R (*see* Dunne et al). 2008;52:S119 (Research Forum abstracts)
Ruggles J (*see* Patterson et al). 2008;52:S111 (Research Forum abstracts)
Rush C (*see* Drigalla et al). 2008;52:S114 (Research Forum abstracts)
Rutschmann O (*see* Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Rutschmann OT, Geissbuhler A, Moujber M, Simon J, Yersin B, Sarasin F, Hugli O. Computerized triage simulation as a tool to compare the reliability and the performance of triage scales. 2008;52:S57 (Research Forum abstracts)
Rutschmann OT, Hugli O, Geissbuhler A, Kossovsky M, Simon J, Sarasin FP. Standardization of vital signs measurement during the triage process improves triage reliability. 2008;52:S167 (Research Forum abstracts)
Ryan J (*see* Gupta et al). 2008;52:S77 (Research Forum abstracts)
Ryan JG (*see* Ladner et al). 2008;52:S119 (Research Forum abstracts)
Ryan RJ (*see* Lindsell et al). 2008;52:S66 (Research Forum abstracts)
Ryu J. The primary confirmation of endotracheal intubation by ultrasonography in the emergency department. 2008;52:S114 (Research Forum abstracts)
Rzechula K (*see* Kulstad et al). 2008;52:S86 (Research Forum abstracts)

## S

Sabatini L (*see* Bisaga et al). 2008;52:525–8 (Brief research report)
Sacchetti A. Etomidate: not worth the risk in septic patients. 2008;52:14–6 (Clinical Controversies)
Sacchetti A (*see* Senula and Sacchetti). 2008;52:S75 (Research Forum abstracts)
Saccio M (*see* Saleh et al). 2008;52:616 (Images in Emergency Medicine)
Sadosty AT. Left without being seen. 2008;52:753 (Change of Shift)
Sadosty AT (*see* Decker et al). 2008;52:322–8
Sadosty AT (*see* Johnson et al). 2008;52:185–6 (Correspondence reply)
Saeed O (*see* Gupta et al). 2008;52:S103 (Research Forum abstracts)
Safdar B, Hogan KA, Chekijian SA, D'Onofrio G. Sex differences in patient- and emergency physician-perceived risk of heart disease in an emergency department chest pain center. 2008;52:S116 (Research Forum abstracts)
Sagalyn EB (*see* Panebianco et al). 2008;52:S61 (Research Forum abstracts)
Sage N (*see* Moore et al). 2008;52:356–64
Said T (*see* Wilson et al). 2008;52:S89 (Research Forum abstracts)
Sakr M (*see* Bond et al). 2008;52:617–22
Saks M (*see* Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)
Salazar A (*see* Ferre et al). 2008;52:S139 (Research Forum abstracts)
Salazar L (*see* Sattarian et al). 2008;52:S132 (Research Forum abstracts)
Saleh M, Grauman E, Saccio M, Hahn B. Adult female with pink nodules on skin. 2008;52:616 (Images in Emergency Medicine)
Salhanick SD, Wax PM, Schneider SM. In response to Tong TC, et al. Comparative treatment of alpha-amanitin poisoning with *N-acetylcysteine*, benzylpenicillin, thioctic acid, and silybin in a murine model. 2008;52:184–5 (Correspondence)
Salo D (*see* Fiesseler et al). 2008;52:S94 (Research Forum abstracts)
Salo D (*see* Kairam et al). 2008;52:S142 (Research Forum abstracts)
Salo D (*see* Porter et al). 2008;52:S124 (Research Forum abstracts)
Salo DF (*see* Kairam et al). 2008;52:S73 (Research Forum abstracts)
Salomone J III (*see* Gratton et al). 2008;52:S97 (Research Forum abstracts)
Sama A (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Sama A (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Sama AE (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Sama AE (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Sama AE (*see* Zhu et al). 2008;52:S42 (Research Forum abstracts)
Samakar K (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Sample S, Hilliard M. Does a mobile voice-over internet protocol communications system improve emergency department efficiency? 2008;52:S166 (Research Forum abstracts)
Sanchez M (*see* Borron et al). 2008;52:S96 (Research Forum abstracts)
Sanchez M (*see* Borron et al). 2008;52:S97 (Research Forum abstracts)
Sandefur B (*see* Serrano et al). 2008;52:S132 (Research Forum abstracts)
Sanders AB. Progress in improving neurologically intact survival from cardiac arrest. 2008;52:253–5 (Editorial)
Sandoval M (*see* Henderson et al). 2008;52:S164 (Research Forum abstracts)
Sankoff J, Valley M, The Denver Emergency Department HIV Testing Study Group. Targeting high-risk patients for rapid HIV testing: emergency physicians are not effective and patients targeted are more frequently uninsured. 2008;52:S101 (Research Forum abstracts)
Santen SA, Hemphill RR, Heavrin BS, Lesnick J. Does clinical productivity affect medical education? 2008;52:S49 (Research Forum abstracts)
Santora C (*see* Viccellio et al). 2008;52:S43 (Research Forum abstracts)
Santrock DA Jr (*see* Bowers et al). 2008;52:S141 (Research Forum abstracts)
Sarasin F (*see* Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Sarasin FP (*see* Grosgurin et al). 2008;52:S90 (Research Forum abstracts)
Sarasin FP (*see* Rutschmann et al). 2008;52:S167 (Research Forum abstracts)
Saraswat A (*see* Limkakeng et al). 2008;52:S89 (Research Forum abstracts)
Sargeant J, Hurley KF, Duffy J, Sketris I, Sinclair D, Ducharme J. Lost in translation or just lost? 2008;52:575–6 (Correspondence)
Sasser SM (*see* Petersburgo et al). 2008;52:S125 (Research Forum abstracts)
Sasson C, McNally B, Krass D, Forman J. Creation of a national model protocol on termination of resuscitation for refractory out-of-hospital cardiac arrest: identifying public policy concerns for controversial EMS issues. 2008;52:S69 (Research Forum abstracts)
Sasson C, Vijan S, Dahl J, Rogers M. Predicting survival from out-of-hospital cardiac arrest: a systematic review and meta-analysis of presenting rhythm. 2008;52:S154 (Research Forum abstracts)
Sattarian M, Shesser R, Sikka N, Salazar L, Jacobs B, Howard R. Variability among emergency department charge nurses in the efficiency of patient bed assignment. 2008;52:S132 (Research Forum abstracts)
Satz WA (*see* Vates et al). 2008;52:S128 (Research Forum abstracts)

Sauter B, Dabulis S, Juliano M. Fetal outcomes in first trimester symptomatic pregnancies presenting to an emergency department with indeterminate ultrasound. 2008;52:S60 (Research Forum abstracts)
Saynina O (*see* Wang et al). 2008;52:607–15
Sayre MR (*see* Cudnik et al). 2008;52:S95 (Research Forum abstracts)
Scanlan-Hanson L (*see* Nestler et al). 2008;52:S91 (Research Forum abstracts)
Scanlan-Hanson L (*see* Nestler et al). 2008;52: S133 (Research Forum abstracts)
Schauer DP (*see* Raja et al). 2008;52:S54 (Research Forum abstracts)
Schears RM (*see* Decker et al). 2008;52:322–8
Scheatzle MD (*see* Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Schenkel S. The unexpected challenges of accurate medication reconciliation. 2008;52:493–5 (Editorial)
Schenkel S (*see* Witting et al). 2008;52:S127 (Research Forum abstracts)
Schiebel NE (*see* Decker et al). 2008;52:322–8
Schlicher NR. Balloon compression as treatment for refractory vaginal hemorrhage. 2008;52: 148–50 (Case report)
Schmid K (*see* Asher et al). 2008;52:S63 (Research Forum abstracts)
Schmidt KJ (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Schmidt KJ (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Schneider SM (*see* Salhanick et al). 2008;52:184–5 (Correspondence)
Schneider SM (*see* Padela et al). 2008;52:S167 (Research Forum abstracts)
Schnelle J (*see* Han et al). 2008;52:S51 (Research Forum abstracts)
Schnitzer L (*see* Müller et al). 2008;52:658–64
Schonberg MA (*see* Smith et al). 2008;52:S52 (Research Forum abstracts)
Schrantz SJ Jr, Babcock CA, Brown S, Mercer S, Pillow MT, Watts K, Taylor M, Pitrak DL. Investigation of a targeted, integrated, standard enzyme-linked immunosorbent assay HIV testing program at an urban, academic emergency department. 2008;52:S101 (Research Forum abstracts)
Schreck DM, Rajagopalan C. The derived electrocardiogram and a cardiac electrical marker for acute myocardial infarction. 2008; 52:S115 (Research Forum abstracts)
Schriger DL. Modern epidemiology, 3rd edition. 2008;52:480 (Book and Media Reviews)
Schultz HD (*see* Li et al). 2008;52:S64 (Research Forum abstracts)
Schutterle KR (*see* Hoff et al). 2008;52:S161 (Research Forum abstracts)
Schutterle KR, Hoff A, Enduri S, Suravaram S, Bellolio MF, Decker WW, Stead LG. Do emergency department vital signs predict mortality following hemorrhagic stroke? 2008; 52:S162 (Research Forum abstracts)
Schuur JD. Use of COX-2 inhibitors in U.S. emergency departments from 1999–2005. 2008;52:S78 (Research Forum abstracts)
Schuur JD (*see* Pines and Schuur). 2008;52:S118 (Research Forum abstracts)
Schuur JD, Qualls M, Moreau JF, Bohan SJ, Nathanson LA, Tibbles CT. Defining critical data elements to improve emergency department consultation communication. 2008;52:S130 (Research Forum abstracts)
Schwartz D (*see* Sinha et al). 2008;52:S57 (Research Forum abstracts)
Schwarz ES, Mullins ME, Brooks CB. Ciguatera poisoning successfully treated with delayed mannitol. 2008;52:476–7 (Correspondence)
Scott LA, Carson DS, Johnson CJ, Larson EJ, Manaker LW, Shealy RM, Borg KT. Disaster 101: can fourth-year medical students rapidly learn a novel disaster medicine and emergency preparedness curriculum? 2008;52:S150 (Research Forum abstracts)
Scott S, Bruce Z, Lamba S, James T. International emergency medicine team's multidisciplinary approach to public health in rural Ghana, Africa: towards a culturally competent model for community satisfaction. 2008;52:S123 (Research Forum abstracts)
Seamonds B, McMullin N, Peacock W. Clinical utility and cost effectiveness of ischemia modified albumin in the emergency department. 2008;52:S96 (Research Forum abstracts)
Seamonds B, McMullin N, Peacock W. Time to assay performance greatly affects ischemia modified albumin levels. 2008;52:S118 (Research Forum abstracts)
Seethala R (*see* Bentley et al). 2008;52:475–6 (Correspondence)
Seger CJ (*see* Jones et al). 2008;52:S86 (Research Forum abstracts)
Seligman HK (*see* Tabas et al). 2008;52:329–36
Selman F (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Semenovskaya Z, Lavery R. First aid training through art: a pilot project in rural India. 2008;52:S50 (Research Forum abstracts)
Senula G, Sacchetti A. Impact of addition of propofol to emergency department formulary. 2008;52:S75 (Research Forum abstracts)
Seo D (*see* Yeo et al). 2008;52:S99 (Research Forum abstracts)
Serrano K (*see* Qazi et al). 2008;52:S44 (Research Forum abstracts)
Serrano LA, Bellolio MF, Sandefur B, Stead LG, Decker W. Incidence of cardiac arrhythmias among patients who present to the emergency department with syncope. 2008;52:S132 (Research Forum abstracts)
Serrano-Rivera L, Ramos-Fernandez M. 1000 questions to help you pass the emergency medicine boards. 2008;52:597–8 (Book and Media Reviews)
Sessums CW (*see* Calhoun et al). 2008;52:S118 (Research Forum abstracts)
Seymour H (*see* House et al). 2008;52:S92 (Research Forum abstracts)
Shah K, Batista R, Kwong B, Hazan A, Newman D, Wiener D. Difficulties with gum-elastic bougie intubation as a rescue airway in the emergency department. 2008;52:S113 (Research Forum abstracts)
Shah MN (*see* Wang et al). 2008;52:256–62
Shahan JB (*see* Kraus et al). 2008;52:S41 (Research Forum abstracts)
Shahan JB (*see* Kraus et al). 2008;52:S54 (Research Forum abstracts)
Shaik S (*see* Qazi et al). 2008;52:S44 (Research Forum abstracts)
Shalit M (*see* Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Shaltis P (*see* Lozner et al). 2008;52:S164 (Research Forum abstracts)
Shannon MW (*see* Bourgeois et al). 2008;52:599–605
Shapiro MJ (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Shapiro MJ (*see* Singer et al). 2008;52:S124 (Research Forum abstracts)
Shapiro N (*see* Jones et al). 2008;52:S106 (Research Forum abstracts)
Sharon J (*see* Hahn et al). 2008;52:S126 (Research Forum abstracts)
Sharp VE (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Sheahan B (*see* Dunbar et al). 2008;52:S84 (Research Forum abstracts)
Shealy RM (*see* Scott et al). 2008;52:S150 (Research Forum abstracts)
Shearer J (*see* Gratton et al). 2008;52:S97 (Research Forum abstracts)
Shekher M (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Shen W-K (*see* Decker et al). 2008;52:322–8
Shen Y (*see* Hsia and Shen). 2008;52:S43 (Research Forum abstracts)
Shenal R (*see* Michelson et al). 2008;52:S162 (Research Forum abstracts)
Sherrick A (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Sherry C (*see* Kletti et al). 2008;52:S45 (Research Forum abstracts)
Shesser R (*see* Sattarian et al). 2008;52:S132 (Research Forum abstracts)
Shih RD, Silverman M, Mayer C. Emergency medicine intern use of objective structured clinical examination in emergency medicine training. 2008;52:S152 (Research Forum abstracts)
Shin T, Sim M, Jo I, Choi J, Song H, Jeong Y, Choi S, Hahn J, Gwon H. The effectiveness of using percutaneous cardiopulmonary support in cardiopulmonary arrest and postresuscitation care. 2008;52:S57 (Research Forum abstracts)
Shipp G. A novel assay for the highly sensitive and precise detection of cardiac troponin I (cTnI): clinical utility in the emergency department. 2008;52:S89 (Research Forum abstracts)
Shiver S (*see* Blaivas et al). 2008;52:S126 (Research Forum abstracts)
Shiver SA (*see* Lyon et al). 2008;52:S147 (Research Forum abstracts)
Shiver SA (*see* Lyon et al). 2008;52:S169 (Research Forum abstracts)
Shiver SA, Lyon M, Adhikari S, Blaivas M. Lower extremity deep venous thrombosis in emergency department patients undergoing workup for pulmonary embolism. 2008;52: S135 (Research Forum abstracts)
Shofer FS (*see* Chang et al). 2008;52:S140 (Research Forum abstracts)
Shofer FS (*see* Takakuwa et al). 2008;52:S80 (Research Forum abstracts)
Shokoohi H, Smith J, Holmes A, Abell B. Bilateral compartment syndrome as a result of inferior vena cava filter thrombosis. 2008;52:104–7 (Case report)
Showstack JA (*see* Weber et al). 2008;52:108–15
Sibley DE (*see* Duffy et al). 2008;52:S149 (Research Forum abstracts)

Sibley DE, Couk J, Aiken J, VanMeter K, Fontenot C, DeBlieux P, Moises J, Agnelly L, Bryant-Penland J, Dunbar LM. Impact of Hurricane Katrina on health care delivery in New Orleans. 2008;52:S149 (Research Forum abstracts)
Siciliano G (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Siciliano G (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Siddiqui S (*see* Henderson et al). 2008;52:S164 (Research Forum abstracts)
Siegel NA, Darula K, O'Rourke E, Bird E, Overly F, Kobayashi L. Towards the resuscitation bay of the future: identifying design opportunities through human factors observation. 2008;52: S85 (Research Forum abstracts)
Sierzenski P, Polan DL, Baty G, Nichols WL, Kochert E, Bollinger M, Reed J III. Junior emergency medicine residents demonstrate improved accuracy for the identification of a central venous needle-tip with a long-axis ultrasound transducer orientation. 2008;52: S50 (Research Forum abstracts)
Sierzenski PR (*see* Baty et al). 2008;52:S127 (Research Forum abstracts)
Sierzenski PR, Baty G, Polan D, Nichols WL, Kochert E, Bollinger M, Reed J III. Long-axis orientation of the ultrasound transducer is more accurate for the identification and determination of vascular access needle-tip location. 2008;52:S170 (Research Forum abstracts)
Sikka N (*see* Sattarian et al). 2008;52:S132 (Research Forum abstracts)
Sikka R, Kaucky C, Mehta S, Kulstad E. Correlation of emergency department occupancy rate with time to antibiotics for patients with pneumonia. 2008;52:S110 (Research Forum abstracts)
Sills R (*see* Irvin et al). 2008;52:S59 (Research Forum abstracts)
Silver B (*see* Lewandowski et al). 2008;52:S7–S16
Silver MT (*see* Jahnes et al). 2008;52:S82 (Research Forum abstracts)
Silverman M (*see* Kairam et al). 2008;52:S73 (Research Forum abstracts)
Silverman M (*see* Shih et al). 2008;52:S152 (Research Forum abstracts)
Sim M (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Simon J (*see* Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Simon J (*see* Rutschmann et al). 2008;52:S167 (Research Forum abstracts)
Simpson SQ (*see* Cannon et al). 2008;52:S70 (Research Forum abstracts)
Sinclair D (*see* Sargeant et al). 2008;52:575–6 (Correspondence)
Sinclair DM, Renwick EA, Lyon M. Comparison of outcomes before and after implementation of an observation unit clinical pathway for uncomplicated sickle cell vaso-occulusive crisis. 2008;52:S75 (Research Forum abstracts)
Sinert R (*see* Hom and Sinert). 2008;52:69–75 (Critically appraised topic)
Sinert R, Blackstock U. Analgesia in patients with acute abdominal pain: to withhold or not to withhold? 2008;52:563–6 (Systematic review abstract)
Sinert R, Bright L. Empiric antibiotic therapy for sepsis patients: monotherapy with β-lactam or β-lactam plus an aminoglycoside? 2008;52: 557–62 (Systematic review abstract)
Sinert R, Foley M. Clinical assessment of the patient with a suspected pulmonary embolism. 2008;52:76–9 (Rational clinical examination abstract)
Singer AJ (*see* Jahnes et al). 2008;52:S82 (Research Forum abstracts)
Singer AJ (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Singer AJ (*see* Viccellio et al). 2008;52:S43 (Research Forum abstracts)
Singer AJ, Garra G, Chohan JK, Dalmedo C, Thode HC Jr. Triage pain scores and the desire for and use of analgesics. 2008;52:689–95
Singer AJ, Taira BR, Chisena EN, Gupta N, Chipley J. Warm lidocaine/tetracaine patch *versus* placebo before pediatric intravenous cannulation: a randomized controlled trial. 2008;52:41–7
Singer AJ, Taira BR, Thode HC Jr, McCormack JE, Shapiro MJ. Hypothermia in burn victims. 2008;52:S124 (Research Forum abstracts)
Singer AJ, Thode HC Jr, Taira BR, Garra G. Undertreatment of nausea and vomiting in US emergency departments: the phenomenon of oligoantiemesis. 2008;52:S95 (Research Forum abstracts)
Singhal AB (*see* Jamshidi et al). 2008;52:S158 (Research Forum abstracts)
Sinha S, Krause R, Moscati R, Schwartz D, Abbas J. Are Internet searches a reliable source for answers to residents' clinical questions in the emergency department? 2008;52:S57 (Research Forum abstracts)
Sirleaf JA (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Sixsmith DM (*see* Ladner et al). 2008;52:S119 (Research Forum abstracts)
Sketris I (*see* Sargeant et al). 2008;52:575–6 (Correspondence)
Skinner CG. Emergency ultrasound. 2008;52:311 (Book and Media Reviews)
Skinner JC (*see* Ellender et al). 2008;52:S85 (Research Forum abstracts)
Slesinger T (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Sloan EP, Philbin NB, Koenigsberg MD, DCLHb Traumatic Hemorrhagic Shock Study Group & the European HOST Investigators. Base deficit and lactate data comparable with the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, suggesting no adverse pressor effects on vital organ perfusion. 2008;52:S107 (Research Forum abstracts)
Sloan EP, Philbin NB, Koenigsberg MD, DCLHb Traumatic Hemorrhagic Shock Study Group & the European HOST Investigators. Lack of consistent blood pressure effects or correlation with patient outcome following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock. 2008;52:S143 (Research Forum abstracts)
Sloan EP, Weir W, Filbin NB, Koenigsberg MD, DCLHb Traumatic Hemorrhagic Shock Study Group & the European HOST Investigators. Shock index does not differ following the infusion of DCLHb in two clinical trials of traumatic hemorrhagic shock, such that its clinical use as a measure of compensated shock is valid. 2008;52:S109 (Research Forum abstracts)
Sloane CM (*see* Vilke et al). 2008;52:85–6 (Correspondence reply)
Smars PA (*see* Decker et al). 2008;52:322–8
Smith AK, Fisher J, Schonberg MA, Pallin DJ, Block SD, Forrow L, Phillips RS, McCarthy EP. "Am I doing the right thing?" Provider perspectives on improving palliative care in the emergency department. 2008;52:S52 (Research Forum abstracts)
Smith J (*see* Shokoohi et al). 2008;52:104–7 (Case report)
Smith JA (*see* Lowe et al). 2008;52:626–34
Smith S (*see* Kim et al). 2008;52:S122 (Research Forum abstracts)
Smith S (*see* Miner et al). 2008;52:S57 (Research Forum abstracts)
Smith S (*see* Szymanski et al). 2008;52:S91 (Research Forum abstracts)
Smith SW (*see* Delavari et al). 2008;52:S47 (Research Forum abstracts)
Smith SW (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Smith SW, Dolan BJ. Association of urine keytones and specific gravity with anion gap and serum carbon dioxide in vomiting children. 2008;52:S76 (Research Forum abstracts)
Smith V (*see* Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Snead GR (*see* Kline et al). 2008;52:437–45
Snow GL (*see* Allen et al). 2008;52:S72 (Research Forum abstracts)
Snowden B (*see* Campagne et al). 2008;52:S113 (Research Forum abstracts)
Snyder GE. Whole-body imaging in blunt multisystem trauma patients who were never examined. 2008;52:101–3 (Editorial)
Sodickson AD (*see* Griffey and Sodickson). 2008; 52:S157 (Research Forum abstracts)
Soe-Lin H (*see* Osborn et al). 2008;52:S123 (Research Forum abstracts)
Sohn Y, Ahn H, Ahn J. Is the halo sign useful in hemorrhagic shock? 2008;52:S158 (Research Forum abstracts)
Sohr KD (*see* O'Connor and Sohr). 2008;52:S120 (Research Forum abstracts)
Solorzano C (*see* Friedman et al). 2008;52:399–406
Sommer B (*see* Spektor et al). 2008;52:S87 (Research Forum abstracts)
Sondrup LC (*see* Neuenschwander et al). 2008;52: S132 (Research Forum abstracts)
Song H (*see* Shin et al). 2008;52:S57 (Research Forum abstracts)
Sonicki Z (*see* Bond et al). 2008;52:617–22
Sootharothai R (*see* Pagan et al). 2008;52:S45 (Research Forum abstracts)
Soremekun OA, Noble V, Liteplo A, Brown D. Financial impact of emergency department ultrasound: current and potential revenue. 2008;52:S81 (Research Forum abstracts)
Soreq H (*see* Geyer et al). 2008;52:S142 (Research Forum abstracts)

Southern A (*see* Cornici et al). 2008;52:S83 (Research Forum abstracts)
Spalding SC, Mayer PM, Ginde AA, Lowenstein SR, Yaron M. Impact of computerized physician order entry on emergency department patient length of stay. 2008;52:S80 (Research Forum abstracts)
Spektor M, Ramsay C, Sommer B, Likourezos A, Davidson SJ. Electronic dashboard and a multidisciplinary hospital-wide team decrease patient throughput intervals and reduce number of admitted patients held in the emergency department. 2008;52:S87 (Research Forum abstracts)
Sperling M (*see* Lindsell et al). 2008;52:S66 (Research Forum abstracts)
Spinella P (*see* Mehta et al). 2008;52:S144 (Research Forum abstracts)
Spiro D (*see* Choo et al). 2008;52:S77 (Research Forum abstracts)
Spiro O (*see* Bastani et al). 2008;52:S86 (Research Forum abstracts)
Srivastava AK (*see* Venkat et al). 2008;52:274–85 (Review Article)
Stack AM (*see* Bourgeois et al). 2008;52:599–605
Stallard T (*see* Drigalla et al). 2008;52:S114 (Research Forum abstracts)
Standifer J (*see* Mahler et al). 2008;52:S109 (Research Forum abstracts)
Stanescu C (*see* Yang et al). 2008;52:S110 (Research Forum abstracts)
Stankewicz H (*see* Eberhardt et al). 2008;52:S109 (Research Forum abstracts)
Stanley LJ (*see* Phillips et al). 2008;52:S124 (Research Forum abstracts)
Stead L (*see* Kashyap et al). 2008;52:S55 (Research Forum abstracts)
Stead LG (*see* Decker et al). 2008;52:322–8
Stead LG. (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Stead LG. (*see* Enduri et al). 2008;52:S134 (Research Forum abstracts)
Stead LG. (*see* Hoff et al). 2008;52:S161 (Research Forum abstracts)
Stead LG. (*see* Nestler et al). 2008;52:S91 (Research Forum abstracts)
Stead LG. (*see* Nestler et al). 2008;52:S133 (Research Forum abstracts)
Stead LG. (*see* Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Stead LG. (*see* Serrano et al). 2008;52:S132 (Research Forum abstracts)
Stead LG (*see* Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)
Stead LG, Suravaram S, Bellolio M, Enduri S, Gilmore RM, Bhagra A, Decker WW. Performance of the ABCD2 score in an emergency department population presenting with transient ischemic attack: a prospective observational study. 2008;52:S162 (Research Forum abstracts)
Stears S, Rossman L, Wynn B, Jones JS. Anogenital injury in adolescent sexual assault: analysis of 1,024 cases using colposcopy and nuclear staining. 2008;52:S64 (Research Forum abstracts)
Steele D (*see* Capp et al). 2008;52:S61 (Research Forum abstracts)
Stein JC, O'Malley R, Orjuela D. The emergency department involvement in a one-year longitudinal integrated clerkship for third-year medical students. 2008;52:S152 (Research Forum abstracts)
Stein JC, River G, O'Malley R, Gonzales R. The additional value of quantitative beta-hCG in evaluating patients at risk of ectopic pregnancy with bedside ultrasound in the emergency department. 2008;52:S169 (Research Forum abstracts)
Steinke DT (*see* Bowers et al). 2008;52:S141 (Research Forum abstracts)
Stevens J (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Stevenson M (*see* Burnette et al). 2008;52:S68 (Research Forum abstracts)
Stewart JA. Delayed defibrillation caused by unexpected ECG artifact. 2008;52:515–8 (Case report)
Stewart S (*see* Kuklentz et al). 2008;52:S79 (Research Forum abstracts)
Stockton P (*see* Patterson et al). 2008;52:S111 (Research Forum abstracts)
Stokes B (*see* Isbister et al). 2008;52:87–8 (Correspondence reply)
Stokes-Buzzelli S (*see* Ford et al). 2008;52:S80 (Research Forum abstracts)
Stone C (*see* Matloff et al). 2008;52:S81 (Research Forum abstracts)
Stone SC. Current diagnosis & treatment emergency medicine–6th ed. 2008;52:769 (Book and Media Reviews)
Stone SC, Mohanty S, Gruzden C. What is the need for integration of palliative care in the emergency department? 2008;52:S119 (Research Forum abstracts)
Storrow A (*see* McNaughton et al). 2008;52:S75 (Research Forum abstracts)
Storrow AB (*see* Han et al). 2008;52:S51 (Research Forum abstracts)
Storrow AB (*see* Heavrin et al). 2008;52:S42 (Research Forum abstracts)
Strickland S (*see* DeVerna et al). 2008;52:S117 (Research Forum abstracts)
Strmcnik A (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Stroh G (*see* Weichenthal et al). 2008;52:S70 (Research Forum abstracts)
Strony RS (*see* Knoll et al). 2008;52:S69 (Research Forum abstracts)
Strote J, Hutson HR. Taser safety remains unclear. 2008;52:84–5 (Correspondence)
Struck J (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Suares GA (*see* Venkat et al). 2008;52:274–85 (Review article)
Suarez A (*see* Figueroa-Castaneda et al). 2008;52:S113 (Research Forum abstracts)
Su Y-C (*see* Hou et al). 2008;52:306 (Images in Emergency Medicine)
Sudhir A (*see* Althoff et al). 2008;52:S147 (Research Forum abstracts)
Suffoletto BP, Cannon EH, Ilkhanipour K, Yealy DM. Prevalence of *Staphylococcus aureus* nasal colonization in emergency department personnel. 2008;52:529–33 (Brief research report)
Suffoletto H (*see* McCorkle et al). 2008;52:S146 (Research Forum abstracts)
Sugerman PA-C S (*see* Bledsoe et al). 2008;52:S124 (Research Forum abstracts)
Sugerman PA-C S (*see* Bledsoe et al). 2008;52:S155 (Research Forum abstracts)
Suh G (*see* Kim et al). 2008;52:S106 (Research Forum abstracts)
Suh G (*see* Kim et al). 2008;52:S117 (Research Forum abstracts)
Suh GJ (*see* Kim et al). 2008;52:S136 (Research Forum abstracts)
Sukarom S, Lim G. Outcome of head injury patients with Glasgow Coma Score of 15 in the emergency department. 2008;52:S126 (Research Forum abstracts)
Sullivan AF (*see* Ginde et al). 2008;52:S87 (Research Forum abstracts)
Sullivan AF (*see* Patel et al). 2008;52:S44 (Research Forum abstracts)
Sullivan AF, Kansagra SM, Rao SR, Gordon JA, Kaushal R, Magid DJ, Camargo CA Jr, Blumenthal D. Personal safety and prevalence of violence and weapons in the emergency department. 2008;52:S171 (Research Forum abstracts)
Sullivan DJ (*see* Roberts et al). 2008;52:S100 (Research Forum abstracts)
Sullivan SG (*see* Gerhardt et al). 2008;52:S108 (Research Forum abstracts)
Summers RL (*see* Anderson et al). 2008;52:S125 (Research Forum abstracts)
Summers RL (*see* Jones et al). 2008;52:S144 (Research Forum abstracts)
Sungar G (*see* Garza et al). 2008;52:S108 (Research Forum abstracts)
Suppiah A (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Suravaram S (*see* Bellolio et al). 2008;52:S100 (Research Forum abstracts)
Suravaram S (*see* Bellolio et al). 2008;52:S161 (Research Forum abstracts)
Suravaram S (*see* Enduri et al). 2008;52:S134 (Research Forum abstracts)
Suravaram S (*see* Hoff et al). 2008;52:S161 (Research Forum abstracts)
Suravaram S (*see* Schutterle et al). 2008;52:S162 (Research Forum abstracts)
Suravaram S (*see* Stead et al). 2008;52:S162 (Research Forum abstracts)
Suravaram S (*see* Vaidyanathan et al). 2008;52:S98 (Research Forum abstracts)
Sutherland A, Escano J, Coon TP. D-dimer as the sole screening test for acute aortic dissection: a review of the literature. 2008;52:339–43 (Best Available Evidence)
Sutton EM (*see* Kobayashi et al). 2008;52:S83 (Research Forum abstracts)
Swanson ER (*see* Fosnocht and Swanson). 2008;52:S163 (Research Forum abstracts)
Sweeney T (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Sweeny PJ (*see* Berk et al). 2008;52:497–501
Swor RA, Lucia V, Compton S. Costs of post-resuscitative care for out-of-hospital cardiac arrest patients. 2008;52:S106 (Research Forum abstracts)
Szyld D (*see* Panebianco et al). 2008;52:S61 (Research Forum abstracts)
Szymanski TJ, Kruse B, Patton JN, Vadeboncoeur T, Gerber T, Smith S, Lane G. A comparison of the performance of stress echocardiogram and stress MIBI-SPECT in diagnosing significant coronary artery disease. 2008;52:S91 (Research Forum abstracts)

## T

Tabas JA, Rodriguez RM, Seligman HK, Goldschlager NF. Electrocardiographic criteria for detecting acute myocardial infarction in patients with left bundle branch block: a meta-analysis. 2008;52:329–36

Tadros A (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Tadros A (*see* Walling et al). 2008;52:S156 (Research Forum abstracts)
Taira BR. (*see* Jahnes et al). 2008;52:S82 (Research Forum abstracts)
Taira BR (*see* Singer et al). 2008;52:41–7
Taira BR (*see* Singer et al). 2008;52:S95 (Research Forum abstracts)
Taira BR (*see* Singer et al). 2008;52:S124 (Research Forum abstracts)
Takakuwa KM, Shofer FS, Halpern EJ. A time and cost comparison of two observation protocols: "triple rule-out" MDCT *vs.* nuclear stress testing for emergency department patients with possible acute coronary syndrome. 2008;52: S80 (Research Forum abstracts)
Takhar SS. Commentary. 2008;52:288–90 (CDC Update)
Talkad A (*see* Farber et al). 2008;52:S100 (Research Forum abstracts)
Tallman T (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Tanabe P (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Tanabe P (*see* Lazio et al). 2008;52:S163 (Research Forum abstracts)
Tanabe P, Hafner J, Costello H, Courtney DM, Gilbert M, Lazio M, Martinovich Z, Stevens J, Zvirbulis E, Weiss KB. Why do some patients with sickle cell disease have multiple emergency department visits and what do they expect? 2008;52:S74 (Research Forum abstracts)
Tanguay A (*see* Poitras et al). 2008;52:S95 (Research Forum abstracts)
Tanner P (*see* Wright et al). 2008;52:S125 (Research Forum abstracts)
Tayal VS (*see* Kline et al). 2008;52:437–45
Taylor M (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Tegeler CH (*see* Asimos et al). 2008;52:S98 (Research Forum abstracts)
Tekwani K, Lovell EO, Anderson M, Griffin B, Kulstad CE. Implementation of a therapeutic hypothermia protocol in a community hospital emergency department. 2008;52:S105 (Research Forum abstracts)
Temin E, Harrington L, Mitchell P, Rebholz C, Dyer K, Doyle J, Hughes P, Moyer P. Success rates in out-of-hospital intubation. 2008;52: S153 (Research Forum abstracts)
Templeman T (*see* Osborn et al). 2008;52:S123 (Research Forum abstracts)
Ten Eyck RP, Tews M, Ballester JM. Improved student satisfaction and test performance with a simulation-based emergency medicine curriculum. 2008;52:S49 (Research Forum abstracts)
Tenner A (*see* Kessler et al). 2008;52:S121 (Research Forum abstracts)
Tews M (*see* Ten Eyck et al). 2008;52:S49 (Research Forum abstracts)
Thallner E (*see* Mace et al). 2008;52:S168 (Research Forum abstracts)
Theodosis C, Babcock CA, Sirleaf JA, Prakasam S, Watts K, Waples-Trefil F, Tupesis JP, Brenner S, Clark M, Kotlyar S. A retrospective review of sepsis management in an international resource-limited setting. 2008;52:S139 (Research Forum abstracts)
Thode HC Jr (*see* Singer et al). 2008;52:689–95
Thode HC Jr. (*see* Singer et al). 2008;52:S95 (Research Forum abstracts)
Thode HC Jr (*see* Singer et al). 2008;52:S124 (Research Forum abstracts)
Thode HC Jr. (*see* Viccellio et al). 2008;52:S43 (Research Forum abstracts)
Thoelecke H, Ortiz S, Ramirez S. Improving emergency department screening for intimate partner violence: effectiveness of a brief physician training program. 2008;52:S171 (Research Forum abstracts)
Thoma T (*see* Mahler and Thoma). 2008;52:166–7 (NHTSA Notes)
Thomas HA, Beeson MS, Binder LS, Brunett PH, Carter MA, Chisholm CD, McGee DL, Perina DG, Tocci MJ. The 2005 model of the clinical practice of emergency medicine: the 2007 update. 2008;52:e1–e17 (Special contribution)
Thomas S, Iglesias E, Curry G, Lovinger D, Whelan C, Abbo E, Walter J. An experience with the transfer of admitted patients from an emergency department to an off-site hospitalist service. 2008;52:S131 (Research Forum abstracts)
Thomas SH (*see* Lozner et al). 2008;52:S164 (Research Forum abstracts)
Thomas TL (*see* Edlow et al). 200852:407–36 (Clinical policy)
Thompson J (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Thompson J, Petrie DA, Ackroyd-Stolarz S, Bardua DJ. Out-of-hospital continuous positive airway pressure ventilation *versus* usual care in acute respiratory failure: a randomized controlled trial. 2008;52:232–43
Thompson LE (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Thompson LE (*see* Weith et al). 2008;52:S133 (Research Forum abstracts)
Thundiyil JG, Christiano-Smith D, Greenberger S, Latimer J, Modica R. Risk factors associated with obesity in an urban pediatric emergency department. 2008;52:S103 (Research Forum abstracts)
Tibbles CT (*see* Schuur et al). 2008;52:S130 (Research Forum abstracts)
Tillotson R (*see* Behnam et al). 2008;52:S172 (Research Forum abstracts)
Ting HH (*see* Nestler et al). 2008;52:S91 (Research Forum abstracts)
Ting HH (*see* Nestler et al). 2008;52:S133 (Research Forum abstracts)
Tocci MJ (*see* Thomas et al). 2008;52:e1–e17 (Special contribution)
Todd K (*see* Henderson et al). 2008;52:S164 (Research Forum abstracts)
Tollefson B (*see* Anderson et al). 2008;52:S125 (Research Forum abstracts)
Tomassi M (*see* Jeanmonod and Tomassi). 2008; 52:S168 (Research Forum abstracts)
Tomich EB, Blankenship R. Painful erection. 2008;52:202 (Images in Emergency Medicine)
Tong TC. In response to Tong TC, et al. Comparative treatment of alpha-amanitin poisoning with *N-acetylcysteine,* benzylpenicillin, thioctic acid, and silybin in a murine model. 2008;52:185 (Correspondence reply)
Torres CA, Varian KD, Janssen PM. Elucidating the inotropic molecular mechanisms of pyruvate. 2008;52:S65 (Research Forum abstracts)
Totten V (*see* Michelson et al). 2008;52:S162 (Research Forum abstracts)
Totten VY, Kador H, Aggarwal M, Radonich K. Patient attitudes toward human immunodeficiency virus testing in the emergency department. 2008;52:S102 (Research Forum abstracts)
Toulson K (*see* Massucci et al). 2008;52:S111 (Research Forum abstracts)
Tran TP (*see* Li et al). 2008;52:S64 (Research Forum abstracts)
Tran TP (*see* Meyer-Reed et al). 2008;52:S112 (Research Forum abstracts)
Tran TP (*see* Wadman et al). 2008;52:S115 (Research Forum abstracts)
Tran TP, Casale G, Li Y, Pipinos I. Mitochondrial manganese superoxide dismutase in a murine model of acute hind limb ischemia reperfusion. 2008;52:S64 (Research Forum abstracts)
Treaster M (*see* Naunheim et al). 2008;52:S92 (Research Forum abstracts)
Treyster A (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Trezciak S (*see* Jones et al). 2008;52:S106 (Research Forum abstracts)
Triner W (*see* Jeanmonod et al). 2008;52:S110 (Research Forum abstracts)
Truong T, Costantino TG. Handlebar injury to the abdomen. 2008;52:182 (Images in Emergency Medicine)
Tsai B (*see* Fromm et al). 2008;52:S66 (Research Forum abstracts)
Tsai C (*see* Camargo et al). 2008;52:S46 (Research Forum abstracts)
Tsai C (*see* Patel et al). 2008;52:S44 (Research Forum abstracts)
Tse AB (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Tumlin JA (*see* Mitchell et al). 2008;52:S157 (Research Forum abstracts)
Tupesis JP (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Turner L (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Turner-Lawrence DE, Price M, Peebles MN, Asimos AW. Emergency physician dysphagia assessment in acute stroke patients. 2008;52: S98 (Research Forum abstracts)

## U

Ufberg JW, Karras DJ. Commentary. 2008;52: 539–40 (CDC Update)
Unterman S, Kessler CS, Pitzele HZ. Staffing of the emergency department by non emergency medicine-trained personnel: the VA experience. 2008;52:S167 (Research Forum abstracts)
Upadhye S. Corticosteroids for acute bacterial meningitis. 2008;52:291–3 (Systematic review abstract)
Uppal A (*see* Broder et al). 2008;52:S67 (Research Forum abstracts)

## V

Vadeboncoeur T (*see* Szymanski et al). 2008;52: S91 (Research Forum abstracts)
Vaidyanathan L (*see* Decker et al). 2008;52:322–8
Vaidyanathan L, Decker WW, Bellolio M, Suravaram S, Bhagra A, Gilmore RM, Boie ET, Stead LG. Risk of an ischemic stroke following a transient ischemic attack in patients managed in an emergency department observation unit. 2008;52:S98 (Research Forum abstracts)

Valentin T (*see* Friedman et al). 2008;52:399–406
Vallee PA (*see* Malhotra et al). 2008;52:S55 (Research Forum abstracts)
Valley M (*see* Sankoff et al). 2008;52:S101 (Research Forum abstracts)
VanMeter K (*see* Sibley et al). 2008;52:S149 (Research Forum abstracts)
Varian KD (*see* Torres et al). 2008;52:S65 (Research Forum abstracts)
Vates C, Costantino TG, Satz WA. A comparison of ultrasound-guided and non ultrasound-guided peritonsillar abscess drainage by emergency physicians. 2008;52:S128 (Research Forum abstracts)
Vega D (*see* Walker et al). 2008;52:S90 (Research Forum abstracts)
Vega JC, Char D, Asaro P. Emergency department length of stay in non-English speaking patients and use of interpreter services. 2008;52:S123 (Research Forum abstracts)
Venkat A, Piontkowsky DM, Cooney RR, Srivastava AK, Suares GA, Heidelberger CP. Care of the HIV-positive patient in the emergency department in the era of highly active antiretroviral therapy. 2008;52:274–85 (Review article)
Venkataraman A (*see* Chan et al). 2008;52:S133 (Research Forum abstracts)
Venkatesh A (*see* Donlan et al). 2008;52:S111 (Research Forum abstracts)
Verma S (*see* Gupta et al). 2008;52:S103 (Research Forum abstracts)
Vetrovec GW (*see* Kontos et al). 2008;52:S117 (Research Forum abstracts)
Vetrovec GW (*see* Kurz et al). 2008;52:S134 (Research Forum abstracts)
Veysman BD. Good question. 2008;52:168–9 (Change of Shift)
Viccellio AW, Santora C, Singer AJ, Thode HC Jr, Henry MC. Transfer of emergency department boarders to inpatient hallways: a four-year experience. 2008;52:S43 (Research Forum abstracts)
Vijan S (*see* Sasson et al). 2008;52:S154 (Research Forum abstracts)
Vilke G (*see* Bizek et al). 2008;52:S104 (Research Forum abstracts)
Vilke G (*see* Davis et al). 2008;52:S71 (Research Forum abstracts)
Vilke G (*see* Ramanujam et al). 2008;52:S154 (Research Forum abstracts)
Vilke GM (*see* Chan et al). 2008;52:S44 (Research Forum abstracts)
Vilke GM, Killeen JP, Chan TC, Crumpacker J, Castillo EM. Risk factors and characteristics of falls among emergency department elderly patients. 2008;52:S160 (Research Forum abstracts)
Vilke GM, Sloane CM, Neuman T, Castillo EM, Chan TC, Kolkhorst F. Physiological effects of the Taser. 2008;52:85–6 (Correspondence reply)
Villarin A (*see* Easter et al). 2008;52:S165 (Research Forum abstracts)
Villarin L Jr, Goss F. Emergency Severity Index as a predictor of emergency department efficiency rates in a level 1 trauma center employing infrared automatic tracking technology. 2008;52:S56 (Research Forum abstracts)
Villarin L Jr, Goss F. Evaluating emergency department crowding using automatic infrared tracking. 2008;52:S56 (Research Forum abstracts)
Vinayak AG (*see* Pearson et al). 2008;52:S94 (Research Forum abstracts)
Vogt ME (*see* Lowe et al). 2008;52:626–34
Vretta C (*see* Irvin et al). 2008;52:S104 (Research Forum abstracts)

## W

Wadman MC (*see* Meyer-Reed et al). 2008;52:S112 (Research Forum abstracts)
Wadman MC, Dierks TW, Hoffman LH, Barthold CL, Branecki CE, Walker RA, Tran TP. Optical laryngoscope *versus* mobile telemonitoring intubating video laryngoscope for difficult airway management: a comparative analysis. 2008;52:S115 (Research Forum abstracts)
Waghchoure S (*see* Kulstad et al). 2008;52:S85 (Research Forum abstracts)
Wagner D (*see* Griswold-Theodorson et al). 2008;52:S169 (Research Forum abstracts)
Wald MM (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Walker J (*see* Gunaga et al). 2008;52:S55 (Research Forum abstracts)
Walker J, Galuska M, Vega D, Kusmiesz A. Significant coronary artery disease in emergency chest pain patients with recent negative cardiac stress testing. 2008;52:S90 (Research Forum abstracts)
Walker RA (*see* Wadman et al). 2008;52:S115 (Research Forum abstracts)
Walline J (*see* Gupta and Walline). 2008;52:S68 (Research Forum abstracts)
Walling B, Tadros A, Davis S, Helmkamp J. ATV accidents and the elderly: national trends and implications for emergency medicine. 2008;52:S156 (Research Forum abstracts)
Walls RM, Murphy MF. Continue to use etomidate for intubation of patients with septic shock. 2008;52:13–4 (Clinical Controversies)
Walter J (*see* Ferguson et al). 2008
Walter J (*see* Thomas et al). 2008;52:S131 (Research Forum abstracts)
Walthall JDH (*see* Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine)
Walton P (*see* Lyon et al). 2008;52:S147 (Research Forum abstracts)
Walton P (*see* Lyon et al). 2008;52:S169 (Research Forum abstracts)
Walz H (*see* Miner et al). 2008;52:S122 (Research Forum abstracts)
Wang C-P (*see* Lee and Wang). 2008;52:98 (Images in Emergency Medicine)
Wang H (*see* Ballard et al). 2008;52:643–50
Wang H. (*see* Mahler et al). 2008;52:S147 (Research Forum abstracts)
Wang H. (*see* Zhu et al). 2008;52:S42 (Research Forum abstracts)
Wang HE, Fairbanks RJ, Shah MN, Abo BN, Yealy DM. Tort claims and adverse events in emergency medical services. 2008;52:256–62
Wang NE, Saynina O, Kuntz-Duriseti K, Mahlow P, Wise PH. Variability in pediatric utilization of trauma facilities in California: 1999 to 2005. 2008;52:607–15
Wang T-L (*see* Hou et al). 2008;52:306 (Images in Emergency Medicine)
Waples-Trefil F (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Ward C (*see* Reardon et al). 2008;52:S114 (Research Forum abstracts)
Ward C (*see* Reardon et al). 2008;52:S115 (Research Forum abstracts)
Ward J, Baird J, Mello M. Marijuana use and associated motor vehicle crash risk factors in emergency department patients. 2008;52:S159 (Research Forum abstracts)
Ward KR (*see* Nassiry et al). 2008;52:S48 (Research Forum abstracts)
Ward MF (*see* Barata et al). 2008;52:S60 (Research Forum abstracts)
Ward MF (*see* D'Amore et al). 2008;52:S53 (Research Forum abstracts)
Ward MF (*see* D'Amore et al). 2008;52:S71 (Research Forum abstracts)
Ward MF (*see* Llovera et al). 2008;52:S121 (Research Forum abstracts)
Ward MF (*see* Zhu et al). 2008;52:S42 (Research Forum abstracts)
Wasden C, Keith D, McIntosh S. An analysis of skiing and snowboarding injuries on Utah slopes. 2008;52:S159 (Research Forum abstracts)
Waseem M, Dubbaka A. Apparent life-threatening event: is there an increased risk for bacterial infections? 2008;52:S165 (Research Forum abstracts)
Waseem M, Mansbach JM, Clark S, Camargo CA Jr. Prospective multicenter study of bronchiolitis: predictors of relapse following treatment in the emergency department. 2008;52:S42 (Research Forum abstracts)
Wathen JE (*see* Langston et al). 2008;52:30–4
Watts H, Doherty J, Kulstad E. Evaluation of the Revised Trauma and Injury Severity Scores in elderly trauma patients. 2008;52:S52 (Research Forum abstracts)
Watts K (*see* Schrantz et al). 2008;52:S101 (Research Forum abstracts)
Watts K (*see* Theodosis et al). 2008;52:S139 (Research Forum abstracts)
Wax PM (*see* Salhanick et al). 2008;52:184–5 (Correspondence)
Wears RL. Lost in translation or just lost? 2008;52:576–7 (Correspondence reply)
Wears RL. The chart is dead—long live the chart. 2008;52:390–1 (Editorial)
Wears RL. The error of counting "errors" 2008;52:502–3 (Editorial)
Wears RL (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Wears RL (*see* Fairbanks and Wears). 2008;52:519–21 (Editorial)
Weaver AL (*see* Johnson et al). 2008;52:185–6 (Correspondence reply)
Weaver CS (*see* Chisholm et al). 2008;52:383–9
Weber EJ, Showstack JA, Hunt KA, Colby DC, Grimes B, Bacchetti P, Callaham ML. Are the uninsured responsible for the increase in emergency department visits in the United States? 2008;52:108–15
Weed S, Caterino JM, Espinola JA, Camargo CA Jr. National patterns in emergency department antibiotic prescribing for elderly patients with urinary tract infections, 1996–2005. 2008;52:S155 (Research Forum abstracts)
Wehner P, Charles M, Ferraris S, Ferraris V. Sex differences in platelet activation in patients with acute coronary syndromes. 2008;52:S46 (Research Forum abstracts)

Weichenthal LA, Manternach S, Stroh G, Shalit M, Andrews J. The impact of suspension of diversion on an emergency medical service system. 2008;52:S70 (Research Forum abstracts)
Weingart SD (*see* Bentley et al). 2008;52:475–6 (Correspondence)
Weinstein E (*see* Heilbrunn et al). 2008;52:606 (Images in Emergency Medicine)
Weir W (*see* Sloan et al). 2008;52:S109 (Research Forum abstracts)
Weise A (*see* Ford et al). 2008;52:S80 (Research Forum abstracts)
Weiss KB (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts)
Weissfeld LA (*see* Huang et al). 2008;52:48–60
Weissfeld LA (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Weith CV (*see* Ali et al). 2008;52:S91 (Research Forum abstracts)
Weith CV, Hafner JW Jr, Ali J, Ham DS, Baek J, Plunk MR, Thompson LE, Schmidt KJ, Aldag JC. Inclusion of intermediate risk acute coronary syndrome patients in a Midwest chest pain evaluation unit: it plays in Peoria!, 2008; 52:S133 (Research Forum abstracts)
Weizberg M, Hahn B, Rosenberg T. Man with acute gastrointestinal bleed. 2008;52:764 (Images in Emergency Medicine)
Welch RD (*see* Berk et al). 2008;52:497–501
Welch SJ (*see* Jones et al). 2008;52:S86 (Research Forum abstracts)
Weller-Summers M (*see* Griffen et al). 2008;52: S88 (Research Forum abstracts)
West BT (*see* Meurer et al). 2008;52:S100 (Research Forum abstracts)
West S (*see* Mehta et al). 2008;52:S144 (Research Forum abstracts)
Westfall AH, Kerns W II. Infant with vomiting and diarrhea. 2008;52:e1 (Images in Emergency Medicine)
Whelan C (*see* Thomas et al). 2008;52:S131 (Research Forum abstracts)
Whenmouth LF (*see* Chisholm et al). 2008;52: 383–9
White BD (*see* Cline et al). 2008;52:S136 (Research Forum abstracts)
White LJ (*see* Cudnik et al). 2008;52:S95 (Research Forum abstracts)
White N (*see* Asher and White). 2008;52:191–2 (Book and Media Reviews)
White N, Asher S. Management of the difficult and failed airway. 2008;52:191 (Book and Media Reviews)
Whitlow K (*see* Lavonas et al). 2008;52:S141 (Research Forum abstracts)
Whitson RR (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
WHO EMRO Pediatric Insecticide Study Group. 2008;52:617–22; (*see* Bond et al). 2008;
Wiechmann W, Menchine M. Ten-year trend in midlevel provider utilization in US emergency departments (1996–2005). 2008;52:S82 (Research Forum abstracts)
Wieman L (*see* Gutovitz et al). 2008;52:S53 (Research Forum abstracts)
Wiener D (*see* Shah et al). 2008;52:S113 (Research Forum abstracts)
Wilber ST (*see* Carpenter et al). 2008;52:S156 (Research Forum abstracts)
Williams J (*see* Goebel et al). 2008;52:S92 (Research Forum abstracts)
Williams J, Nocera M, Casteel C. The effectiveness of disaster training for health care workers: a systematic review. 2008;52:211–22 (Review Article)
Williams RC (*see* Winslow et al). 2008;52:93–7 (Brief research report)
Wilson AG (*see* Rae et al). 2008;52:S111 (Research Forum abstracts)
Wilson LD, Gittinger MJ, Hoeker G, Said T, Laurita KR, Rosenbaum DS. Heterogeneous calcium cycling during ventricular tachycardia promotes electrical instability and ventricular fibrillation. 2008;52:S89 (Research Forum abstracts)
Wilson M (*see* Ramanujam et al). 2008;52:S154 (Research Forum abstracts)
Winegard B (*see* Hiller et al). 2008;52:S72 (Research Forum abstracts)
Winn TJ (*see* Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Winslow JE, Hinshaw JW, Hughes MJ, Williams RC, Bozeman WP. Quantitative assessment of diagnostic radiation doses in adult blunt trauma patients. 2008;52:93–7 (Brief research report)
Wirtner A (*see* Henderson et al). 2008;52:S164 (Research Forum abstracts)
Wise PH (*see* Wang et al). 2008;52:607–15
Witting M, Schenkel S, Lawner B, Euerle B. Effects of vein width and depth in ultrasound-guided IV insertion. 2008;52:S127 (Research Forum abstracts)
Wollowitz A (*see* Birnbaum et al). 2008;52:151–9
Wong AS (*see* Chan et al). 2008;52:S133 (Research Forum abstracts)
Wong K (*see* Nelson et al). 2008;52:S61 (Research Forum abstracts)
Wong SL, Liu CH, Huang YC. Assessing the facial, head and neck injuries of motorcyclists in various types of helmets during motor vehicle crashes using the abbreviated injury scale. 2008;52:S142 (Research Forum abstracts)
Woo D (*see* Pierre et al). 2008;52:S161 (Research Forum abstracts)
Wooden H (*see* Hiller et al). 2008;52:S72 (Research Forum abstracts)
Woods P (*see* Gagliano et al). 2008;52:S107 (Research Forum abstracts)
Woods T (*see* Gaddis et al). 2008;52:S78 (Research Forum abstracts)
Woods W (*see* Althoff et al). 2008;52:S147 (Research Forum abstracts)
Woolard R (*see* Mello et al). 2008;52:S158 (Research Forum abstracts)
Wrenn K. Roma tomatoes and ED crowding. 2008;52:570–1 (Change of Shift)
Wright C (*see* Humphries and Wright). 2008;52: S160 (Research Forum abstracts)
Wright DW (*see* Jagoda et al). 2008;52:714–48 (Clinical policy)
Wright DW (*see* Pentz et al). 2008;52:574–5 (Correspondence reply)
Wright DW (*see* Petersburgo et al). 2008;52:S125 (Research Forum abstracts)
Wright R, Hughes MJ, Tanner P, Hughes K, Gasworth L, Peklo D, Gill J. Is whole body computed tomography imaging necessary to identify "clinically significant" injuries in low risk blunt trauma patients? 2008;52:S125 (Research Forum abstracts)
Wright RR (*see* Green et al). 2008;52:S72 (Research Forum abstracts)
Wright S (*see* Gupta et al). 2008;52:S60 (Research Forum abstracts)
Wynn B (*see* Atkinson et al). 2008;52:S172 (Research Forum abstracts)
Wynn B (*see* Madsen et al). 2008;52:S63 (Research Forum abstracts)
Wynn B (*see* Stears et al). 2008;52:S64 (Research Forum abstracts)

## Y

Yanchick J (*see* Kuehl et al). 2008;52:S74 (Research Forum abstracts)
Yang A, Pryor P, Radeos MS, Stanescu C. Emergency physician productivity: a comparison of 8-hour *versus* 12-hour shifts. 2008;52:S110 (Research Forum abstracts)
Yang H (*see* Newman et al). 2008;52:S121 (Research Forum abstracts)
Yang J (*see* Ford et al). 2008;52:S80 (Research Forum abstracts)
Yang J (*see* Garcia et al). 2008;52:S165 (Research Forum abstracts)
Yaron M (*see* Prutzman et al). 2008;52:S88 (Research Forum abstracts)
Yaron M (*see* Spalding et al). 2008;52:S80 (Research Forum abstracts)
Yealy DM (*see* Huang et al). 2008;52:48–60
Yealy DM (*see* Huang et al). 2008;52:S41 (Research Forum abstracts)
Yealy DM (*see* Wang et al). 2008;52:256–62
Yealy DM (*see* Suffoletto et al). 2008;52:529–33 (Brief research report)
Yeh B. Does this adult patient have appendicitis? 2008;52:301–3 (Rational clinical examination abstract)
Yeo U, Kim W, Oh B, Seo D. The value of a biomarker panel test for acute stroke in emergency department. 2008;52:S99 (Research Forum abstracts)
Yersin B (*see* Rutschmann et al). 2008;52:S57 (Research Forum abstracts)
Yoon CJ, Kim W. Acute ischemic stroke with initial negative diffusion-weighted imaging findings. 2008;52:S157 (Research Forum abstracts)
Youssef A (*see* Bond et al). 2008;52:617–22

## Z

Zaets SB (*see* Chan et al). 2008;52:S161 (Research Forum abstracts)
Zagozen P (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Zaniboni HA (*see* Rebholz et al). 2008;52:S73 (Research Forum abstracts)
Zehtabchi S (*see* Morley and Zehtabchi). 2008;52: 567–9 (Rational clinical examination abstract)
Zehtabchi S. (*see* Rios and Zehtabchi). 2008;52: 298–300 (Systematic review abstract)
Zeitouni R (*see* Kline et al). 2008;52:S47 (Research Forum abstracts)
Zenarosa R (*see* Riutta et al). 2008;52:S135 (Research Forum abstracts)
Zervos MJ (*see* Kass-Shamoun et al). 2008;52:S155 (Research Forum abstracts)
Zervos MJ (*see* Medado et al). 2008;52:S137 (Research Forum abstracts)
Zervos MJ (*see* Robinson et al). 2008;52:S138 (Research Forum abstracts)
Zheng AM. Adolescent male with left leg pain. 2008;52:e1–e2 (Images in Emergency Medicine)

Zhou C (*see* Hoot et al). 2008;52:116–25
Zhou C. (*see* Heavrin et al). 2008;52:S42 (Research Forum abstracts)
Zhou C. (*see* McNaughton et al). 2008;52:S75 (Research Forum abstracts)
Zhu S, Ashok M, Li W, Ward MF, Sama AE, Wang H. An endogenous anti-inflammatory molecule, spermine, protects mice against lethal experimental sepsis. 2008;52:S42 (Research Forum abstracts)
Zimmerman EE (*see* Han et al). 2008;52:S51 (Research Forum abstracts)
Zimmerman M (*see* Bahl et al). 2008;52:S146 (Research Forum abstracts)
Zimmerman M (*see* Nelson et al). 2008;52:S61 (Research Forum abstracts)
Zink BJ (*see* Boyd et al). 2008;52:S67 (Research Forum abstracts)
Zivin JA (*see* Liang and Zivin). 2008;52:160–4 (Brief research report)
Zosel A (*see* Lazio et al). 2008;52:S163 (Research Forum abstracts)
Zuck V (*see* Griffen et al). 2008;52:S88 (Research Forum abstracts)
Zuckerbraun NS (*see* Lovallo et al). 2008;52:S78 (Research Forum abstracts)
Zuercher M (*see* Kellum et al). 2008;52:244–52
Zupan-Meznar A (*see* Marinsek et al). 2008;52:S46 (Research Forum abstracts)
Zvirbulis E (*see* Tanabe et al). 2008;52:S74 (Research Forum abstracts